



**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving Public Works and Government**  
**Services Canada/Réception des soumissions Travaux**  
**publics et Services gouvernementaux Canada**  
**Pacific Region**  
**401 - 1230 Government Street**  
**Victoria, B.C.**  
**V8W 3X4**  
**Bid Fax: (250) 363-3344**

## SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### Comments - Commentaires

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Public Works and Government Services Canada -  
Pacific Region  
401 - 1230 Government Street  
Victoria, B. C.  
V8W 3X4

<b>Title - Sujet</b> Weight Room Exercise Equipment	
<b>Solicitation No. - N° de l'invitation</b> W2B03-176733/A	<b>Amendment No. - N° modif.</b> 005
<b>Client Reference No. - N° de référence du client</b> W2B03-176733	<b>Date</b> 2017-01-12
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$VIC-123-7119	
<b>File No. - N° de dossier</b> VIC-6-39116 (123)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2017-01-24</b>	<b>Time Zone</b> Fuseau horaire Pacific Standard Time PST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Sezginalp, Kipp	<b>Buyer Id - Id de l'acheteur</b> vic123
<b>Telephone No. - N° de téléphone</b> (250) 217-0194 ( )	<b>FAX No. - N° de FAX</b> (000) 000-0000
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

**SOLICITATION AMENDMENT 005 IS RAISED TO REVISE THE SOLICITATION AND TO RESPOND TO BIDDER QUESTIONS AS FOLLOWS:**

**\*\*NOTE: REVISED ANNEX B FOUND ON PAGE #52 \*\***

**\*\*PLEASE NOTE THE CLOSING DATE OF THIS SOLICITATION HAS BEEN EXTENDED TO JANUARY 24, 2017 AT 2:00 P.M. PST.**

**SOLICITATION AMENDMENT 002**

DELETE In Its Entirety.

INSERT:

**Question:**

Can you confirm if you are willing to accept products from multiple manufacturers on this bid or are you looking for a single manufacturer for all items?

**Answer:**

- For selectorized machines (Annex A Items 5.3, 5.4, 5.5, 5.6, 5.7, 5.8, 5.9, 5.10, and 5.11) all must be from one manufacturer.
- For plate-loaded machines (Annex A Items 5.12, 5.13, 5.15, 5.33, 5.34, and 5.35) all must be from one manufacturer.
- For adjustable benches (Annex A Items 5.19, 5.20, and 5.23) all must be from one manufacturer.
- For Olympic benches (Annex A Items 5.25, 5.26, and 5.27) all must be from one manufacturer.
- All other items may be from multiple manufacturers.

**Annex A Requirement and Evaluation**

**5. SPECIFICATIONS and EVALUATION**

DELETE In Its Entirety.

INSERT:

**5. SPECIFICATIONS and EVALUATION**

**Bidders may bid on one or multiple categories.**

For each mandatory technical criterion, the bidder must indicate whether the products proposed are compliant or not compliant by checking the appropriate box. The bidder must demonstrate clearly how the products proposed meet each criterion. Simply stating that they meet the criterion is not sufficient. When referencing other documents submitted with the bid, the bidder should indicate the exact location of the referenced documents, including the document title, page number and paragraph/subparagraph number. The bidder must provide a response for each criterion. The bidder must provide sufficient detail to permit

a complete evaluation. The bidder must provide a response for each and all items within a category. Failure to do so will make the bid non-responsive.

### Category 1: Selectorized Machines

#### 5.3 Seated Chest Press (quantity 1 each):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.3.1	Minimum 250lb stack			
5.3.2	Independent unilateral motion for more balanced and optimal workout			
5.3.3	Adjustable seat			
5.3.4	Converging arm motion			
5.3.5	Counterbalanced independent lever arms to provide low starting resistance			
5.3.6	Handles have rubber grips			
5.3.7	Selector pull-pins tethered to weight stack			
5.3.8	Structural frame must be minimum 11 gauge steel construction			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.3.9	must be powder coated			
5.3.10	grade 5 bolts CSA minimum			
5.3.11	cables of a high quality, commercial grade, nylon coated			
5.3.12	Weight Stacks – 100% steel			
5.3.13	upholstery must be double stitched with heavy duty nylon			
5.3.14	Must have instructional placards with photographs for showing effective safe operation			
5.3.15	Adjustable 5 lb or 7 lb add on weights included			

**5.4 Shoulder Press (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.4.1	Minimum 220lb stack			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.4.2	Independent unilateral motion			
5.4.3	Adjustable seat			
5.4.4	Converging arm motion			
5.4.5	Selectorized machine pull pins tethered to weight stack			
5.4.6	Structural frame must be minimum 11 gauge steel construction			
5.4.7	Must be powder coated			
5.4.8	Grade 5 bolts CSA minimum			
5.4.9	Cables of a high quality, commercial grade, nylon coated			
5.4.10	Weight Stacks – 100% steel			
5.4.11	upholstery must be double stitched with heavy duty nylon			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.4.12	Must have instructional placards with photographs for showing effective safe operation			
5.4.13	Adjustable 5 lb or 7 lb add on weights included			

**5.5 Rear Delt Pec Fly Combo (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.5.1	Self-aligning arms for optimal and safe operation			
5.5.2	Minimum 260lb stack			
5.5.3	Dual function pec fly/rear delt			
5.5.4	Adjustable seat			
5.5.5	Independent exercise arms			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.5.6	Multiple handgrip options			
5.5.7	Multiple starting position adjustments on overhead cams			
5.5.8	Selectorized machine pull pins tethered to weight stack			
5.5.9	Structural frame must be minimum 11 gauge steel construction			
5.5.10	Must be powder coated			
5.5.11	Grade 5 bolts CSA minimum			
5.5.12	Cables of a high quality, commercial grade, nylon coated			
5.5.13	Weight Stacks – 100% steel			
5.5.14	Upholstery must be double stitched with heavy duty nylon			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.5.15	Must have instructional placards with photographs for showing effective safe Operation			
5.5.16	Adjustable 5 lb or 7 lb add on weights included			

**5.6 Chin Dip Assist (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.6.1	Multi-position chin-up bars and tricep dip with ergonomic, non-slip grips			
5.6.2	Rubber handgrips			
5.6.3	Selectorized machine pull pins tethered to weight stack			
5.6.4	Structural frame must be minimum 11 gauge steel construction			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.6.5	Must be powder coated			
5.6.6	Grade 5 bolts CSA minimum			
5.6.7	Cables of a high quality, commercial grade, nylon coated			
5.6.8	Weight Stacks – 100% steel			
5.6.9	Upholstery must be double stitched with heavy duty nylon			
5.6.10	Must have instructional placards with photographs for showing effective safe operation			
5.6.11	Adjustable 5 lb or 7 lb add on weights included			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

**5.7 Diverging Row (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.7.1	Self-adjusting handles for optimal and safe operation			
5.7.2	Minimum 220lb stack			
5.7.3	Independent lever arms with diverging motion			
5.7.4	Adjustable seat and chest pad			
5.7.5	Rotating handles to accommodate multiple grip position			
5.7.6	Selectorized machine pull pins tethered to weight stack			
5.7.7	Structural frame must be minimum 11 gauge steel construction			
5.7.8	must be powder coated			
5.7.9	grade 5 bolts CSA minimum			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.7.10	cables of a high quality, commercial grade, nylon coated			
5.7.11	Weight Stacks – 100% steel			
5.7.12	upholstery must be double stitched with heavy duty nylon			
5.7.13	Must have instructional placards with photographs for showing effective safe operation			
5.7.14	Adjustable 5 lb or 7 lb add on weights included			

**5.8 Leg Extension / Leg curl combo (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.8.1	Seated leg extension and lying leg curl included in one unit			
5.8.2	Minimum 205lb stack			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.8.3	Dual function leg extension/leg curl			
5.8.4	Adjustable seat back			
5.8.5	Rubber handgrips			
5.8.6	Self-aligning roller pad			
5.8.7	Selectorized machine pull pins tethered to weight stack			
5.8.8	Structural frame must be minimum 11 gauge steel construction			
5.8.9	must be powder coated			
5.8.10	grade 5 bolts CSA minimum			
5.8.11	cables of a high quality, commercial grade, nylon coated			
5.8.12	Weight Stacks – 100% steel			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.8.13	upholstery must be double stitched with heavy duty nylon			
5.8.14	Must have instructional placards with photographs for showing effective safe operation			
5.8.15	Adjustable 5 lb or 7 lb add on weights included			

**5.9 Leg Extension (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.9.1	Self-aligning shin pad			
5.9.2	Minimum 250lb stack			
5.9.3	Adjustable seat back and thigh pad			
5.9.4	Seat adjustment mechanism			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.9.5	Selectorized machine pull pins tethered to weight stack			
5.9.6	Structural frame must be minimum 11 gauge steel construction			
5.9.7	must be powder coated			
5.9.8	grade 5 bolts CSA minimum			
5.9.9	Selectorized stack equipment: cables of a high quality, commercial grade, nylon coated			
5.9.10	Weight Stacks – 100% steel			
5.9.11	upholstery must be double stitched with heavy duty nylon			
5.9.12	Must have instructional placards with photographs for showing effective safe operation			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.9.13	Adjustable 5 lb or 7 lb add on weights included			

**5.10 Seated Leg Curl (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.10.1	Minimum 205lb stack			
5.10.2	Adjustable seat back and thigh pad			
5.10.3	Handgrips			
5.10.4	Fixed roller pad			
5.10.5	Range of motion adjustment			
5.10.6	Selectorized machine pull pins tethered to weight stack			
5.10.7	Structural frame must be minimum 11 gauge steel construction			
5.10.8	must be powder coated			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.10.9	grade 5 bolts CSA minimum			
5.10.10	Selectorized stack equipment: cables of a high quality, commercial grade, nylon coated			
5.10.11	Weight Stacks – 100% steel			
5.10.12	upholstery must be double stitched with heavy duty nylon			
5.10.13	Must have instructional placards with photographs for showing effective safe operation			
5.10.14	Adjustable 5 lb or 7 lb add on weights included			

**5.11 Leg Press (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.11.1	Adaptable range-of-motion			
5.11.2	Rubber footplates make it easy to get on and off the unit			
5.11.3	Minimum 370lb stack			
5.11.4	Stability handles			
5.11.5	Selectorized machine pull pins tethered to weight stack			
5.11.6	Structural frame must be minimum 11 gauge steel construction			
5.11.7	must be powder coated			
5.11.8	grade 5 bolts CSA minimum			

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.11.9	SelectORIZED stack equipment: cables of a high quality, commercial grade, nylon coated			
5.11.10	Weight Stacks – 100% steel			
5.11.11	upholstery must be double stitched with heavy duty nylon			
5.11.12	Must have instructional placards with photographs for showing effective safe operation			
5.11.13	Adjustable 5 lb or 7 lb add on weights included			

### 5.39 General Specifications

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.39.1	All units must be new. Refurbished or trade show products are not acceptable.			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.39.2	All equipment must be heavy duty commercial grade.			
5.39.3	All units must have adjustable protective foot covers to protect flooring as well as anchoring holes to attach units to floor when needed			

#### 5.40 Warranty

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
	The warranty must be no less than:			
5.40.1	10 years for structural frame and structural moving parts, welds and weight stack plates			
5.40.2	5 years for pulleys, bearings, bushing and guide rods			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.40.3	1 year for plastic bushings, rubber handgrips, belts, cables, weight stack pins, seat hydraulics and any other parts not specified with in the itemized parts, accessory bars and handles			
5.40.4	2 year for labour			
5.40.5	1 year for upholstery			
5.40.6	Warranty service must be provided on site within 48 hour response time.			

## Category 2: Plate-loaded Machines

### 5.12 Plate-Loaded Leg Press (quantity 2 each):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.12.1	Racking mechanism			
5.12.2	Adjustable back pad			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.12.3	Handles with rubber grips and footplate			
5.12.4	Structural frame must be minimum 11 gauge steel construction			
5.12.5	must be powder coated			
5.12.6	grade 5 bolts CSA minimum			
5.12.7	upholstery must be double stitched with heavy duty nylon			
5.12.8	40-45 degree machine angle			

**5.13 Plate-Loaded Hack Squat (quantity 1 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.13.1	Minimum 2 weight horns for storage			
5.13.2	Adjustable safety catch and Handles with rubber grips			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.13.3	Structural frame must be minimum 11 gauge steel construction			
5.13.4	must be powder coated			
5.13.5	grade 5 bolts CSA minimum			
5.13.6	upholstery must be double stitched with heavy duty nylon			

**5.15 Plate-Loaded Seated calf (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.15.1	Adjustable thigh pad			
5.15.2	upholstery must be double stitched with heavy duty nylon			
5.15.3	Structural frame must be minimum 11 gauge steel construction			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.15.4	must be powder coated			
5.15.5	grade 5 bolts CSA minimum			

**5.33 Plated Loaded Vertical Chest Press (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.33.1	Adjustable seat			
5.33.2	Independent movement arms and pressing movements			
5.33.3	Multiple hand positions and converging arm movement			
5.33.4	Oversized grips			
5.33.5	Minimum 2 standard weight storage horns			
5.33.6	Structural frame must be minimum 11 gauge steel construction			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.33.7	Must be powder coated			
5.33.8	Grade 5 bolts CSA minimum			
5.33.9	Upholstery must be double stitched with heavy duty nylon			

**5.34 Plated Loaded Lat Pulldown (quantity 1 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.34.1	Adjustable seat			
5.34.2	Independent movement arms and pressing movements			
5.34.3	Multiple hand positions and converging arm movement			
5.34.4	Oversized grips			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.34.5	Integrated weight storage with smaller diameter bars for easier removing and replacing of weight			
5.34.6	Minimum 2 standard weight horns			
5.34.7	Structural frame must be minimum 11 gauge steel construction			
5.34.8	Must be powder coated			
5.34.9	Grade 5 bolts CSA minimum			
5.34.10	Upholstery must be double stitched with heavy duty nylon			

**5.35 Plated Loaded Overhead Shoulder Press (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.35.1	Adjustable seat			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

<b>5.35.2</b>	Independent movement arms and pressing movements			
<b>5.35.3</b>	Multiple hand positions and converging arm movement			
<b>5.35.4</b>	Minimum 2 standard weight horns			
<b>5.35.5</b>	Structural frame must be minimum 11 gauge steel construction			
<b>5.35.6</b>	Must be powder coated			
<b>5.35.7</b>	Grade 5 bolts CSA minimum			
<b>5.35.8</b>	Upholstery must be double stitched with heavy duty nylon			

**5.36 T-Bar Row (quantity 1 each):**

<b>Number</b>	<b>Mandatory Technical Criterion</b>	<b>Compliant</b>	<b>Not Compliant</b>	<b>Description/Reference</b>
<b>5.36.1</b>	Handles for both wide and narrow grips			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

<b>5.36.2</b>	Structural frame must be minimum 11 gauge steel construction			
<b>5.36.3</b>	Must be powder coated			
<b>5.36.4</b>	Grade 5 bolts CSA minimum			
<b>5.36.5</b>	Upholstery must be double stitched with heavy duty nylon			

#### 5.41 General Specifications

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
<b>5.41.1</b>	All units must be new. Refurbished or trade show products are not acceptable.			
<b>5.41.2</b>	All equipment must be heavy duty commercial grade.			
<b>5.41.3</b>	All units must have adjustable protective foot covers to protect flooring as well as anchoring holes to attach units to floor when needed			

#### 5.42 Warranty

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
	The warranty must be no less than:			
5.42.1	10 years for structural frame and structural moving parts, welds and weight stack plates			
5.42.2	5 years for pulleys, bearings, bushing and guide rods			
5.42.3	1 year for plastic bushings, rubber handgrips, belts, cables, weight stack pins, seat hydraulics and any other parts not specified with in the itemized parts, accessory bars and handles			
5.42.4	2 year for labour			
5.42.5	1 year for upholstery			
5.42.6	Warranty service must be provided on site within 48 hour response time.			

### Category 3: Adjustable Benches

#### 5.16 Chin Dip Leg Raise Combo (quantity 2 each):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.16.1	1.5 inch diameter dip bars for ideal comfort and safety			
5.16.2	Multiple chin-up handgrips			
5.16.3	Angled forearm pads			
5.16.4	Padded back support			
5.16.5	Handles with rubber grips			
5.16.6	Structural frame must be minimum 11 gauge steel construction			
5.16.7	Must be powder coated			
5.16.8	Grade 5 bolts CSA minimum			

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.16.9	Upholstery must be double stitched with heavy duty nylon			

**5.17 Incline Back Hyper Extension (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.17.1	Angled thigh pads			
5.17.2	Adjustable incline			
5.17.3	Structural frame must be minimum 11 gauge steel construction			
5.17.4	Must be powder coated			
5.17.5	Grade 5 bolts CSA minimum			
5.17.6	Upholstery must be double stitched with heavy duty nylon			

**5.18 Adjustable Sit up Bench (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.18.1	Handlebar to facilitate entry and exit			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.18.2	Minimum 10 degrees adjustable angle range			
5.18.3	Structural frame must be minimum 11 gauge steel construction			
5.18.4	Must be powder coated			
5.18.5	Grade 5 bolts CSA minimum			
5.18.6	Upholstery must be double stitched with heavy duty nylon			

**5.19 Adjustable Bench (quantity 6 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.19.1	Adjustable backrest to minimum 5 different positions from flat to upright			
5.19.2	Seat adjustment			
5.19.3	Must have wheels			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.19.4	Structural frame must be minimum 11 gauge steel construction			
5.19.5	Must be powder coated			
5.19.6	Grade 5 bolts CSA minimum			
5.19.7	Upholstery must be double stitched with heavy duty nylon			

**5.20 Adjustable Decline Bench (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.20.1	Declines from minimum range of - 15 to -25 degrees			
5.20.2	Must have wheels			
5.20.3	Structural frame must be minimum 11 gauge steel construction			
5.20.4	Must be powder coated			
5.20.5	Grade 5 bolts CSA minimum			

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.20.6	Upholstery must be double stitched with heavy duty nylon			

**5.21 Flat Bench (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.21.1	High density foam pad			
5.21.2	Structural frame must be minimum 11 gauge steel construction			
5.21.3	Must be powder coated			
5.21.4	Upholstery must be double stitched with heavy duty nylon			

**5.23 Utility Bench (quantity 1 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.23.1	High density foam pad			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.23.2	Structural frame must be minimum 11 gauge steel construction			
5.23.3	Must be powder coated			
5.23.4	Upholstery must be double stitched with heavy duty nylon			

**5.24 Seated Preacher Curl Bench (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.24.1	High density foam pad			
5.24.2	Adjustable seat			
5.24.3	Structural frame must be minimum 11 gauge steel construction			
5.24.4	Must be powder coated			
5.24.5	Upholstery must be double stitched with heavy duty nylon			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

<b>5.24.6</b>	Grade 5 bolts CSA minimum			
---------------	---------------------------	--	--	--

#### 5.43 General Specifications

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
<b>5.43.1</b>	All units must be new. Refurbished or trade show products are not acceptable.			
<b>5.43.2</b>	All equipment must be heavy duty commercial grade.			
<b>5.43.3</b>	All units must have adjustable protective foot covers to protect flooring as well as anchoring holes to attach units to floor when needed			

#### 5.44 Warranty

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
	The warranty must be no less than:			
5.44.1	10 years for structural frame and structural moving parts, welds and weight stack plates			
5.44.2	2 year for labour			
5.44.3	1 year for upholstery			
5.44.4	Warranty service must be provided on site within 48 hour response time.			

#### Category 4: Olympic Benches, Platform and Power Racks

##### 5.25 Flat Olympic Bench (quantity 2 each):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.25.1	High density foam pad			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.25.2	Structural frame must be minimum 11 gauge steel construction			
5.25.3	Must be powder coated			
5.25.4	Upholstery must be double stitched with heavy duty nylon			
5.25.5	Minimum 4 standard weight horns			

#### 5.26 Olympic Incline Bench (quantity 2 each)

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.26.1	Minimum range angle 25-35 degree's			
5.26.2	High density foam pad			
5.26.3	Structural frame must be minimum 11 gauge steel construction			
5.26.4	Must be powder coated			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.26.5	Upholstery must be double stitched with heavy duty nylon			
5.26.6	Minimum 4 standard weight horns			
5.26.7	Adjustable seat			

**5.27 Olympic Flat / Decline Bench (quantity 2 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.27.1	High density foam pad			
5.27.2	Minimum 4 standard weight horns			
5.27.3	Structural frame must be minimum 11 gauge steel construction			
5.27.4	Must be powder coated			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

<b>5.27.5</b>	Upholstery must be double stitched with heavy duty nylon			
<b>5.27.6</b>	Adjustable seat			

**5.29 Hardwood Maple Surface Olympic Lifting Platform (quantity 7 each):**

<b>Number</b>	<b>Mandatory Technical Criterion</b>	<b>Compliant</b>	<b>Not Compliant</b>	<b>Description/Reference</b>
<b>5.29.1</b>	Tongue and groove maple wood surface is minimum 42" length (depth) and maximum 72". Minimum 84" wide and maximum 96"			
<b>5.29.2</b>	Covered with transparent and satin polyurethane			
<b>5.29.3</b>	Surrounding steel frame for superior durability			

**5.14 Straight Smith Machine (quantity 2 each):**

<b>Number</b>	<b>Mandatory Technical Criterion</b>	<b>Compliant</b>	<b>Not Compliant</b>	<b>Description/Reference</b>
<b>5.14.1</b>	1 inch solid steel guide rods with hard chrome finish eliminate vibration and swaying			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.14.2	Minimum 6 weight horns for storage			
5.14.3	Min 1500 lbs test Olympic Bar			
5.14.4	Barbell to be knurled with pattern for added grip			
5.14.5	Structural frame must be minimum 11 gauge steel construction			
5.14.6	must be powder coated			
5.14.7	grade 5 bolts CSA minimum			

**5.28 Power Rack (quantity 1 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.28.1	Standard Olympic Bar Holders (2)			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

<b>5.28.2</b>	Standard weight storage horns (8)			
<b>5.28.3</b>	Pull up station			
<b>5.28.4</b>	Closed grip pull up station			
<b>5.28.5</b>	Wide grip lat pull station with close grip included			
<b>5.28.6</b>	Must have spotter bars			
<b>5.28.7</b>	Must be minimum 7 gauge steel construction			
<b>5.28.8</b>	Must be powder coated			
<b>5.28.9</b>	Grade 5 bolts CSA minimum			

**5.32 3 D Smith Machine (quantity 1):**

<b>Number</b>	<b>Mandatory Technical Criterion</b>	<b>Compliant</b>	<b>Not Compliant</b>	<b>Description/Reference</b>
<b>5.32.1</b>	Must provide both vertically and horizontally bar movement			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.32.2	Provides a smith machine and power rack in one unit			
5.32.3	Walk through design			
5.32.4	Rotating olympic bar			
5.32.5	Minimum 6 olympic plate storage horns			
5.32.6	Rubber feet protectors			
5.32.7	Structural frame must be minimum 11 gauge steel construction			
5.32.8	Must be powder coated			
5.32.9	Grade 5 bolts CSA minimum			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

#### 5.45 General Specifications

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.45.1	All units must be new. Refurbished or trade show products are not acceptable.			
5.45.2	All equipment must be heavy duty commercial grade.			
5.45.3	All units must have adjustable protective foot covers to protect flooring as well as anchoring holes to attach units to floor when needed			

#### 5.46 Warranty

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
	The warranty must be no less than:			
5.46.1	10 years for structural frame and structural moving parts, welds and weight stack plates			
5.46.2	5 years for pulleys, bearings, bushing and guide rods			

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.46.3	1 year for plastic bushings, rubber handgrips, belts, cables, weight stack pins, seat hydraulics and any other parts not specified with in the itemized parts, accessory bars and handles			
5.46.4	2 year for labour			
5.46.5	1 year for upholstery			
5.46.6	Warranty service must be provided on site within 48 hour response time.			

#### Category 5: Multi-Stations

##### 5.30 – Minimum 12 Stack Multi Station (quantity 1 each):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.30.1	2 x pull up stations on each cross beam (two crossbeams in total)			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.30.2	4 adjustable pulleys – Minimum 190lb stacks			
5.30.3	2 dual unilateral adjustable pulleys – Minimum 200lb stacks			
5.30.4	3 x unilateral lat pull downs – Minimum 225lb stacks			
5.30.5	3 x unilateral low rows – Minimum 225lb stacks			
5.30.6	pull pins tethered to weight stack			
5.30.7	Structural frame must be minimum 11 gauge steel construction			
5.30.8	Must be powder coated			
5.30.9	Grade 5 bolts CSA minimum			
5.30.10	Cables of a high quality, commercial grade, nylon coated			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.30.11	Weight Stacks – 100% steel			
5.30.12	Adjustable 5 lb add on weights included			

**5.31 –Minimum 8 Stack Multi Station (quantity 1 each):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.31.1	2 x pull up stations on cross beam			
5.31.2	2 adjustable pulleys – Minimum 210lb stacks			
5.31.3	2 dual unilateral adjustable pulleys – Minimum 235lb stacks			
5.31.4	2 x unilateral lat pull downs – Minimum 250lb stacks			
5.31.5	2 x unilateral low rows – Minimum 250lb stacks			
5.31.6	pull pins tethered to weight stack			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.31.7	Structural frame must be minimum 11 gauge steel construction			
5.31.8	Must be powder coated			
5.31.9	Grade 5 bolts CSA minimum			
5.31.10	Cables of a high quality, commercial grade, nylon coated			
5.31.11	Weight Stacks – 100% steel			
5.31.12	Adjustable 5 lb add on weights included			

**5.51 – Multi Station Attachments (quantity 1 lot):**

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.51.1	Five (5) Lat Pull down bars			
5.51.2	Five (5) Triangle Low Row Bars			
5.51.3	Ten (10) Single Grip Handles			
5.51.4	Ten (10) Ankle Straps			
5.51.5	Five (5) Tricep Ropes			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.51.6	Five (5) Revolving Curl Bars			

#### 5.47 General Specifications

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.47.1	All units must be new. Refurbished or trade show products are not acceptable.			
5.47.2	All equipment must be heavy duty commercial grade.			
5.47.3	All units must have adjustable protective foot covers to protect flooring as well as anchoring holes to attach units to floor when needed			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

#### 5.48 Warranty

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
	The warranty must be no less than:			
5.48.1	10 years for structural frame and structural moving parts, welds and weight stack plates			
5.48.2	5 years for pulleys, bearings, bushing and guide rods			
5.48.3	1 year for plastic bushings, rubber handgrips, belts, cables, weight stack pins, seat hydraulics and any other parts not specified with in the itemized parts, accessory bars and handles			
5.48.4	2 year for labour			
5.48.5	1 year for upholstery			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.48.6	Warranty service must be provided on site within 48 hour response time.			

#### Category 6: Barbells

##### 5.37 Barbell racks (quantity 2 each):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.37.1	Holds Minimum 8 straight bars			
5.37.2	Polymer or rubber racking templates			
5.37.3	Structural frame must be minimum 11 gauge steel construction			

##### 5.38 Urethane Barbells 25-115lb set in 10lb increments (quantity 2 sets):

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.38.1	Urethane coated plates			
5.38.2	Straight bars			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.38.3	Solid steel bars with hard chromed finish			
5.38.4	Knurling on bars			

#### 5.49 General Specifications

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.49.1	All units must be new. Refurbished or trade show products are not acceptable.			
5.49.2	All equipment must be heavy duty commercial grade.			
5.49.3	All units must have adjustable protective foot covers to protect flooring as well as anchoring holes to attach units to floor when needed (excluding 5.38)			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

### 5.50 Warranty

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
	The warranty must be no less than:			
5.50.1	10 years for structural frame and structural moving parts, welds and weight stack plates			
5.50.2	5 years for pulleys, bearings, bushing and guide rods			
5.50.3	1 year for plastic bushings, rubber handgrips, belts, cables, weight stack pins, seat hydraulics and any other parts not specified with in the itemized parts, accessory bars and handles			
5.50.4	2 year for labour			
5.50.5	1 year for upholstery			

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

Number	Mandatory Technical Criterion	Compliant	Not Compliant	Description/Reference
5.50.6	Warranty service must be provided on site within 48 hour response time.			

#### Annex B – Basis of Payment

In Its Entirety.

INSERT:

#### Annex B – Basis of Payment

Bidders must submit their financial bid using the financial evaluation tables provided in this Annex.

Bidders must submit firm unit prices for all items listed within a category to be given further consideration. A Bid addressing only a portion of the category requirement detailed in the financial evaluation table will be declared non-responsive and given no further consideration in the process.

Pricing offered must be in **Canadian dollars**, Applicable Taxes excluded, Delivered Duty Paid (DDP) to Victoria BC Canada V9A 7N2, shipping charges, Canadian customs duties and excise taxes included.

Firm unit price shall be inclusive of all direct and indirect expenses incurred in performing the Requirement including but not limited to all labour, fringe benefits, overhead, supervision, tools, equipment, materials, parts, manuals, travel time, travel and living expenses, transportation costs, reports, general and administrative costs, profit required to do the work, all related duties and other costs paid by the Supplier such as additional surcharges, and transportation fees. No other charges will be accepted.

Failure to comply with any of the instructions provided in this Annex will render the bid non-responsive.

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

### Category 1: Selectorized Machines

Item	Description	Distribution Unit	Quantity	Unit Price (Excluding Tax)	Extended Price (Quantity X Unit Price)
5.3	Seated Chest Press	Each	1		
5.4	Shoulder Press	Each	2		
5.5	Rear Delt Pec Fly Combo	Each	2		
5.6	Chin Dip Assist	Each	2		
5.7	Diverging Row	Each	2		
5.8	Leg Extension / Leg curl combo	Each	2		
5.9	Leg Extension	Each	2		
5.10	Seated Leg Curl	Each	2		
5.11	Leg Press	Each	2		
5.40	Warranty	Each	1		
Total Evaluated Price DDP Victoria BC, GST/HST extra (SUM Extended prices)					\$
GST(5%)					\$
Grand Total					\$

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

## Category 2: Plate-loaded Machines

Item	Description	Distribution Unit	Quantity	Unit Price (Excluding Tax)	Extended Price (Quantity X Unit Price)
5.12	Plate-Loaded Leg Press	Each	2		
5.13	Plate-Loaded Hack Squat	Each	1		
5.15	Plate-Loaded Seated calf	Each	2		
5.33	Plated Loaded Vertical Chest Press	Each	2		
5.34	Plated Loaded Lat Pulldown	Each	1		
5.35	Plated Loaded Overhead Shoulder Press	Each	2		
5.36	T-Bar Row	Each	1		
5.42	Warranty	Each	1		
Total Evaluated Price DDP Victoria BC, GST/HST extra (SUM Extended prices)					\$
GST(5%)					\$
Grand Total					\$

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

### Category 3: Adjustable Benches

Item	Description	Distribution Unit	Quantity	Unit Price (Excluding Tax)	Extended Price (Quantity X Unit Price)
5.16	Chin Dip Leg Raise Combo	Each	2		
5.17	Incline Back Hyper Extension	Each	2		
5.18	Adjustable Sit up Bench	Each	2		
5.19	Adjustable Bench	Each	6		
5.20	Adjustable Decline Bench	Each	2		
5.21	Flat Bench	Each	2		
5.23	Utility Bench	Each	1		
5.24	Seated Preacher Curl Bench	Each	2		
5.44	Warranty	Each	1		
Total Evaluated Price DDP Victoria BC, GST/HST extra (SUM Extended prices)					\$
GST(5%)					\$
Grand Total					\$

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

#### Category 4: Olympic Benches, Platform and Power Racks

Item	Description	Distribution Unit	Quantity	Unit Price (Excluding Tax)	Extended Price (Quantity X Unit Price)
5.25	Flat Olympic Bench	Each	2		
5.26	Olympic Incline Bench	Each	2		
5.27	Olympic Flat / Decline Bench	Each	2		
5.29	Hardwood Maple Surface Olympic Lifting Platform	Each	7		
5.14	Straight Smith Machine	Each	2		
5.28	Power Rack	Each	1		
5.32	3 D Smith Machine	Each	1		
5.46	Warranty	Each	1		
Total Evaluated Price DDP Victoria BC, GST/HST extra (SUM Extended prices)					\$
GST(5%)					\$
Grand Total					\$

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

---

**Category 5: Multi-Stations**

Item	Description	Distribution Unit	Quantity	Unit Price (Excluding Tax)	Extended Price (Quantity X Unit Price)
5.30	Minimum 12 Stack Multi Station	Each	1		
5.31	Minimum 8 Stack Multi Station	Each	1		
5.51	Multi Station Attachments	Lot	1		
5.48	Warranty	Each	1		
Total Evaluated Price DDP Victoria BC, GST/HST extra (SUM Extended prices)					\$
GST(5%)					\$
Grand Total					\$

Contract No. - N° de l'invitation  
W2B03-176733  
Client Ref. No. - N° de réf. du client  
W2B03-176733

Amd. No. - N° de la modif.  
005  
File No. - N° du dossier  
VIC-6-39116

Buyer ID - Id de l'acheteur  
Vic 123  
CCC No./N° CCC - FMS No./N° VME

---

**Category 6: Barbells**

Item	Description	Distribution Unit	Quantity	Unit Price (Excluding Tax)	Extended Price (Quantity X Unit Price)
5.37	Barbell racks	Each	2		
5.38	Urethane Barbells 25-115lb set in 10lb increments	Lot	2		
5.50	Warranty	Each	1		
Total Evaluated Price DDP Victoria BC, GST/HST extra (SUM Extended prices)					\$
GST(5%)					\$
Grand Total					\$

***ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED***