

RETURN BIDS TO: RETOURNER LES SOUMISSIONS A :

Bid Receiving/Réception des sousmissions Procurement & Contracting Services c/o Commissionaires, F Division 6101 Dewdney Ave Regina, SK S4P 3K7

Fax No. - No de FAX: (306) 780-5232

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments: - Commentaries:

THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

LE PRÉSENT DOCUMENT COMPORTE UNE EXIGENCE EN MATIÈRE DE SÉCURITÉ

Title - Sujet: Winterized 4x4 Utility Vehicle				Date : January 12, 2017			
Solicitatio M5000-17-	n No. – Nº de l'i 5005/A	nvitation		Amendment No. – Nº de la modification 002			
Client Refe PW-16-007	erence No No 761376	. De Référe	ence du Cli	ent			
Solicitatio	n Closes – L'in	vitation pre	nd fin				
At /à :	2 :00 pm		CST (Central Standard Time) HNC (Heure Normale du Centre)				
On / le :	February 2, 20	2017					
Delivered	Incoterms 2010 "DDP Delivered Duty Paid" See herein — Voir aux présentes GST – T See herei aux prése		n — Voir See herein — Voir au				
services	n of Goods and — Voir aux prés		- Destination	ons des biens et			
Instruction See herein	ns — Voir aux prés	sentes					
	Address Inquiries to – Adresser toute demande de renseignements à						
Telephone	No. – No. de té	éléphone	Facsimile	No. – No. de télécopieur			
Delivery R Livraison			Delivery C Livraison N/A				
Vendor/Firm Name, Address and Representative – Raison sociale, adresse et représentant du fournisseur/de l'entrepreneur:							
Telephone No. – No. de téléphone			Facsimile No. – No. de télécopieur				
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) – Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)							
Signature			Date				





This amendment is raised to address the following:

- · To respond to questions received during the solicitation period; and
- To revise the solicitation accordingly, as applicable.

QUESTIONS AND ANSWERS

Question 1: Would a polycarbonate roof fully integrated with the doors and windshield be acceptable?

Answer 1: Yes, the solicitation has been updated to reflect this change.

SOLICITATION REVISIONS

1) On page fifteen (15) - Annex A -Requirement

DELETE:

K. 1 ROPS Cab Frame with steel roof

INSERT:

K. 1 ROPS Cab Frame with solid roof

2) On page eighteen (18) – Annex C – Mandatory Technical Criteria

DELETE:

Annex C – Mandatory Technical Criteria in its entirety

INSERT:

ANNEX C

Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include one (1) copies of descriptive literature of the make and model of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications and cross reference where this specification is located within the descriptive literature.

Where weight, dimensions or other characteristics are shown as minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-compliant and will be given no further consideration.

BIDDER MUST SUBMIT WITH THEIR BID PROOF OF BEING AN AUTHORIZED MANUFACTURER OR RESELLER FOR THE UNIT OFFERED PRIOR TO AWARD OF CONTRACT.

The following specifications must be met:



No.	Specification	Compliance Yes No		Comments(s) / Cross Reference
	Must be new, most current model manufactured (at time of bid closing;			
Λ.	Engine			
Α.	Engine Liquid Cooled 4 cycle (Single Cylinder			
1.	Gas Engine – Minimum)			
2.	Gas Engine: 18 horsepower minimum			
3.	Engine oil or coolant with a block heater			
4.	Electric Start Minimum			
В.	Electrical System			
1.	25 Amp alternator - Minimum			
2.	12 Volt battery			
C.	Drive Train			
1.	Gear selection/range must include: High/Low, Reverse, Neutral – Minimum			
2.	4 wheel drive with lockable rear differential			
3.	Front & rear hydraulic disc brakes – Minimum			
4.	Parking brake mechanical – Minimum (can be disc or drum)			
D.	Suspension Independent Macpherson Strut front			
1.	steering – Minimum			
2.	Independent coil over shock rear suspension – Minimum			
3.	Power steering wheel (no foot pedals or hand controls)			
4.	High performance all-purpose suspension			
5.	Turf/hard surface tires – standard manufacturer tire size for bidding machine			
_	Times			
E. 1.	Tires High performance all-purpose – Minimum			
2.	Turf/hard surface – standard manufacturer tire size for bidding machine			
F.	Fuel System			
1.	20 L Fuel Tank Capacity – Minimum			
2.	Electric Fuel Pump – Minimum			
G.	Dimension			
1.	74" Wheelbase – Minimum			
2.	1,000 lb Dry weight – Minimum			
ы	Corne Dev			
H. 1.	Cargo Box 750 lb Box Capacity – Minimum			
1.	700 10 DOX Capacity - Millillian			



2.	Power Lift Cargo Box	
3.	Quick latch tailgate	
4.	Rear Receiver hitch	
5.	Drawbar	
I.	Instrumentation	
1.	Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum	
2.	Warning light for low engine oil pressure, high engine coolant temp – Minimum	
J.	Interior/Cab	
1.	Winterized including heater and defroster – Minimum	
2.	Bucket seats with double seating capacity – Minimum	
3.	Pressurized liquid cooled fan/heater	
4.	3 point restraint safety belts – Minimum	
K.	Exterior Cab	
1.	ROPS Cab Frame with solid roof	
2.	Two (2) Head lights – Minimum	
3.	Deluxe lighting kit (including signal & brake lights) – Minimum	
4.	Side mirror kit	
5.	Tip-out glass windshield – Minimum	
6.	Windshield wiper – 1 Minimum	
7.	Solid (non-fabric) Driver & Passenger Doors – Minimum	
8.	Back up alarm	
9.	Horn	
10.	Vinyl Flooring or equivalent	
L.	Additional Features	
	Service: Service/warranty and regular maintenance work must be performed within a 100 km radius of the delivery location, by an authorized service dealer and/or agent.	Distance between the delivery location and the service dealer and/or agent:km
	The authorized service dealer and/or agent must have ready access to regular maintenance and service parts and be able to access all parts not normally stocked from an authorized parts dealer.	Name:
	The Bidder must provide the name, address, telephone number and indicate the distance between the delivery location and the authorized service dealer and/or agent to provide after sales service,	Address: Telephone:

Solicitation No Nº de l'invitation : M5000-17-5005/A
Amendment No No. de la modification : 002

maintenance, warranty repairs, and a full range of repair parts for the unit offered.		

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME