



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada**
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3
Bid Fax: (403) 292-5786

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Mini Loader	
Solicitation No. - N° de l'invitation 01580-170578/B	Date 2017-01-16
Client Reference No. - N° de référence du client 01580-170578	
GETS Reference No. - N° de référence de SEAG PW-\$CAL-127-6550	
File No. - N° de dossier CAL-6-39060 (127)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-02-27	
Time Zone Fuseau horaire Mountain Standard Time MST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ray, Jane	Buyer Id - Id de l'acheteur cal127
Telephone No. - N° de téléphone (403) 292-5318 ()	FAX No. - N° de FAX (403) 292-5786
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Agriculture & Agri-Food Canada Saskatoon Research Farm 410 Lowe Road Saskatoon, Saskatchewan S7N 0X2 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Travaux
publics et Services gouvernementaux Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This bid solicitation cancels and supersedes previous bid solicitation number 01580-170578/A dated 2016-11-14 with a closing of 2017-01-03 at 14:00 MDT. A debriefing or feedback session will be provided upon request offerors/suppliers who bid on the previous solicitation.

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS.....	2
2.3 ENQUIRIES - BID SOLICITATION.....	2
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES.....	4
4.2 BASIS OF SELECTION.....	4
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	4
5.1 CERTIFICATIONS REQUIRED WITH THE BID.....	4
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	4
PART 6 - RESULTING CONTRACT CLAUSES	5
6.1 SECURITY REQUIREMENTS	5
6.2 REQUIREMENT	5
6.3 STANDARD CLAUSES AND CONDITIONS.....	5
6.4 TERM OF CONTRACT	5
6.5 AUTHORITIES	6
6.6 PAYMENT	7
6.7 INVOICING INSTRUCTIONS	7
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	7
6.9 APPLICABLE LAWS.....	7
6.10 PRIORITY OF DOCUMENTS	8
6.11 SACC MANUAL CLAUSES	8
ANNEX "A".....	9
REQUIREMENT.....	9
ANNEX "B".....	14
BASIS OF PAYMENT	14

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2016-04-04) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)
Section II: Financial Bid (1 hard copy)
Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.1.1 Exchange Rate Fluctuation

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

See Annex "A" - Requirement

4.1.2 Financial Evaluation

SACC Manual Clause [A0220T](#) (2014-06-26), Evaluation of Price - Bid

4.2 Basis of Selection

4.2.1 Basis of Selection – Mandatory Technical Criteria

A bid must comply with all requirements of the bid solicitation to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the *Ineligibility and Suspension Policy* (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide with its bid the required documentation, as applicable, to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to

Solicitation No. - N° de l'invitation
01580-170578/B
Client Ref. No. - N° de réf. du client
01580-170578

Amd. No. - N° de la modif.
File No. - N° du dossier
CAL-6-39060

Buyer ID - Id de l'acheteur
ca1127
CCC No./N° CCC - FMS No./N° VME

provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](http://www.esdc.gc.ca/en/jobs/workplace/human_rights/employment_equity/federal_contractor_program.page?&_ga=1.229006812.1158694905.1413548969) website (http://www.esdc.gc.ca/en/jobs/workplace/human_rights/employment_equity/federal_contractor_program.page?&_ga=1.229006812.1158694905.1413548969).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Delivery Date

All the deliverables must be received on or before March 31, 2017.

6.4.2 Delivery Points

Solicitation No. - N° de l'invitation
01580-170578/B
Client Ref. No. - N° de réf. du client
01580-170578

Amd. No. - N° de la modif.
File No. - N° du dossier
CAL-6-39060

Buyer ID - Id de l'acheteur
ca1127
CCC No./N° CCC - FMS No./N° VME

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Contract.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Jane Ray
Procurement Officer
Public Works and Government Services Canada
Acquisitions Branch, Western Region
1650, 635 – 8 Ave SW
Calgary, AB T2P 3M3

Telephone: 403-472-1742
Facsimile: 403-292-5786
E-mail address: jane.ray@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is:

To be provided at the time of contract award

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative (To be filled out by the bidder)

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone : ____ _

Facsimile: ____ _

E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price as specified in Annex B" for a cost of \$_____ (to be determined at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.6.3 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

6.7 Invoicing Instructions

6.7.1 The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

6.7.2 Invoices must be distributed as follows:

- (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
- (b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Solicitation No. - N° de l'invitation
01580-170578/B
Client Ref. No. - N° de réf. du client
01580-170578

Amd. No. - N° de la modif.
File No. - N° du dossier
CAL-6-39060

Buyer ID - Id de l'acheteur
ca1127
CCC No./N° CCC - FMS No./N° VME

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2016-04-04), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____ (*insert date of bid*).

6.11 SACC Manual Clauses

A9039C (2008-05-12) Salvage
A9068C (2010-01-11) Government Site Regulations
B1501C (2006-06-16) Electrical Equipment
B7500C (2006-06-16) Excess Goods
G1005C (2016-01-28) Insurance – No Specific Requirement

ANNEX "A" REQUIREMENT

The Department of Agriculture and Agri-Food Canada (AAFC) has a requirement for the supply and delivery of one (1) new Mini-Loader.

Delivery Point: Agriculture and Agri-Food Canada
Saskatoon Research Farm
410 Lowe Road
Saskatoon, Saskatchewan, Canada

COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

A complete list of the minimum mandatory performance specifications are detailed below in the "Compliance Matrix". Bidders are to clearly demonstrate compliance with each mandatory specification.

1. Bidders **must** show compliance by addressing each performance specification in the Compliance Matrix, whether the product offered "meets" or "doesn't meet".
2. Bidders are requested to indicate how they meet each performance specification by recording this information under the Performance Specification Offered column in the Compliance Matrix.
3. It is requested that supporting technical documentation, including but not limited to, specification sheets, technical brochures, photographs or illustrations be provided with the bid at solicitation close and be cross-referenced on the Compliance Matrix for each performance specification to outline where in the supporting technical documentation it demonstrates compliance. It is the Bidders responsibility to ensure that the submitted supporting technical documentation provides detail to prove that the proposed product(s) meet the requirements of the Performance Specification. If published supporting technical document is not available, the Bidder should prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance.
4. If the supporting documentation referenced above has not been provided at bid closing, the Contracting Authority will notify the Bidder that they must provide supporting documentation within two (2) business days following notification. Failure to comply with the request of the Contracting Authority within that time period, will deem the bid non-responsive and the bid will be given no further consideration.
5. Bidders must address any concerns with the performance specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
6. Failure to meet each mandatory performance specification will result in the bid being deemed non-responsive, and be given no further consideration.

7. COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

Item #	Performance Specification	Status Mandatory (M)	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidders should indicate how they meet the performance specification by recording this information in this column	Cross Reference: Bidders should cross-reference where this performance specification is indicated in their supporting documents in this column
1	General Performance Specifications				
1.1	Year 2016 or newer model	M			
1.2	Engine 4 cylinder diesel	M			
1.3	Liquid cooled	M			
1.4	Tier 4 final emissions	M			
1.5	55 net HP (minimum)	M			
1.6	181 lb foot net torque (minimum)	M			
1.7	High psi common rail injection	M			
1.8	Maintenance free belts	M			
1.9	Integral water pump	M			
1.10	Integral engine oil cooler	M			
1.11	Transmission: Hydrostatic	M			
1.12	2 speed transmission ranges (minimum)	M			
1.13	Single shift lever control for direction & 2 speed control	M			
1.14	12.4 mph travel speed, forward or reverse (minimum)	M			
1.15	On-board diagnostics with fault code storage and retrieval	M			
1.16	Single, spin-on transmission filter that is vertically mounted	M			
1.17	12 volt electrical system	M			
1.18	120 amp alternator (minimum)	M			
1.19	Single heavy duty 12 volt, 95 AHR, 900 CCS battery (minimum)	M			
1.20	2 halogen front driving lights with hi/lo beam (minimum)	M			
1.21	2 halogen front and 2 halogen rear working lights	M			
1.22	Stop/tail/back-up lights	M			
1.23	Front and rear turn signals and flashers	M			
1.24	Horn and back-up alarm	M			
1.25	Heavy duty axle design	M			
1.26	AM/FM Radio	M			

Solicitation No. - N° de l'invitation
 01580-170578/B
 Client Ref. No. - N° de réf. du client
 01580-170578

Amd. No. - N° de la modif.
 File No. - N° du dossier
 CAL-6-39060

Buyer ID - Id de l'acheteur
 cal127
 CCC No./N° CCC - FMS No./N° VME

1.27	Limited slip front and rear differentials	M			
1.28	Outboard planetaries	M			
1.29	Total rear oscillation of a minimum of 18 degrees and a maximum of 24 degrees	M			
1.30	Mini-loader brakes are fully hydraulic, dry disk brakes with an accumulator to the front axle and drive shaft	M			
1.31	Parking brake is lever operated, acting upon front or rear wheels	M			
1.32	Parking brake disengages the transmission when applied	M			
1.33	Heavy duty loader arms and allow for clear sign line to attachments	M			
1.34	Versa-boom design with integrated skid steer compatible coupler	M			
1.35	Precise level lift within +/- 1 degree of variation throughout lift	M			
1.36	Single lever/two spool loader control for lift and tilt	M			
1.37	Single level auxiliary/single spool	M			
1.38	Ride control	M			
1.39	Return to dig	M			
1.40	Standard drawbar hitch and pin	M			
1.41	Articulation lock out pin	M			
1.42	Operating Weight – 10,170 lb. minimum with full fuel and 165 lb. operator.	M			
1.43	Equipped with Roll-over Protection Structure (ROPS) cab with heater	M			
1.44	Standard counter weight	M			
1.45	335/80R18 tires or equivalent	M			
1.46	Front and rear fenders	M			
1.47	0.9 cubic yard general purpose bucket with cutting edge	M			
1.48	Minimum Society of Automotive Engineers (SAE) breakout force with tilt cylinder of 8375 pounds force	M			
1.49	Minimum SAE straight tipping load of 7350 lbs.	M			
1.50	Minimum SAE full turn 40 degree tipping load of 6480 lbs.	M			
1.51	Minimum SAE operating load of 3240 lbs.	M			
1.52	Minimum SAE dump clearance at full height and 45 degree dump angle of a minimum of 90 inches and a maximum of 99 inches	M			

Solicitation No. - N° de l'invitation
 01580-170578/B
 Client Ref. No. - N° de réf. du client
 01580-170578

Amd. No. - N° de la modif.
 File No. - N° du dossier
 CAL-6-39060

Buyer ID - Id de l'acheteur
 ca1127
 CCC No./N° CCC - FMS No./N° VME

1.53	Minimum SAE bucket reach at full height and 45 degree dump angle of 32.5 inches	M			
1.54	Minimum hinge pin height of minimum of 123 inches to a maximum of 127 inches	M			
1.55	Minimum dig depth below ground of 2.5 inches	M			
1.56	Maximum outside turning radius of 151.5	M			
1.57	Maximum of 41 degree turning angle from centre/82 degrees (total angle)	M			
1.58	Maximum ground clearance under drive shaft of 16 inches	M			
1.59	Maximum ground clearance under axles 13 inches	M			
1.60	Loader Bucket: 75 inches wide maximum and capable of holding 0.9 cubic yard heaped minimum	M			
1.61	Bucket shall have a bolt-on cutting edge	M			
1.62	Bucket position indicator	M			
1.63	Attachment: Loader forks with backrest 32 inches high minimum	M			
1.64	Forks 1.5 inches x 4 inches x 48 inches minimum	M			
1.65	Forks minimum capacity 5500 lbs.	M			
1.66	Attachment: Grapple bucket 72 inch standard material bucket and 66 inch grapple minimum	M			
1.67	Grapple to be two – 2.5 x 8 inch grapple minimum	M			
1.68	Grapple open width to be 70 inches minimum	M			
1.69	Cab with heater and air conditioning	M			
1.70	Foot throttle	M			
1.71	Single lever electronic speed control, F/N/R switch in loader control handle	M			
1.72	All glass surfaces free of rubber moldings	M			
1.73	Hinged side window that opens 180 degrees	M			
1.74	Front and rear windshield wipers	M			
1.75	Cup holder	M			
1.76	Door that opens to the rear of the cab 180 degrees and locks in the open position	M			
1.77	Interior dome lamp	M			
1.78	2 exterior mirrors, one on each side of cab	M			
1.79	Right hand entry/exit step	M			

Solicitation No. - N° de l'invitation
 01580-170578/B
 Client Ref. No. - N° de réf. du client
 01580-170578

Amd. No. - N° de la modif.
 File No. - N° du dossier
 CAL-6-39060

Buyer ID - Id de l'acheteur
 ca1127
 CCC No./N° CCC - FMS No./N° VME

1.80	Fully adjustable suspension seat with retractable seat belt	M			
1.81	Articulate power steering with tilt column	M			
1.82	Instrumentation located in front of the operator	M			
1.83	Hydraulic system with an open centered pressure/flow compensated pump that provides a minimum flow of 17.5 gpm	M			
1.84	System relief pressure will be a minimum of 3625 psi	M			
1.85	Hydraulic system filtered by a minimum 15-micron full flow replaceable cartridge or spin-on filter, on return line	M			
1.86	Load sensing steering with on-demand oil flow	M			
1.87	Diagnostic quick couplers for ease of testing hydraulic pressures and flows	M			
1.88	3,000 hour hydraulic oil change interval (minimum)	M			
1.89	Articulation joint grease interval of 50 hours				
1.90	Minimum 85 litre fuel tank	M			
1.91	Minimum 40 litre hydraulic reservoir	M			
1.92	Sight gauge for hydraulic oil level	M			
1.93	All lube points at ground level	M			
1.94	One piece hood for complete engine access	M			
2	Product Delivery, Installation, Inspection, Packaging	M			
2.1	Operator and parts manuals in English	M			
2.2	Training for minimum of 3 people	M			
3	Maintenance and Warranty				
3.1	1 year bumper to bumper warranty	M			

A demonstration model (must be 2016 or newer) with 30 hours or less is acceptable

Year, Make & Model Offered: _____

Solicitation No. - N° de l'invitation
01580-170578/B
Client Ref. No. - N° de réf. du client
01580-170578

Amd. No. - N° de la modif.
File No. - N° du dossier
CAL-6-39060

Buyer ID - Id de l'acheteur
ca1127
CCC No./N° CCC - FMS No./N° VME

ANNEX "B"

BASIS OF PAYMENT

Applicable taxes are to be excluded from the prices herein
Applicable taxes will be added as a separately item on the invoice, if applicable

Firm price, F.O.B. destination, including all shipping, deliver, offloading charges and all costs associated with providing the requirement in accordance with Annex A.

Item	Requirement	Price
1	For the supply and delivery of one (1) new Mini-Loader as per minimum mandatory performance specifications identified in Annex "A" - Requirement FOB Destination: Agriculture and Agri-Food Canada Saskatoon Research Farm 410 Lowe Road Saskatoon, Saskatchewan, Canada	\$_____ Lot