

Royal Canadian Gendarmerie royale Mounted Police du Canada

RETURN BIDS TO: RETOURNER LES SOUMISSIONS A :

Bid Receiving/Réception des sousmissions Procurement & Contracting Services c/o Commissionaires, F Division 6101 Dewdney Ave Regina, SK S4P 3K7

Fax No. - No de FAX: (306) 780-5232

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments: - Commentaries :

THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

LE PRÉSENT DOCUMENT COMPORTE UNE EXIGENCE EN MATIÈRE DE SÉCURITÉ

Title – Sujet: Winterized 4x4 Utility Vehicle				Date : January 31, 2017	
Solicitatio M5000-17-	n No. – Nº de l'i 5005/A	invitation		Amendment No. – Nº de la modification 004	
Client Ref PW-16-007	erence No No 761376	. De Référe	nce du Clie	ent	
Solicitatio	n Closes – L'in	vitation pre	nd fin		
At /à : 2 :00 pm			CST (Central Standard Time) HNC (Heure Normale du Centre)		
On / le :	February 6, 20	17	·		
Incoterms 2010 "DDP Delivered Duty Paid" See herein — Voir aux présentes			n — Voir See herein — Voir aux		
services	n of Goods and — Voir aux prés		- Destinatio	ons des biens et	
Instruction See herein	n s — Voir aux prés	sentes			
	nquiries to – toute demande	de renseigi	nements à		
Adresser				No. – No. de télécopieur	
Adresser	e No. – No. de té			No. – No. de télécopieur Iffered –	
Adresser f Telephone Delivery R Livraison N/A Vendor/Fit	e No. – No. de té e quired – exigée	éléphone ess and Re	Facsimile Delivery O Livraison N/A presentativ	No. – No. de télécopieur offered – proposée re – Raison sociale,	
Adresser f Telephone Delivery R Livraison N/A Vendor/Fin adresse ef	e No. – No. de té equired – exigée rm Name, Addre	éléphone ess and Re lu fournisse	Facsimile Delivery O Livraison N/A presentativ eur/de l'ent	No. – No. de télécopieur offered – proposée re – Raison sociale,	
Adresser f Telephone Delivery R Livraison N/A Vendor/Fin adresse ef Telephone Name and (type or pr	e No. – No. de té equired – exigée rm Name, Addre t représentant c e No. – No. de té title of person rint) – Nom et ti seur/de l'entrep	éléphone ess and Re du fournisse éléphone authorized tre de la pe	Facsimile Delivery O Livraison N/A presentativ eur/de l'ent Facsimile to sign on rsonne aut	No. – No. de télécopieur offered – proposée re – Raison sociale, repreneur:	



This amendment is raised to address the following:

- To respond to questions received during the solicitation period; and
- To revise the solicitation accordingly, as applicable.

QUESTIONS AND ANSWERS

Question 4: Specification C. 4: Will a transmission with an internal park feature satisfy this requirement?

Answer 4: No, we require our winterized UTV's to have a secondary emergency brake

Question 5: Specification K. 4: Will a wide angle rear view mirror be acceptable for this requirement?

Answer 5: No, we require side mirrors for the type of work we do and where we work.

Question 6: Specification D. 5, E. 1 and E. 2. These specifications are for three different tires: All-Purpose; Turf; and Hard Surface. Which tires are you looking for?

Answer 6: We are looking for a minimum of Turf Tires. The specifications have been updated to reflect this change.

SOLICITATION REVISIONS

1) On page one (1) To extend the closing date

DELETE:

Solicitation Closes – L'invitation prend fin			
At /à :	2 :00 pm	CST (Central Standard Time) HNC (Heure Normale du Centre)	
On / le :	February 2, 2017		

INSERT:

Solicitation Closes – L'invitation prend fin			
At /à :	2 :00 pm	CST (Central Standard Time) HNC (Heure Normale du Centre)	
On / le :	February 6, 2017		

2) On page fourteen (14) – Annex A -Requirement

DELETE:

D. <u>Suspension</u>

5) Turf/hard surface tires – standard manufacturer tire size for bidding machine

E. <u>Tires</u>

1) High performance all-purpose – Minimum



2) Turf/hard surface – standard manufacturer tire size for bidding machine

INSERT:

E. 2 Turf Tires – standard manufacturer tire size for bidding machine – Minimum

2) On page seventeen (17) – Annex C – Mandatory Technical Criteria

DELETE:

Annex C – Mandatory Technical Criteria in its entirety

INSERT:

ANNEX C

Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include one (1) copies of descriptive literature of the make and model of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications and cross reference where this specification is located within the descriptive literature.

Where weight, dimensions or other characteristics are shown as minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-compliant and will be given no further consideration.

BIDDER MUST SUBMIT WITH THEIR BID PROOF OF BEING AN AUTHORIZED MANUFACTURER OR RESELLER FOR THE UNIT OFFERED PRIOR TO AWARD OF CONTRACT.

The following specifications must be met:

No.	Specification	Compliance Yes No		Comments(s) / Cross Reference
	Must be new, most current model			
	manufactured (at time of bid closing;			
Α.	Engine			
1.	Liquid Cooled 4 cycle (Single Cylinder			
1.	Gas Engine – Minimum)			
2.	Gas Engine: 18 horsepower minimum			
3.	Engine oil or coolant with a block heater			
4.	Electric Start Minimum			
В.	Electrical System			
1.	25 Amp alternator - Minimum			
2.	12 Volt battery			
С.	Drive Train			
1.	Gear selection/range must include:			



	High/Low, Reverse, Neutral – Minimum	
2.	4 wheel drive with lockable rear	
Ζ.	differential	
2	Front & rear hydraulic disc brakes –	
3.	Minimum	
4	Parking brake mechanical – Minimum	
4.	(can be disc or drum)	
D.	Suspension	
4	Independent Macpherson Strut front	
1.	steering – Minimum	
0	Independent coil over shock rear	
2.	suspension – Minimum	
C	Power steering wheel (no foot pedals or	
3.	hand controls)	
4.	High performance all-purpose suspension	
5.	Removed	
Ε.	Tires	
1.	Removed	
	Turf– standard manufacturer tire size for	
2.	bidding machine – Minimum	
F.	Fuel System	
1.	20 L Fuel Tank Capacity – Minimum	
2.	Electric Fuel Pump – Minimum	
	•	
G.	Dimension	
1.	74" Wheelbase – Minimum	
2.	1,000 lb Dry weight – Minimum	
Н.	Cargo Box	
1.	750 lb Box Capacity – Minimum	
2.	Power Lift Cargo Box	
3.	Quick latch tailgate	
4.	Rear Receiver hitch Drawbar	
	Rear Receiver hitch	
4. 5.	Rear Receiver hitch Drawbar	
4.	Rear Receiver hitch Drawbar Instrumentation	
4. 5. I.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear	
4. 5.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer –	
4. 5. I. 1.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum	
4. 5. I.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure,	
4. 5. I. 1.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum	
4. 5. I. 1. 2.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum	
4. 5. I. 1. 2. J.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum Interior/Cab	
4. 5. I. 1. 2.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum Interior/Cab Winterized including heater and defroster	
4. 5. I. 1. 2. J.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum Interior/Cab Winterized including heater and defroster – Minimum	
4. 5. 1. 2. J. 1.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum Interior/Cab Winterized including heater and defroster – Minimum Bucket seats with double seating capacity	
4. 5. I. 1. 2. J.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum Interior/Cab Winterized including heater and defroster – Minimum Bucket seats with double seating capacity or Bench Seat with double seating	
4. 5. 1. 2. J. 1.	Rear Receiver hitch Drawbar Instrumentation Gauges for fuel level, ignition, gear indicator, speedometer, odometer – Minimum Warning light for low engine oil pressure, high engine coolant temp – Minimum Interior/Cab Winterized including heater and defroster – Minimum Bucket seats with double seating capacity	



	Minimum	1		
3.	Pressurized liquid cooled fan/heater			
-				
4.	3 point restraint safety belts – Minimum			
Κ.	Exterior Cab			
1.	ROPS Cab Frame with solid roof			
2.	Two (2) Head lights – Minimum			
3.	Deluxe lighting kit (including signal &			
	brake lights) – Minimum			
4.	Side mirror kit			
5.	Tip-out glass windshield – Minimum			
6.	Windshield wiper – 1 Minimum			
7.	Solid (non-fabric) Driver & Passenger			
1.	Doors – Minimum			
8.	Back up alarm			
9.	Horn			
10.	Vinyl Flooring or equivalent			
L.	Additional Features			
	Service: Service/warranty and regular			
	maintenance work must be performed			
	within a 100 km radius of the delivery			Distance between the delivery
	location, by an authorized service dealer			location and the service dealer
	and/or agent.			and/or agent:km
	The authorized service dealer and/or			
	agent must have ready access to regular			Name:
	maintenance and service parts and be			
_	able to access all parts not normally			
-	stocked from an authorized parts dealer.			
				Address:
	The Bidder must provide the name,			
	address, telephone number and indicate			
	the distance between the delivery location			
	and the authorized service dealer and/or			
	agent to provide after sales service,			Telephone:
	maintenance, warranty repairs, and a full			
	range of repair parts for the unit offered.			
			1	

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME