



Parks Canada  
Parcs Canada



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Parks Canada Agency  
National Contracting Services**

**3, passage du Chien-d 'Or  
Quebec, QC  
G1R 3Z8**

INVITATION TO TENDER  
APPEL D'OFFRES

## **AMENDMENT #1 TO:**

### **Tender To: Parks Canada Agency**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

### **Soumission à: l'Agence Parcs Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du Chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici et sur toute feuille ci-annexée, au(x) prix indiqué(s).

### **Comments – Commentaires**

### **Vendor/Firm Name and Address**

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

### **Issuing Office - Bureau de distribution**

Parks Canada Agency  
3, passage du Chien-d 'Or  
Quebec, QC, G1R 3Z8

<b>Title-Sujet</b> <b>Port-Royal Washroom and Maintenance Building Rehabilitation</b>		<b>Date</b>  <b>2017-01-30</b>
<b>Solicitation No. - No. de l'invitation</b> <b>5P300-16-5677</b>		<b>Client Ref. No. – No. de réf du client.</b>
<b>GETS Reference No. – No de reference de SEAG</b>		
<b>Solicitation Closes</b> <b>L'invitation prend fin –</b>  <b>at – à 2:00 PM</b> <b>on – le 2017-02-15</b>		<b>Time Zone</b> <b>Fuseau horaire -</b>  <b>EASTERN STANDARD TIME (EST)</b>
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/></b>		
<b>Address Inquiries to: - Adresser toute demande de renseignements à :</b>  <b>Josée Gagnon,</b> <a href="mailto:josee.gagnon@pc.gc.ca">josee.gagnon@pc.gc.ca</a>		
<b>Telephone No. - No de téléphone</b>  <b>418 648-2502</b>		<b>Fax No. – No de FAX:</b>  <b>418 648-5392</b>
<b>Destination of Goods, Services, and Construction:</b> <b>Destinations des biens, services et construction:</b>  <b>Port-Royal NHS</b>		
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>  <b>Telephone No. - No de téléphone: _____</b> <b>Facsimile No. - N° de télécopieur: _____</b>		
<b>Name and title of person authorized to sign on behalf of the Vendor/Firm</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de</b> <b>l'entrepreneur</b>  _____ <b>Name / Nom</b> <b>Title / Titre</b>  _____ <b>Signature</b> <b>Date</b>		



### **Amendment #1**

**THE PUPOSE OF THIS AMENDMENT IS TO PROVIDE DETAILS TO THE TECHNICAL SPECIFICATIONS.**

**YOU MUST CONSIDER THE INFORMATION IN THE EVALUATION OF YOUR BID.**

Item 1:

- Section 01 10 10, Summary of Work Clause 1.1.2.2

Replace item with: Replacement of all siding including installation of new air barrier, shingle underlayment and cedar shingles. Placement of 40 mm strapping and 15 mm sheathing over existing sheathing on **West** Wing.

Item 2:

Section 23 81 40, Heat Pumps:

- Add to clause 3.1.8: Insulation to be foil faced fibreglass duct insulation with a minimum R-value of 6.
- Add clause 3.1.10: Clean all existing duct work. Seal all joints or holes with HVAC foil tape.
- Add clause 3.1.11: Supply and install new foil faced duct insulation, with a minimum R-value of 6, on all existing duct work. Overlap all joints and seal with foil tape. Remove washroom ceiling to access duct work venting into washroom. Replace entire ceiling with new drywall, install any required strapping to support drywall, and finish ceiling with bathroom paint with anti-microbial or mildew resistant properties.
- Add clause 3.1.12: Supply and install new return air duct for indoor unit. Connect duct into existing vents located between the two washrooms. Duct to be galvanized steel fabricated to SMACNA standards and insulated.

End of section.

**THE BID CLOSING DATE REMAINS THE SAME.**

**ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.**

---

**Signed copy of this amendment should accompany each tender. If your tender has already been submitted please sign and fax the amendment along with any revisions to tender price, to this office before the close of Tender.  
Fax: 418 648-5392.**