



AMENDMENT TO SOLICITATION 5000027393

Delete:

<p>RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:</p> <p>Bid Receiving - Environment Canada / Réception des soumissions – Environnement Canada Heidi Noble Environment and Climate Change Canada 867 Lakeshore Road Burlington, Ontario L7S 1A1</p> <p>BID SOLICITATION DEMANDE DE SOUMISSIONS</p> <p>PROPOSAL TO: ENVIRONMENT CANADA</p> <p>We offer to perform or provide to Canada the services detailed in the document including any attachments and annexes, in accordance with the terms and conditions set out or referred to in the document, at the price(s) provided.</p> <p>SOUSSION À: ENVIRONNEMENT CANADA</p> <p>Nous offrons d’effectuer ou de fournir au Canada, aux conditions énoncées ou incluses par référence dans le document incluant toutes pièces jointes et annexes, les services détaillés dans le document, au(x) prix indiqué(s).</p>	<p>Title – Titre Canadian Air and Precipitation Monitoring Network Site Operator in Bonner Lake, Ontario</p>		
	<p>EC Bid Solicitation No. /SAP No. – N° de la demande de soumissions EC / N° SAP 5000027393</p>		
	<p>Date of Bid solicitation (YYYY-MM-DD) – Date de la demande de soumissions (AAAA-MM-JJ) 2017-01-27</p>		
	<p>Bid Solicitation Closes (YEAR-MM-DD) - La demande de soumissions prend fin (AAAA-MM-JJ) at – à 2:00 P.M. on – le 2017-03-08</p>	<p>Time Zone – Fuseau horaire Eastern Standard Time</p>	
	<p>F.O.B – F.A.B Not Applicable</p>		
	<p>Address Enquiries to - Adresser toutes questions à Heidi Noble Heidi.Noble@canada.ca</p>		
	<p>Telephone No. – N° de téléphone 905-319-6982</p>	<p>Fax No. – N° de Fax</p>	
	<p>Delivery Required (YEAR-MM-DD) – Livraison exigée (AAAA-MM-JJ) 2018-03-31</p>		
	<p>Destination - of Services / Destination des services Ontario Region</p>		
	<p>Security / Sécurité There is a security requirement associated with this requirement.</p>		
	<p>Vendor/Firm Name and Address - Raison sociale et adresse du fournisseur/de l’entrepreneur</p>		
	<p>Telephone No. – N° de téléphone</p>	<p>Fax No. – N° de Fax</p>	
<p>Name and title of person authorized to sign on behalf of Vendor/Firm: (type or print) / Nom et titre de la personne autorisée à signer au nom du fournisseur/de l’entrepreneur (taper ou écrire en caractères d’imprimerie)</p>			
<p>Signature</p>	<p>Date</p>		

Insert:

<p>RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:</p> <p>Bid Receiving - Environment Canada / Réception des soumissions – Environnement Canada Heidi Noble Environment and Climate Change Canada 867 Lakeshore Road Burlington, Ontario L7S 1A1</p> <p>BID SOLICITATION DEMANDE DE SOUMISSIONS</p> <p>PROPOSAL TO: ENVIRONMENT CANADA</p> <p>We offer to perform or provide to Canada the services detailed in the document including any attachments and annexes, in accordance with the terms and conditions set out or referred to in the document, at the price(s) provided.</p> <p>SOUMISSION À: ENVIRONNEMENT CANADA</p> <p>Nous offrons d'effectuer ou de fournir au Canada, aux conditions énoncées ou incluses par référence dans le document incluant toutes pièces jointes et annexes, les services détaillés dans le document, au(x) prix indiqué(s).</p>	<p>Title – Titre Canadian Air and Precipitation Monitoring Network Site Operator in Bonner Lake, Ontario</p>		
	<p>EC Bid Solicitation No. /SAP No. – N° de la demande de soumissions EC / N° SAP 5000027393</p>		
	<p>Date of Bid solicitation (YYYY-MM-DD) – Date de la demande de soumissions (AAAA-MM-JJ) 2017-01-27</p>		
	<p>Bid Solicitation Closes (YEAR-MM-DD) - La demande de soumissions prend fin (AAAA-MM-JJ)</p> <p>at – à 2:00 P.M. on – le 2017-03-23</p>	<p>Time Zone – Fuseau horaire Eastern Daylight Time</p>	
	<p>F.O.B – F.A.B Not Applicable</p>		
	<p>Address Enquiries to - Adresser toutes questions à Heidi Noble Heidi.Noble@canada.ca</p>		
	<p>Telephone No. – N° de téléphone 905-319-6982</p>	<p>Fax No. – N° de Fax</p>	
	<p>Delivery Required (YEAR-MM-DD) – Livraison exigée (AAAA-MM-JJ) 2018-03-31</p>		
	<p>Destination - of Services / Destination des services Ontario Region</p>		
	<p>Security / Sécurité There is a security requirement associated with this requirement.</p>		
<p>Vendor/Firm Name and Address - Raison sociale et adresse du fournisseur/de l'entrepreneur</p>			
<p>Telephone No. – N° de téléphone</p>	<p>Fax No. – N° de Fax</p>		
<p>Name and title of person authorized to sign on behalf of Vendor/Firm: (type or print) / Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</p>			
<p>Signature</p>	<p>Date</p>		

PART 2 – BIDDER INSTRUCTIONS

2. Submission of Bids

Delete:

- 2.1** Bids must be submitted to the Contracting Authority at the address indicated on page 1 of the bid solicitation by March 8, 2017 at 2:00 P.M. (Eastern Standard Time).

Insert:

- 2.1** Bids must be submitted to the Contracting Authority at the address indicated on page 1 of the bid solicitation by March 23, 2017 at 2:00 P.M. (Eastern Daylight Time).

ANNEX A

STATEMENT OF WORK

Tasks:

Delete:

6. Ammonia Monitoring Network (AMoN) Passive Sampler Maintenance

- a) Bi-Weekly Contractor Requirements: On arrival at the sampling site the Contractor must:
 - i. Remove the exposed passive filter media and store in the shipping jar every other Tuesday.
 - ii. Deploy a new passive filter in the AMoN shelter.
 - iii. Complete the passive filter sample history form.
 - iv. Ship the samples in the shipping box using the provided shipping Bill of Lading to:
Central Analytical Laboratory
2204 Griffith Dr
Champaign, IL 61820-7495
 - v. The Contractor must ensure the samples are picked up by the designated courier.

Delete:

Estimated Time Required:

Daily	Minutes	Hours
Precipitation Sample Collection & Associated Gauges	30	0.5
Air system checks	5	0.083
Ozone system check	5	0.083
Dichot daily checks	5	0.083
Weekly total:		5.24
Annual Sub-total:		272.48

Weekly	Minutes	Hours
Shipping	30	0.5
Air system filter change	30	0.5
Ozone filter change	15	0.25
Weekly total:		1.25
Annual Sub-total:		65.0

Bi-weekly	Minutes	Heures
Passive sample (AMoN) change	30	0.50
Passive sample shipping	15	0.25
Bi-wWeekly total:		0.75
Annual Sub-total:		19.5

Monthly	Minutes	Hours
Hood gasket change	15	0.25
Monthly total:		0.25
Annual Sub-total:		3.0

Quarterly	Minutes	Hours
Air system memory card change (4)	15	0.25
Quarterly total:		0.25
Annual Sub-total:		1.0

As Required	Minutes	Hours
Dichot filter change (1 every 3 days) – 121/year	15	30.25
Cleaning of building counter/floor (12)	15	3.0
Removal of snow from stairs/deck/path		15.0
Vegetation cutting around instruments (6)	30	3.0
As required total:		51.25
Annual Sub-total:		51.25

Total of approximately 412 hours.

Insert:

Estimated Time Required:

Daily	Minutes	Hours
Precipitation Sample Collection & Associated Gauges	30	0.5
Air system checks	5	0.083
Ozone system check	5	0.083
Dichot daily checks	5	0.083
Weekly total:		5.24
Annual Sub-total:		272.48

Weekly	Minutes	Hours
Shipping	30	0.5
Air system filter change	30	0.5
Ozone filter change	15	0.25
Weekly total:		1.25
Annual Sub-total:		65.0

Monthly	Minutes	Hours
Hood gasket change	15	0.25
Monthly total:		0.25
Annual Sub-total:		3.0

Quarterly	Minutes	Hours
Air system memory card change (4)	15	0.25
Quarterly total:		0.25
Annual Sub-total:		1.0

As Required	Minutes	Hours
Dichot filter change (1 every 3 days) – 121/year	15	30.25
Cleaning of building counter/floor (12)	15	3.0
Removal of snow from stairs/deck/path		15.0
Vegetation cutting around instruments (6)	30	3.0
As required total:		51.25
Annual Sub-total:		51.25

Total of approximately 393 hours.