

PART 1 - GENERAL

- | | | | |
|-----|------------------------------------|----|--|
| 1.1 | <u>DESCRIPTION</u> | .1 | The work covered under this section includes the supply and installation of all labour and materials necessary for the following:
.1 Dewatering of the area of construction.
.2 Maintaining this area in a developed condition during construction. |
| | | .2 | The contractor shall submit a dewatering plan to the Departmental Representative for review and approval prior to construction and dewatering activities. |
| | | .3 | All work on the fishway reconstruction must be carried out in the dry. |
| 1.2 | <u>CODES
AND STANDARDS</u> | .1 | Carry out all work in accordance with applicable Federal, Provincial and Municipal Codes and Regulations. In each and every instance of application, the Code, Regulation, Statute, By-Law, or specification having the most stringent requirements applies. |
| 1.3 | <u>PERMITS
AND FEES</u> | .1 | Obtain and pay all permits and fees related to the work contained in this division of the specifications. |
| 1.4 | <u>TEMPORARY
BERMS</u> | .1 | All work must be carried out in the dry. Where berms are required to accomplish this, the design of such berms is to be carried out by a professional Departmental Representative licensed to practice in Newfoundland and Labrador. Drawings of the berm design to be stamped by the Engineer and submitted to the Departmental Representative before any work commences. |
| 1.5 | <u>MEASUREMENT
FOR PAYMENT</u> | .1 | Dewatering: No separate measurement for payment shall be made for items under this section. Include all costs for dewatering in the lump sum portion of the work on the Bid and Acceptance Form. |

PART 2 - PRODUCTS

N/A

PART 3 - EXECUTION

- | | | | |
|-----|-------------------|----|--|
| 3.1 | <u>DEWATERING</u> | .1 | Contractor to determine what is required at this particular site to achieve dewatering of the area of construction. This may involve such things as:
- Utilization of sandbags
- Bypass pumping
- Construction of settling pond if siltation is a problem |
|-----|-------------------|----|--|

- .2 Any pumps and appurtenances used in dewatering are to be thoroughly cleaned and disinfected prior to use.
- .3 Dispose of water in a manner not detrimental to public health, environment, public or private property, or any portion of work completed or under construction. Comply with all requirements of the Department of Environment and Conservation and other regulatory agencies having jurisdiction regarding disposal of water.
- .4 The Contractor will be responsible to maintain, dewater devices/structures for the duration of time they are required.