



Parks Canada EIA Requirement Checklist

Project Title: BVP Johnston Creek Bridge, Baker Creek Bridge and Corral Creek Bridge Rehabilitation

Project Location: Bow Valley Parkway, Corral creek, Baker Creek, Johnston Creek

Project File #: 2017-009L

Proponent Contact Information: Ryan Syme, Highway Engineering Services (HES)
403-760-1334

Date of Request: January 23, 2017

Section A: No EIA Required

1. The project is exempted from EIA requirements under CEAA 2012 S. 70:

- ☐ the project relates to matters of national security;
- ☐ the project is being carried out in response to a national emergency for which special temporary measures are being taken under the *Emergencies Act*; or
- ☐ the project is to be carried out in response to an emergency, and in the interest of preventing damage to property or the environment or in the interest of public health or safety.

2. The project is exempted from EIA requirements as the same project was previously assessed: (*both boxes must be checked to apply this option*)

- ☐ the previous EIA is adequate
- ☐ there is no change in information that would alter the results of the analysis.

3. The project is exempted from EIA requirements because **an initial analysis** has determined:

- ☐ **there is NO potential for adverse effects to natural and cultural resources**, including:
 - natural resources targeted in management objectives and ecological integrity monitoring indicators; listed species at risk, their residence or critical habitat. Additionally, the activity is not prohibited in a protection order under the *Species at Risk Act*.
 - cultural resources targeted in management objectives and identified in a Parks Canada cultural resource management document, or any structure, site or thing of historical, archaeological, paleontological or architectural significance.


OR

- ☐ potential adverse effects of the project are exclusive to cultural resources (including potential archaeological resources), and the Cultural Resource Impact Analysis (CRIA) will be used to assess impacts and determine appropriate mitigation measures.

Provide a concise explanation to justify the decision.

The project has no permanent installation

**If you have exempted the project from an EIA requirement by selecting one of the three options above,
Proceed to Section D.**





Section B: EIA Pathway Decision

The EIA pathway to be applied to the proposed project is:

- ☐ an approved alternate process (must be approved by VP PAEC)
- ☒ one or more approved Best Management Practices (BMPs)
- ☐ a Basic Impact Analysis (indicate if one or more BMPs are also being used)
- ☐ a Detailed Impact Analysis (indicate if one or more BMPs are also being used)

Parks Canada National Best Management Practices for Roadway, Highway, Parkway and Related Infrastructure

Section C: Permitting Requirements

Indicate the types of permits that may be required:

- ☒ Development/Building
- ☐ Lease/Licence of Occupation
- ☐ Water Withdrawal
- ☒ Business Licence
- ☐ Add others as required

Section D: Recommendation and Approval

Prepared by: Rachel Pennell, Environmental Assessment Scientist

Date: 28/02/2017

Recommended by: Brianna Burley, Environmental Assessment Specialist

Date: 28/02/2017

Approved by: Alex Kolesch, Manager, Integrated Land Use Planning and Policy

Date: 06/03/2017

Signature:

Section E: Additional Comments

Project is expected to adhere to *Decontamination Protocol for Permitted Users Conducting Water Related Activities in BNP*, and the *Accidental Finds Protocol* as specified in the Archeological Overview Assessment.

