



---

## TABLE OF CONTENTS

<b>PART 1 - GENERAL INFORMATION</b>	<b>3</b>
1.1 INTRODUCTION	3
1.2 SUMMARY	3
1.3 DEBRIEFINGS	4
<b>PART 2 - OFFEROR INSTRUCTIONS</b>	<b>4</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	4
2.2 SUBMISSION OF OFFERS	4
2.3 ENQUIRIES - REQUEST FOR STANDING OFFERS	4
2.4 APPLICABLE LAWS	4
<b>PART 3 - OFFER PREPARATION INSTRUCTIONS</b>	<b>5</b>
3.1 OFFER PREPARATION INSTRUCTIONS	5
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION</b>	<b>6</b>
4.1 EVALUATION PROCEDURES	6
4.2 BASIS OF SELECTION	6
<b>PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION</b>	<b>6</b>
5.1 CERTIFICATIONS REQUIRED WITH THE OFFER	7
5.2 CERTIFICATIONS PRECEDENT TO THE ISSUANCE OF A STANDING OFFER AND ADDITIONAL INFORMATION	7
<b>PART 6 - STANDING OFFER AND RESULTING CONTRACT CLAUSES</b>	<b>8</b>
<b>A. STANDING OFFER</b>	<b>8</b>
6.1 OFFER	8
6.2 SECURITY REQUIREMENTS	8
6.3 STANDARD CLAUSES AND CONDITIONS	8
6.4 TERM OF STANDING OFFER	9
6.5 AUTHORITIES	9
6.6 IDENTIFIED USERS	10
6.7 CALL-UP INSTRUMENT	10
6.8 LIMITATION OF CALL-UPS	10
6.9 FINANCIAL LIMITATION	10
6.10 PRIORITY OF DOCUMENTS	10
6.11 CERTIFICATIONS AND ADDITIONAL INFORMATION	11
6.12 APPLICABLE LAWS	11
<b>B. RESULTING CONTRACT CLAUSES</b>	<b>11</b>
6.1 REQUIREMENT	11
6.2 STANDARD CLAUSES AND CONDITIONS	11
6.3 TERM OF CONTRACT	11
6.4 PAYMENT	11
6.5 INVOICING INSTRUCTIONS	12
6.6 INSURANCE	12
<b>ANNEX A</b>	<b>13</b>
REQUIREMENT	13
<b>ANNEX B</b>	<b>28</b>

---

BASIS OF PAYMENT .....	28
<b>ANNEX "C" .....</b>	<b>57</b>
STANDING OFFER USAGE REPORT .....	57
<b>ANNEX "D" .....</b>	<b>58</b>
ELECTRONIC PAYMENT INSTRUMENTS .....	58

## PART 1 - GENERAL INFORMATION

### 1.1 Introduction

The Request for Standing Offers (RFSO) is divided into seven parts plus attachments and annexes, as follows:

- |        |   |
|--------|---|
| Part 1 | General Information: provides a general description of the requirement;   |
| Part 2 | Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO;   |
| Part 3 | Offer Preparation Instructions: provides Offerors with instructions on how to prepare their offer to address the evaluation criteria specified;   |
| Part 4 | Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, and the basis of selection;   |
| Part 5 | Certifications and Additional Information: includes the certifications and additional information to be provided;   |
| Part 6 | 6A, Standing Offer, and 6B, Resulting Contract Clauses:<br><br>6A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;<br><br>6B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer. |

The Annexes include the Requirement, the Basis of Payment, the Electronic Payment Instruments, the Federal Contractors Program for Employment Equity - Certification and any other annexes.

### 1.2 Summary

- 1.2.1 AAFC has a requirement for the creation of a National Individual Standing Offer for the supply and delivery of small plot combines to various research centres across Canada. The NISO is to be awarded for a two-year period with three additional option periods of one year each.
- 1.2.2 The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).
- 1.2.3 The Request for Standing Offers (RFSO) is to establish National Master Standing Offers for the requirement detailed in the RFSO, to the Identified Users across Canada, **excluding** locations within Yukon, Northwest Territories, Nunavut, Quebec, and Labrador that are subject to Comprehensive Land Claims Agreements (CLCAs). Any requirement for deliveries to locations within CLCAs areas within Yukon, Northwest Territories, Nunavut, Quebec, or Labrador will have to be treated as a separate procurement, outside of the resulting standing offers.

---

### 1.3 Debriefings

Offerors may request a debriefing on the results of the request for standing offers process. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of the results of the request for standing offers process. The debriefing may be in writing, by telephone or in person.

## PART 2 - OFFEROR INSTRUCTIONS

### 2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers (RFSO) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the clauses and conditions of the Standing Offer and resulting contract(s).

The 2006 (2016-04-04) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

#### 2.1.1 SACC Manual Clauses

SACC Manual Clause M0019T (2007-05-25), Firm Price and/or Rates

### 2.2 Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

### 2.3 Enquiries - Request for Standing Offers

All enquiries must be submitted in writing to the Standing Offer Authority no later than 10 calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by Offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that Offerors do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Offerors. Enquiries not submitted in a form that can be distributed to all Offerors may not be answered by Canada.

### 2.4 Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Manitoba.

Offerors may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their offer, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Offerors.

## **PART 3 - OFFER PREPARATION INSTRUCTIONS**

### **3.1 Offer Preparation Instructions**

Canada requests that Offerors provide their offer in separately bound sections as follows:

Section I: Technical Offer (1 hard copies)

Section II: Financial Offer (1 hard copies)

Section III: Certifications (1 hard copies)

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that Offerors follow the format instructions described below in the preparation of their offer.

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to that of the Request for Standing Offers.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Offerors should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

#### **Section I: Technical Offer**

In their technical offer, Offerors should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

#### **Section II: Financial Offer**

Offerors must submit their financial offer in accordance with the Annex B, Basis of Payment. The total amount of Applicable Taxes must be shown separately.

##### **3.1.1 Electronic Payment of Invoices - Offer**

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex D Electronic Payment Instruments, to identify which ones are accepted.

If Annex D Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

### **3.1.2 Exchange Rate Fluctuation**

*SACC Manual* Clause C3011T (2013-11-06), Exchange Rate Fluctuation

## **Section III: Certifications**

Offerors must submit the certifications and additional information required under Part 5.

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **4.1 Evaluation Procedures**

- (a) Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the offers.

#### **4.1.1 Technical Evaluation**

##### **4.1.1.1 Mandatory Technical Criteria**

- (a) Bidder must be able to perform the full scope of the work described in Annex A, Requirement and meet the minimum mandatory performance specifications detailed in the compliance matrix.
- (b) Bidder must complete the compliance matrix detailed in Annex A, Requirement. Completion is defined as an indication of compliance to each mandatory criterion as outlined in Annex A, Requirement.

#### **4.1.2 Financial Evaluation**

##### **4.1.2.1**

*SACC Manual* Clause M0222T (2014-06-26), Evaluation of Price - Offer

### **4.2 Basis of Selection**

#### **4.2.1 Basis of Selection – Mandatory Technical Criteria**

*SACC Manual* Clause A0031T (2010-08-16), Basis of Selection – Mandatory Technical Criteria

## **PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION**

Offerors must provide the required certifications and additional information to be issued a standing offer.

The certifications provided by Offerors to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare an offer non-responsive, will have the right to set-aside a

standing offer, or will declare a contractor in default if any certification made by the Offeror is found to be untrue whether made knowingly or unknowingly during the offer evaluation period, during the Standing Offer period, or during the contract period.

The Standing Offer Authority will have the right to ask for additional information to verify the Offeror's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Standing Offer Authority will render the offer non-responsive, result in the setting aside of the Standing Offer or constitute a default under the Contract.

## **5.1 Certifications Required with the Offer**

Offerors must submit the following duly completed certifications as part of their offer.

### **5.1.1 Integrity Provisions - Declaration of Convicted Offences**

In accordance with the Ineligibility and Suspension Policy (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Offeror must provide with its offer the required documentation, as applicable), to be given further consideration in the procurement process.

## **5.2 Certifications Precedent to the Issuance of a Standing Offer and Additional Information**

The certifications and additional information listed below should be submitted with the offer, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Standing Offer Authority will inform the Offeror of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the offer non-responsive.

### **5.2.1 Integrity Provisions – Required Documentation**

In accordance with the Ineligibility and Suspension Policy (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Offeror must provide the required documentation, as applicable, to be given further consideration in the procurement process.

### **5.2.2 Federal Contractors Program for Employment Equity - Standing Offer Certification**

By submitting an offer, the Offeror certifies that the Offeror, and any of the Offeror's members if the Offeror is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list ) available at the bottom of the page of the Employment and Social Development Canada-Labour's website ([http://www.esdc.gc.ca/en/jobs/workplace/human\\_rights/employment\\_equity/federal\\_contractor\\_program.page?&\\_ga=1.229006812.1158694905.1413548969](http://www.esdc.gc.ca/en/jobs/workplace/human_rights/employment_equity/federal_contractor_program.page?&_ga=1.229006812.1158694905.1413548969)).

Canada will have the right to declare an offer non-responsive, or to set-aside a Standing Offer, if the Offeror, or any member of the Offeror if the Offeror is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of issuing of a Standing Offer or during the period of the Standing Offer.



---

## **PART 6 - STANDING OFFER AND RESULTING CONTRACT CLAUSES**

### **A. STANDING OFFER**

#### **6.1 Offer**

**6.1.1** The Offeror offers to fulfill the requirement in accordance with the Requirement at Annex A.

#### **6.2 Security Requirements**

**6.2.1** There is no security requirement applicable to the Standing Offer.

#### **6.3 Standard Clauses and Conditions**

All clauses and conditions identified in the Standing Offer and resulting contract(s) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

##### **6.3.1 General Conditions**

2005 (2016-04-04) General Conditions - Standing Offers - Goods or Services, apply to and form part of the Standing Offer.

##### **6.3.2 Standing Offers Reporting**

The Offeror must compile and maintain records on its provision of goods, services or both to the federal government under contracts resulting from the Standing Offer. This data must include all purchases, including those paid for by a Government of Canada Acquisition Card.

The Offeror must provide this data in accordance with the reporting requirements detailed in Annex "C". If some data is not available, the reason must be indicated. If no goods or services are provided during a given period, the Offeror must still provide a "nil" report.

The data must be submitted on a quarterly basis to the Standing Offer Authority.

The quarterly reporting periods are defined as follows:

- 1st quarter: April 1 to June 30;
- 2nd quarter: July 1 to September 30;
- 3rd quarter: October 1 to December 31;
- 4th quarter: January 1 to March 31.

The data must be submitted to the Standing Offer Authority no later than 5 calendar days after the end of the reporting period.

---

## **6.4 Term of Standing Offer**

### **6.4.1 Period of the Standing Offer**

The period for making call-ups against the Standing Offer is from the date of Standing Offer issuance to March 31, 2019.

### **6.4.2 Extension of Standing Offer**

If the Standing Offer is authorized for use beyond the initial period, the Offeror offers to extend its offer for an additional 3 consecutive 1-year periods under the same conditions and at the rates or prices specified in the Standing Offer, or at the rates or prices calculated in accordance with the formula specified in the Standing Offer.

The Offeror will be advised of the decision to authorize the use of the Standing Offer for an extended period by the Standing Offer Authority 15 days before the expiry date of the Standing Offer. A revision to the Standing Offer will be issued by the Standing Offer Authority.

### **6.4.3 Comprehensive Land Claims Agreements (CLCAs)**

The Standing Offer (SO) is for the delivery of the requirement detailed in the SO to the Identified Users across Canada, excluding locations within Yukon, Northwest Territories, Nunavut, Quebec, and Labrador that are subject to Comprehensive Land Claims Agreements (CLCAs). Any requirement for deliveries to locations within CLCAs areas within Yukon, Northwest Territories, Nunavut, Quebec, or Labrador will have to be treated as a separate procurement, outside of the standing offer.

## **6.5 Authorities**

### **6.5.1 Standing Offer Authority**

The Standing Offer Authority is:

Name: Tyler Zdan  
Title: Procurement Officer  
Public Works and Government Services Canada  
Acquisitions Branch  
Directorate: Western Region  
Address: 100 – 167 Lombard Avenue, Winnipeg, MB, R3B 0T6

Telephone: (204) 509-5743  
Facsimile: (204) 983-7796  
E-mail address: Tyler.Zdan@tpsgc-pwgsc.gc.ca

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, he is responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

### **6.5.2 Project Authority**

The Project Authority for the Standing Offer is identified in the call-up against the Standing Offer.

---

The Project Authority is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

## **6.6 Identified Users**

The Identified User authorized to make call-ups against the Standing Offer is: Agriculture and Agri-Food Canada.

## **6.7 Call-up Instrument**

The Work will be authorized or confirmed by the Identified User(s) using form PWGSC-TPSGC 942, Call-up Against a Standing Offer.

## **6.8 Limitation of Call-ups**

Individual call-ups against the Standing Offer must not exceed \$TBD (Applicable Taxes included).

## **6.9 Financial Limitation**

The total cost to Canada resulting from call ups against the Standing Offer must not exceed the sum of \$ TBD (Applicable Taxes excluded) unless otherwise authorized in writing by the Standing Offer Authority. The Offeror must not perform any work or services or supply any articles in response to call ups which would cause the total cost to Canada to exceed the said sum, unless an increase is so authorized.

The Offeror must notify the Standing Offer Authority as to the adequacy of this sum when 75 percent of this amount has been committed, or 3 months before the expiry date of the Standing Offer, whichever comes first. However, if at any time, the Offeror considers that the said sum may be exceeded, the Offeror must promptly notify the Standing Offer Authority.

## **6.10 Priority of Documents**

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2016-04-04), General Conditions - Standing Offers - Goods or Services;
- d) the general conditions 2010A (2016-04-04), General Conditions - Goods (Medium Complexity) apply to and form part of the Contract;
- e) Annex A, Requirement;
- f) Annex B, Basis of Payment;
- g) Annex C, Standing Offer Usage Report;
- h) the Offeror's offer dated \_\_\_\_\_ (*insert at offer award*).

---

## 6.11 Certifications and Additional Information

### 6.11.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Offeror with its offer or precedent to issuance of the Standing Offer (SO), and the ongoing cooperation in providing additional information are conditions of issuance of the SO and failure to comply will constitute the Offeror in default. Certifications are subject to verification by Canada during the entire period of the SO and of any resulting contract that would continue beyond the period of the SO.

### 6.11.2 SACC Manual Clauses

SACC Manual Clause M3000C (2006-08-15), Price Lists

## 6.12 Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Manitoba.

## B. RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer.

### 6.1 Requirement

The Contractor must provide the items detailed in the call-up against the Standing Offer.

### 6.2 Standard Clauses and Conditions

#### 6.2.1 General Conditions

2010A (2016-04-04), General Conditions - Goods (Medium Complexity) apply to and form part of the Contract.

### 6.3 Term of Contract

#### 6.3.1 Delivery Date

Delivery must be made within (Offeror's best delivery date ARO) calendar days from receipt of a call-up against the Standing Offer.

### 6.4 Payment

#### 6.4.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B, Basis of Payment for a cost of

---

\$                      (amount to be inserted at contract award) . Customs duties are excluded and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

#### **6.4.2 Single Payment**

*SACC Manual* Clause H1000C (2008-05-12), Single Payment

#### **6.4.3 Electronic Payment of Invoices – Call-up**

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

#### **6.5 Invoicing Instructions**

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

#### **6.6 Insurance**

*SACC Manual* Clause G1005C (2016-01-28), Insurance

#### **6.7 SACC Manual Clauses**

*SACC Manual* Clause B1501C (2006-06-16), Electrical Equipment  
*SACC Manual* Clause C2000C (2007-11-30), Taxes – Foreign-based Contractor  
*SACC Manual* Clause C2605C (2008-05-12), Canadian Customs Duties and Sales Tax - Foreign-based Contractor  
*SACC Manual* Clause C5201C (2008-05-12), Prepaid Transportation Costs

---

## ANNEX A

### REQUIREMENT

Agriculture and Agri-Food Canada (AAFC) has a requirement for the creation of a National Individual Standing Offer (NISO) for the supply and delivery of small plot combines for various research centres across Canada. The NISO must offer two options for the small plot combines: One must be a minimum 50hp combine, and the other must be a minimum 70hp combine. The NISO is to be awarded for a two-year period with three additional option periods of one year each.

A complete list of the mandatory performance specifications is listed below in the Compliance Matrix. These specifications comprise the various options for the configuration of a plot combine purchased through a Standing Offer call-up. The Offeror must ensure that all of the options identified in the matrix are available to the Standing Offer user. However, when initiating a call-up, a client department will include only those options required to meet its operational needs.

**Note: The specifications for the 50hp option and those for the 70hp option are listed in separate matrices below. The specifications for the two options are identical, except in those instances denoted where the specification has been bolded and an asterisk (\*) has been placed beside the item number.**

### DELIVERY

All the deliverables must be received at the locations specified below.

#### FOB delivery locations:

Brandon Research and Development Centre 2701 Grand Valley Road PO Box 1000A, RR #3 Brandon MB R7A 5Y3	Lacombe Research and Development Centre 6000 C and E Trail Lacombe AB T4L 1W1
Lethbridge Research and Development Centre 5403 1st Avenue South Lethbridge AB T1J 4B1	Morden Research and Development Centre 101 Route 100 Morden MB R6M 1Y5
Ottawa Research and Development Centre 960 Carling Avenue Ottawa ON K1A 0C6	Saint-Jean-sur-Rechelieu Research and Development Centre 430 Gouin Boulevard Saint-Jean-sur-Rechelieu QC J3B 3E6
Saskatoon Research and Development Centre 107 Science Place Saskatoon SK S7N 0X2	Swift Current Research and Development Centre PO Box 1030 Swift Current SK S9H 3X2

## COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

A complete list of the minimum mandatory performance specifications are detailed below in the "Compliance Matrix". Bidders are to clearly demonstrate compliance with each mandatory specification.

1. Bidders **must** show compliance by addressing each performance specification in the Compliance Matrix, whether the product offered "meets" or "doesn't meet".
2. It is requested that supporting technical documentation, including but not limited to, specification sheets, technical brochures, photographs or illustrations be provided with the bid at solicitation close and be cross-referenced on the Compliance Matrix for each performance specification to outline where in the supporting technical documentation it demonstrates compliance. It is the Bidders responsibility to ensure that the submitted supporting technical documentation provides detail to prove that the proposed product(s) meet the requirements of the Performance Specification. If published supporting technical document is not available, the Bidder should prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance.
3. If the supporting documentation referenced above has not been provided at bid closing, the Contracting Authority will notify the Bidder that they must provide supporting documentation within two (2) business days following notification. Failure to comply with the request of the Contracting Authority within that time period, will deem the bid non-responsive and the bid will be given no further consideration.
4. Bidders must address any concerns with the performance specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
5. Failure to meet each performance specification will result in the bid being deemed non-responsive, and be given no further consideration.

## COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS:

Requirement	Manufacturer Offered:	Model number Offered#
Minimum 50hp Small Plot Combine		

Item #	Performance Specification	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidder <u>must</u> indicate how they meet the performance specification by recording this information in this column	Cross Reference: In this column, Bidders should cross-reference where this performance specification is indicated in their supporting documents.
<b>General Specifications</b>				
1	The small plot combine being offered must be a current-year model.			
2	The small plot combine being offered must new and must not be a display model or prototype.			

Physical Specifications				
Dimensions				
1*	Wheelbase must be no greater than 2,500 mm (98.5").			
2*	Ground clearance must measure at least 190 mm (7.5").			
3	Offer must include the option to choose between two front wheel widths: 10" and 12.5".			
4	Offer must include the option to choose between two rear wheel widths 7" and 8.5".			
Engine				
1	The engine must be water-cooled, diesel-powered and have a minimum output of 50hp.			
2	The engine must utilize replaceable engine oil, radiator and air intake filters.			
3	The engine compartment must be fully enclosed.			
Monitoring				
1	Must include a system for monitoring and displaying engine operation, including engine temperature, oil pressure and operation of the electronic system.			
2	Must include a fuel gauge and hydraulic fluid gauge.			
3	Must include a visual display for the concave opening.			
4	Must include a digital display for the threshing drum and cleaning fan speeds.			
5	Must track and display the operating hours of the combine.			
Electrical				
1	Must be composed of a 12V negative-ground system with battery.			



Fuel Tank				
1*	Fuel tank capacity must be 40L or greater.			
Drive				
1*	Must feature a hydrostatic drive for even adjustment of speed. Top speed of combine must be at least 12 km/hr.			
Controls				
1	Must include a multi-function lever controlling: direction and speed of travel; header height adjustment; reel height adjustment.			
2	Must include a foot pedal to control forward movement without the use of the multi-function lever.			
3	Must feature hydraulic steering.			
4	Must include a parking brake.			
Header				
1	Must include 2 feed rollers.			
2	Must include pneumatic side mounted nozzles for clearing the cutting table.			
3*	Offer must include the option to choose between two (2) different cutting widths: 125cm (50") or 150cm (60").			
4	Cutting table must include swing-out crop dividers that allow the operator to extend the cutting width by an additional 10cm on each side.			
5	Feeder system must consist of a conveyor belt.			
6	Must include floating, adjustable skid plates.			
7*	Offer must include the option to choose between two (2) different reel widths: 125cm (50") or 150cm (60").			

8	Reel must be hydraulically driven, and must feature step-less speed adjustment from 0-45 RPM.			
9	Reel must feature hydraulic height adjustment.			
10	Must feature an emergency quick-stop that shuts off all moving parts of the header and reel.			
11*	<b>Must include a minimum of 4 crop lifters.</b>			
12	One (1) additional cutting bar assembly must be provided as a backup/replacement.			

### Threshing

1	Combine must include belt-driven OR sprocket-and-chain-driven threshing drum. Belt-driven threshing drum must feature step-less speed adjustment from 330-2,200 RPM. Sprocket-and-chain-driven threshing drum must have four (4) sprockets allowing respective speeds of 674, 845, 1,055 and 3,121 RPM.			
2	Must feature conventional rasp bar-style cylinder.			
3	Cylinder diameter must be no less than 350mm (14").			
4	Offer must include the option to choose between three (3) different concaves: One 12mm concave with three (3) de-awner bars for harvesting cereals, peas and soybeans; One 18mm concave for harvesting beans, peas and soybeans; One 36mm concave for harvesting large beans.			
5	Concave must have a quick-change feature. Operator must be able to change concave without needing to remove the header.			
6	Combine must be capable of harvesting cereals with a maximum of 20 percent moisture with minimal kernel damage.			

<b>Shaker/Cleaning Sieve</b>				
1	Offer must include the option to choose between three (3) shakers: 10mm shaker with one adjustable drop-stage and a quick-change option; 20mm shaker with one adjustable drop-stage and a quick-change option; 28mm shaker with one step and metal slope guides for harvesting beans and corn.			
2	Offer must include the option to choose between two cleaning sieves: One 4-20mm slotted, adjustable, quick-change sieve; One 16-30mm slotted, adjustable, quick-change sieve.			
3	Must include metal slope guides for harvesting cereals, peas and canola.			
4	Must include wind screen on straw hood.			
5	Must include cleaning fan with adjustable air flow and speed controls.			
<b>Bagging Device</b>				
1	Combine frame must have the structural integrity to support the addition of an after-market bagging station weighing up to 300kg, mounted on the side of the combine where the bagging device will be located.			
2	Offer must include the option to choose between two (2) bagging devices: One bagging device mounted within reach of the operator, to allow the combine operator to perform bagging; One side-mounted bagging station with a seat, to allow a second person to perform bagging.			
3	Bagging device must feature pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder must be included.			

<b>Weighing System</b>				
1	Offer must include the option to purchase a computerized weighing system that automatically collects the following harvesting data: plot weight, moisture content and test weight. Weighing system must be capable of collecting data for an entire plot, as well as for subsamples of up to 1.25L.			
2	Weighing system must include a handheld field PC running on the Windows 7 or Windows 10 operating system. PC must come pre-loaded with field research note-taking software.			
3	Offer must include the option to purchase a field printer. Field printer must be installed in a dust-proof enclosure.			
<b>Safety Features</b>				
1*	<b>Combine must include an adjustable seat.</b>			
2*	<b>Combine must include rear-view and side-view mirrors.</b>			
3	Combine must include a safety-ignition which allows the machine to start only when the drive is in neutral.			
4	Safety shields must be included to cover all moving parts, where the regular operation of the combine will allow.			
5	Combine must include an alarm that sounds when it is being moved in reverse.			
6	Combine must include external lighting for operating at night or in low light.			
7	Combine must be supplied with at least one (1) fire extinguisher, mounted near the operator.			

Additional Requirements				
1	Contractor must provide one (1) wrench for unplugging the cylinder when clogged.			
2	Contractor must provide at least two (2) service and parts manuals.			
3	Contractor must provide at least one (1) operating manual.			
Delivery and Installation				
1	Contractor to supply FOB delivery to the designated AAFC research station within ____ (Offeror's best delivery date ARO) calendar days from receipt of a call-up against the Standing Offer.			
2	Combine must be field-ready upon delivery.			
3	The Contractor is responsible for removing/disposing of any waste or refuse produced during delivery.			
4	An AAFC representative will confirm that the combine is fully operational before acceptance will be considered finalized.			
Warranty and Service				
1	Contractor will provide a comprehensive 1-year warranty, covering parts and labour.			
2	The warranty must provide on-site service and service must be provided by the Contractor or an OEM-recognized representative.			
3	On-site service must be provided within 24-hours of the service provider first being notified of an issue.			

**\*\* The Compliance Matrix for the 70hp small plot combine follows on the next page. \*\***

Requirement	Manufacturer Offered:	Model number Offered#
Minimum 70hp Small Plot Combine		

Item #	Performance Specification	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidder <u>must</u> indicate how they meet the performance specification by recording this information in this column	Cross Reference: In this column, Bidders should cross-reference where this performance specification is indicated in their supporting documents.
--------	---------------------------	--	--	---

#### General Specifications

1	The small plot combine being offered must be a current-year model.			
2	The small plot combine being offered must new and must not be a display model or prototype.			

#### Physical Specifications

##### Dimensions

1*	Wheelbase must measure 2,600mm (102") or less.			
2*	Ground clearance must measure at least 250 mm (10").			
3	Offer must include the option to choose between two front wheel widths: 11.5" and 15".			
4	Offer must include the option to choose between two rear wheel widths 8.5" and 12".			

#### Engine

1*	The engine must be water-cooled, diesel-powered and have a minimum output of 70hp.			
2	The engine must utilize replaceable engine oil, radiator and air intake filters.			
3	The engine compartment must be fully enclosed.			

<b>Monitoring</b>				
1	Must include a system for monitoring and displaying engine operation, including engine temperature, oil pressure and operation of the electronic system.			
2	Must include a fuel gauge and hydraulic fluid gauge.			
3	Must include a visual display for the concave opening.			
4	Must include a digital display for the threshing drum and cleaning fan speeds.			
5	Must track and display the operating hours of the combine.			
<b>Electrical</b>				
1	Must be composed of a 12V negative-ground system with battery.			
<b>Fuel Tank</b>				
1*	<b>Fuel tank capacity must be 90L or greater.</b>			
<b>Drive</b>				
1	Must feature a hydrostatic drive for even adjustment of speed. Top speed of combine must be at least 14 km/hr.			
<b>Controls</b>				
1	Must include a multi-function lever controlling: direction and speed of travel; header height adjustment; reel height adjustment.			
2	Must include a foot pedal to control forward movement without the use of the multi-function lever.			
3	Must feature hydraulic steering.			
4	Must include a parking brake.			
<b>Header</b>				
1	Must include 2 feed rollers.			
2	Must include pneumatic side mounted nozzles for clearing the cutting table.			

3*	<b>Cutting width must be 150cm (60").</b>			
4	Cutting table must include swing-out crop dividers that allow the operator to extend the cutting width by an additional 10cm on each side.			
5	Feeder system must consist of a conveyor belt.			
6	Must include floating, adjustable skid plates.			
7*	<b>Reel width must be 150cm (60").</b>			
8	Reel must be hydraulically driven, and must feature step-less speed adjustment from 0-45 RPM.			
9	Reel must feature hydraulic height adjustment.			
10	Must feature an emergency quick-stop that shuts off all moving parts of the header and reel.			
11*	<b>Must include a minimum of 6 crop lifters.</b>			
12*	<b>Offer must include the option to purchase a 2-row corn header.</b>			
13	One (1) additional cutting bar assembly must be provided as a backup/replacement.			
<b>Threshing</b>				
1	Combine must include belt-driven or sprocket-and-chain-driven threshing drum. Belt-driven threshing drum must feature step-less speed adjustment from 330-2,200 RPM. Sprocket-and-chain-driven threshing drum must have four (4) sprockets allowing respective speeds of 674, 845, 1,055 and 3,121 RPM.			
2	Must feature conventional rasp bar-style cylinder.			
3	Cylinder diameter must be no less than 350mm (14").			



4	Offer must include the option to choose between three (3) different concaves: One 12mm concave with three (3) de-awner bars for harvesting cereals, peas and soybeans; One 18mm concave for harvesting beans, peas and soybeans; One 36mm concave for harvesting large beans.			
5	Concave must have a quick-change feature. Operator must be able to change concave without needing to remove the header.			
6	Combine must be capable of harvesting cereals with a maximum of 20 percent moisture with minimal kernel damage.			
<b>Shaker/Cleaning Sieve</b>				
1	Offer must include the option to choose between three (3) shakers: 10mm shaker with one adjustable drop-stage and a quick-change option; 20mm shaker with one adjustable drop-stage and a quick-change option; 28mm shaker with one step and metal slope guides for harvesting beans and corn.			
2	Offer must include the option to choose between two cleaning sieves: One 4-20mm slotted, adjustable, quick-change sieve; One 16-30mm slotted, adjustable, quick-change sieve.			
3	Must include metal slope guides for harvesting cereals, peas and canola.			
4	Must include wind screen on straw hood.			
5	Must include cleaning fan with adjustable air flow and speed controls.			

<b>Bagging Device</b>				
1	Combine frame must have the structural integrity to support the addition of an after-market bagging station weighing up to 300kg, mounted on the side of the combine where the bagging device will be located.			
2	Offer must include the option to choose between two (2) bagging devices: One bagging device mounted within reach of the operator, to allow the combine operator to perform bagging; One side-mounted bagging station with a seat, to allow a second person to perform bagging.			
3	Bagging device must feature pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder must be included.			
<b>Weighing System</b>				
1	Offer must include the option to purchase a computerized weighing system that automatically collects the following harvesting data: plot weight, moisture content and test weight. Weighing system must be capable of collecting data for an entire plot, as well as for subsamples of up to 1.25L.			
2	Weighing system must include a handheld field PC running on the Windows 7 or Windows 10 operating system. PC must come pre-loaded with field research note-taking software.			
3	Offer must include the option to purchase a field printer. Field printer must be installed in a dust-proof enclosure.			
<b>Cabin</b>				
1*	<b>Offer must include the option to purchase an enclosed cabin.</b>			
2*	<b>Cabin must be heated and air-conditioned.</b>			

3*	<b>Cabin windows must include window wipers with in-cab controls.</b>			
4*	<b>Cabin must include an adjustable seat.</b>			
<b>Safety Features</b>				
1*	<b>Cabin must include interior lighting.</b>			
2*	<b>Cabin must feature safety-glass windows.</b>			
3*	<b>Cabin must include rear-view and side-view mirrors.</b>			
4	Combine must include a safety-ignition which allows the machine to start only when the drive is in neutral.			
5	Safety shields must be included to cover all moving parts, where the regular operation of the combine will allow.			
6	Combine must include an alarm that sounds when it is being moved in reverse.			
7	Combine must include external lighting for operating at night or in low light.			
8	Combine must be supplied with at least one (1) fire extinguisher, mounted within the cabin.			
<b>Additional Requirements</b>				
1	Contractor must provide one (1) wrench for unplugging the cylinder when clogged.			
2	Contractor must provide at least two (2) service and parts manuals.			
3	Contractor must provide at least one (1) operating manual.			
<b>Delivery and Installation</b>				
1	Contractor to supply FOB delivery to the designated AAFC research station within ____ (Offeror's best delivery date ARO) calendar days			

	from receipt of a call-up against the Standing Offer.			
2	Combine must be field-ready upon delivery.			
3	The Contractor is responsible for removing/disposing of any waste or refuse produced during delivery.			
4	An AAFC representative will confirm that the combine is fully operational before acceptance will be considered finalized.			
<b>Warranty and Service</b>				
1	Contractor will provide a comprehensive 1-year warranty, covering parts and labour.			
2	The warranty must provide on-site service and service must be provided by the Contractor or an OEM-recognized representative.			
3	On-site service must be provided within 24-hours of the service provider first being notified of an issue.			

## ANNEX B

### BASIS OF PAYMENT

In consideration of the Contractor satisfactorily fulfilling all of its obligations under the Contract, the Contractor will be paid a firm price, as specified below. Canadian-based offerors must submit firm prices, Canadian customs duties and excise taxes included, and Applicable Taxes excluded. Foreign-based offerors must submit firm prices, Canadian customs duties, excise taxes and Applicable Taxes excluded. Canadian customs duties and excise taxes payable by Canada will be added, for evaluation purposes only, to the prices submitted by foreign-based offerors. Any applicable taxes are extra, and are to be shown as a separate item on any resulting invoice.

Pricing must include all costs associated with meeting the requirement as specified in Annex A.

**Note: The basis of payment for the 50hp option and that for the 70hp option are listed separately below. The features for the two options are identical, except in those instances denoted where the feature has been bolded and an asterisk (\*) has been placed beside the item number.**

The initial Standing Offer period and the three option periods appear in individual tables below. The sum total of these tables must be provided on page 41 in the space indicated and will be used for completion of the financial evaluation.

The Standing Offer must include all options identified below. However, when initiating a call-up against the Standing Offer, a client department will include only those options required to meet its operational needs. The options selected for each call-up will vary depending on the operational needs of the end user.

#### B1. Initial Standing Offer Period – From Standing Offer Award to March 31, 2019

50hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
Chasis and Operational Features				
1*	Small plot combine, with <b>50hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>40L, or larger, fuel tank</b> .	1	each	\$
2a*	Front wheels: 10" wide.	1	pair	\$

2b*	Front wheels: 12.5" wide.	1	pair	\$
3a*	Rear wheels: 7" wide.	1	pair	\$
3b*	Rear wheels: 8.5" wide.	1	pair	\$
<b>Header and Reel</b>				
4a*	<b>Header with 125cm (50") cutting width,</b> with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. <b>125cm-wide, hydraulically-driven reel,</b> with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
4b	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 4).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
<b>Harvesting Features</b>				
8a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
8b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
9	Conventional rasp bar-style cylinder.	1	each	\$
10a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
10b	18mm quick-change concave.	1	each	\$
10c	36mm quick change concave.	1	each	\$

11a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
11b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
11c	28mm shaker with one step and metal slope guides.	1	each	\$
12	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$
13	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
14a	Operator-adjacent bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
14b	Side-mounted bagging device with a seat. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$
<b>Data Collection and Analysis Equipment</b>				
15	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
16	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
17	Field printer in dust-proof enclosure.	1	each	\$
<b>Additional Requirements</b>				
18	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
19	Operating manual.	1	each	\$
20	Two (2) parts and service manuals.	1	set	\$

Solicitation No. - N° de l'invitation  
01634-177707  
Client Ref. No. - N° de réf. du client  
01634-177707

Amd. No. - N° de la modif.  
  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
wpg119  
CCC No./N° CCC - FMS No./N° VME

<b>Delivery (including any applicable freight and/or offloading charges, FOB destination)</b>				
21a	Brandon Research and Development Centre	1	each	\$
21b	Lacombe Research and Development Centre	1	each	\$
21c	Lethbridge Research and Development Centre	1	each	\$
21d	Morden Research and Development Centre	1	each	\$
21e	Ottawa Research and Development Centre	1	each	\$
21f	Saint-Jean-sur-Rechelieu Research and Development Centre	1	each	\$
21g	Saskatoon Research and Development Centre	1	each	\$
21h	Swift Current Research and Development Centre	1	each	\$
<b>Warranty</b>				
22	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (A)</b>	<b>\$</b>



70hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
<b>Chasis and Operational Features</b>				
1*	Small plot combine, with <b>70hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>90L, or larger, fuel tank</b> . Enclosed, heated and air-conditioned cabin with internal lighting safety-glass windows, window wipers and interior lighting.	1	each	\$
2a*	Front wheels: 11.5" wide.	1	pair	\$
2b*	Front wheels: 15" wide.	1	pair	\$
3a*	Rear wheels: 8.5" wide.	1	pair	\$
3b*	Rear wheels: 12" wide.	1	pair	\$
<b>Header and Reel</b>				
4	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 6).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
8*	<b>Two-row corn header.</b>	1	each	\$

Harvesting Features				
9a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
9b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
10	Conventional rasp bar-style cylinder.	1	each	\$
11a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
11b	18mm quick-change concave.	1	each	\$
11c	36mm quick change concave.	1	each	\$
12a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
12b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
12c	28mm shaker with one step and metal slope guides.	1	each	\$
13	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$
14	Wind screen for straw hood.	1	each	\$
Bagging Device				
15a	Cabin-mounted bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
15b	Side-mounted bagging device with a seat, and cabin access for the transport of bags from the cabin to the platform. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$

<b>Data Collection and Analysis Equipment</b>				
16	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
17	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
18	Field printer in dust-proof enclosure.	1	each	\$
<b>Additional Requirements</b>				
19	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
20	Operating manual.	1	each	\$
21	Two (2) parts and service manuals.	1	set	\$
<b>Delivery (including any applicable freight and/or offloading charges, FOB destination)</b>				
22a	Brandon Research and Development Centre	1	each	\$
22b	Lacombe Research and Development Centre	1	each	\$
22c	Lethbridge Research and Development Centre	1	each	\$
22d	Morden Research and Development Centre	1	each	\$
22e	Ottawa Research and Development Centre	1	each	\$
22f	Saint-Jean-sur-Richelieu Research and Development Centre	1	each	\$
22g	Saskatoon Research and Development Centre	1	each	\$
22h	Swift Current Research and Development Centre	1	each	\$

Solicitation No. - N° de l'invitation  
01634-177707  
Client Ref. No. - N° de réf. du client  
01634-177707

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
wpg119  
CCC No./N° CCC - FMS No./N° VME

Warranty				
23	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (B)</b>	<b>\$</b>

B2. Option Period 1 – From April 1, 2019 to March 31, 2020

50hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
<b>Chasis and Operational Features</b>				
1*	Small plot combine, with <b>50hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>40L, or larger, fuel tank</b> .	1	each	\$
2a*	Front wheels: 10" wide.	1	pair	\$
2b*	Front wheels: 12.5" wide.	1	pair	\$
3a*	Rear wheels: 7" wide.	1	pair	\$
3b*	Rear wheels: 8.5" wide.	1	pair	\$
<b>Header and Reel</b>				
4a*	<b>Header with 125cm (50") cutting width</b> , with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. <b>125cm-wide, hydraulically-driven reel</b> , with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
4b	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$

5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 4).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
<b>Harvesting Features</b>				
8a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
8b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
9	Conventional rasp bar-style cylinder.	1	each	\$
10a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
10b	18mm quick-change concave.	1	each	\$
10c	36mm quick change concave.	1	each	\$
11a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
11b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
11c	28mm shaker with one step and metal slope guides.	1	each	\$
12	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$
13	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
14a	Operator-adjacent bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
14b	Side-mounted bagging device with a seat. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$

<b>Data Collection and Analysis Equipment</b>				
15	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
16	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
17	Field printer in dust-proof enclosure.	1	each	\$
<b>Additional Requirements</b>				
18	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
19	Operating manual.	1	each	\$
20	Two (2) parts and service manuals.	1	set	\$
<b>Delivery (including any applicable freight and/or offloading charges, FOB destination)</b>				
21a	Brandon Research and Development Centre	1	each	\$
21b	Lacombe Research and Development Centre	1	each	\$
21c	Lethbridge Research and Development Centre	1	each	\$
21d	Morden Research and Development Centre	1	each	\$
21e	Ottawa Research and Development Centre	1	each	\$
21f	Saint-Jean-sur-Richelieu Research and Development Centre	1	each	\$
21g	Saskatoon Research and Development Centre	1	each	\$
21h	Swift Current Research and Development Centre	1	each	\$

Warranty				
22	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (C)</b>	<b>\$</b>

70hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
<b>Chasis and Operational Features</b>				
1*	Small plot combine, with <b>70hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>90L, or larger, fuel tank</b> . Enclosed, heated and air-conditioned cabin with internal lighting safety-glass windows, window wipers and interior lighting.	1	each	\$
2a*	Front wheels: 11.5" wide.	1	pair	\$
2b*	Front wheels: 15" wide.	1	pair	\$
3a*	Rear wheels: 8.5" wide.	1	pair	\$
3b*	Rear wheels: 12" wide.	1	pair	\$



Header and Reel				
4	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 6).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
8*	<b>Two-row corn header.</b>	1	each	\$
Harvesting Features				
9a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
9b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
10	Conventional rasp bar-style cylinder.	1	each	\$
11a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
11b	18mm quick-change concave.	1	each	\$
11c	36mm quick change concave.	1	each	\$
12a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
12b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
12c	28mm shaker with one step and metal slope guides.	1	each	\$
13	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$

14	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
15a	Cabin-mounted bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
15b	Side-mounted bagging device with a seat, and cabin access for the transport of bags from the cabin to the platform. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$
<b>Data Collection and Analysis Equipment</b>				
16	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
17	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
18	Field printer in dust-proof enclosure.	1	each	\$
<b>Additional Requirements</b>				
19	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
20	Operating manual.	1	each	\$
21	Two (2) parts and service manuals.	1	set	\$
<b>Delivery (including any applicable freight and/or offloading charges, FOB destination)</b>				
22a	Brandon Research and Development Centre	1	each	\$
22b	Lacombe Research and Development Centre	1	each	\$
22c	Lethbridge Research and Development Centre	1	each	\$
22d	Morden Research and Development Centre	1	each	\$

Solicitation No. - N° de l'invitation  
01634-177707  
Client Ref. No. - N° de réf. du client  
01634-177707

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
wpg119  
CCC No./N° CCC - FMS No./N° VME

22e	Ottawa Research and Development Centre	1	each	\$
22f	Saint-Jean-sur-Rechelieu Research and Development Centre	1	each	\$
22g	Saskatoon Research and Development Centre	1	each	\$
22h	Swift Current Research and Development Centre	1	each	\$
<b>Warranty</b>				
23	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (D)</b>	<b>\$</b>

B3. Option Period 2 – From April 1, 2020 to March 31, 2021

50hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
Chasis and Operational Features				
1*	Small plot combine, with <b>50hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>40L, or larger, fuel tank</b> .	1	each	\$
2a*	Front wheels: 10" wide.	1	pair	\$
2b*	Front wheels: 12.5" wide.	1	pair	\$
3a*	Rear wheels: 7" wide.	1	pair	\$
3b*	Rear wheels: 8.5" wide.	1	pair	\$
Header and Reel				
4a*	<b>Header with 125cm (50") cutting width</b> , with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. <b>125cm-wide, hydraulically-driven reel</b> , with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
4b	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$

5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 4).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
<b>Harvesting Features</b>				
8a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
8b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
9	Conventional rasp bar-style cylinder.	1	each	\$
10a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
10b	18mm quick-change concave.	1	each	\$
10c	36mm quick change concave.	1	each	\$
11a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
11b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
11c	28mm shaker with one step and metal slope guides.	1	each	\$
12	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$
13	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
14a	Operator-adjacent bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
14b	Side-mounted bagging device with a seat. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$

Data Collection and Analysis Equipment				
15	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
16	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
17	Field printer in dust-proof enclosure.	1	each	\$
Additional Requirements				
18	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
19	Operating manual.	1	each	\$
20	Two (2) parts and service manuals.	1	set	\$
Delivery (including any applicable freight and/or offloading charges, FOB destination)				
21a	Brandon Research and Development Centre	1	each	\$
21b	Lacombe Research and Development Centre	1	each	\$
21c	Lethbridge Research and Development Centre	1	each	\$
21d	Morden Research and Development Centre	1	each	\$
21e	Ottawa Research and Development Centre	1	each	\$
21f	Saint-Jean-sur-Rechellieu Research and Development Centre	1	each	\$
21g	Saskatoon Research and Development Centre	1	each	\$
21h	Swift Current Research and Development Centre	1	each	\$

Warranty				
22	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (E)</b>	<b>\$</b>

70hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
<b>Chasis and Operational Features</b>				
1*	Small plot combine, with <b>70hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>90L, or larger, fuel tank</b> . Enclosed, heated and air-conditioned cabin with internal lighting safety-glass windows, window wipers and interior lighting.	1	each	\$
2a*	Front wheels: 11.5" wide.	1	pair	\$
2b*	Front wheels: 15" wide.	1	pair	\$
3a*	Rear wheels: 8.5" wide.	1	pair	\$
3b*	Rear wheels: 12" wide.	1	pair	\$

Header and Reel				
4	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 6).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
8*	<b>Two-row corn header.</b>	1	each	\$
Harvesting Features				
9a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
9b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
10	Conventional rasp bar-style cylinder.	1	each	\$
11a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
11b	18mm quick-change concave.	1	each	\$
11c	36mm quick change concave.	1	each	\$
12a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
12b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
12c	28mm shaker with one step and metal slope guides.	1	each	\$
13	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$



14	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
15a	Cabin-mounted bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
15b	Side-mounted bagging device with a seat, and cabin access for the transport of bags from the cabin to the platform. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$
<b>Data Collection and Analysis Equipment</b>				
16	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
17	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
18	Field printer in dust-proof enclosure.	1	each	\$
<b>Additional Requirements</b>				
19	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
20	Operating manual.	1	each	\$
21	Two (2) parts and service manuals.	1	set	\$
<b>Delivery (including any applicable freight and/or offloading charges, FOB destination)</b>				
22a	Brandon Research and Development Centre	1	each	\$
22b	Lacombe Research and Development Centre	1	each	\$
22c	Lethbridge Research and Development Centre	1	each	\$
22d	Morden Research and Development Centre	1	each	\$

Solicitation No. - N° de l'invitation  
01634-177707  
Client Ref. No. - N° de réf. du client  
01634-177707

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
wpg119  
CCC No./N° CCC - FMS No./N° VME

22e	Ottawa Research and Development Centre	1	each	\$
22f	Saint-Jean-sur-Rechelieu Research and Development Centre	1	each	\$
22g	Saskatoon Research and Development Centre	1	each	\$
22h	Swift Current Research and Development Centre	1	each	\$
<b>Warranty</b>				
23	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (F)</b>	<b>\$</b>

B4. Option Period 3 – From April 1, 2021 to March 31, 2022

50hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
<b>Chasis and Operational Features</b>				
1*	Small plot combine, with <b>50hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>40L, or larger, fuel tank</b> .	1	each	\$
2a*	Front wheels: 10" wide.	1	pair	\$
2b*	Front wheels: 12.5" wide.	1	pair	\$
3a*	Rear wheels: 7" wide.	1	pair	\$
3b*	Rear wheels: 8.5" wide.	1	pair	\$
<b>Header and Reel</b>				
4a*	<b>Header with 125cm (50") cutting width</b> , with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. <b>125cm-wide, hydraulically-driven reel</b> , with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
4b	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$

5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 4).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
<b>Harvesting Features</b>				
8a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
8b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
9	Conventional rasp bar-style cylinder.	1	each	\$
10a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
10b	18mm quick-change concave.	1	each	\$
10c	36mm quick change concave.	1	each	\$
11a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
11b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
11c	28mm shaker with one step and metal slope guides.	1	each	\$
12	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$
13	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
14a	Operator-adjacent bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
14b	Side-mounted bagging device with a seat. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$

Data Collection and Analysis Equipment				
15	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
16	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
17	Field printer in dust-proof enclosure.	1	each	\$
Additional Requirements				
18	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
19	Operating manual.	1	each	\$
20	Two (2) parts and service manuals.	1	set	\$
Delivery (including any applicable freight and/or offloading charges, FOB destination)				
21a	Brandon Research and Development Centre	1	each	\$
21b	Lacombe Research and Development Centre	1	each	\$
21c	Lethbridge Research and Development Centre	1	each	\$
21d	Morden Research and Development Centre	1	each	\$
21e	Ottawa Research and Development Centre	1	each	\$
21f	Saint-Jean-sur-Rechellieu Research and Development Centre	1	each	\$
21g	Saskatoon Research and Development Centre	1	each	\$
21h	Swift Current Research and Development Centre	1	each	\$

Warranty				
22	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (G)</b>	<b>\$</b>

70hp Small Plot Combine				
Item	Description	Qty.	Unit of Issue	Unit Price (CAD)
<b>Chasis and Operational Features</b>				
1*	Small plot combine, with <b>70hp, fully-enclosed, water-cooled, diesel-powered engine</b> . Engine oil, radiator and air intake filters included. Fuel level, engine temperature, oil pressure, hydraulic fluid and operating-hour gauges included. Hydrostatic drive for step-less adjustment of speed. Multi-function lever controlling direction and speed of travel, header height and reel height. Foot pedal for stop-and-go forward movement. Hydraulic steering and parking brake. 12V negative-ground electrical system. <b>90L, or larger, fuel tank</b> . Enclosed, heated and air-conditioned cabin with internal lighting safety-glass windows, window wipers and interior lighting.	1	each	\$
2a*	Front wheels: 11.5" wide.	1	pair	\$
2b*	Front wheels: 15" wide.	1	pair	\$
3a*	Rear wheels: 8.5" wide.	1	pair	\$
3b*	Rear wheels: 12" wide.	1	pair	\$

Header and Reel				
4	Header with 150cm (60") cutting width, with conveyor belt feeder system, 2 feed rollers, pneumatic side-mounted clearing nozzles and floating, adjustable skid plates. 150cm-wide, hydraulically-driven reel, with hydraulic height adjustment and step-less speed adjustment from 0-45 RPM. Emergency shutoff for all moving parts of header and reel.	1	each	\$
5	Swing-out crop dividers.	1	pair	\$
6*	<b>Crop lifters (minimum of 6).</b>	1	set	\$
7	Additional cutting bar assembly.	1	each	\$
8*	<b>Two-row corn header.</b>	1	each	\$
Harvesting Features				
9a	Belt-driven threshing drum with step-less speed adjustment from 330-2,200 RPM.	1	each	\$
9b	Sprocket-and-chain-driven threshing drum allowing for speeds of 674, 845, 1,055 and 3,121 RPM.	1	each	\$
10	Conventional rasp bar-style cylinder.	1	each	\$
11a	12mm quick-change concave with 3 de-awner bars.	1	each	\$
11b	18mm quick-change concave.	1	each	\$
11c	36mm quick change concave.	1	each	\$
12a	10mm shaker with one adjustable drop-stage, metal slope guides and quick-change option.	1	each	\$
12b	20mm shaker with one adjustable drop-stage, metal slope guides and a quick-change option.	1	each	\$
12c	28mm shaker with one step and metal slope guides.	1	each	\$
13	Cleaning sieve with cleaning fan with adjustable air flow and speed controls.	1	each	\$

14	Wind screen for straw hood.	1	each	\$
<b>Bagging Device</b>				
15a	Cabin-mounted bagging device with pneumatic seed delivery, adjustable blower and cyclone for final cleaning. Bag holder included.	1	each	\$
15b	Side-mounted bagging device with a seat, and cabin access for the transport of bags from the cabin to the platform. Bagging device includes pneumatic seed delivery, adjustable blower and cyclone for final cleaning, as well as bag holder.	1	each	\$
<b>Data Collection and Analysis Equipment</b>				
16	Computerized weighing system capable of automatically collecting harvesting data including plot weight, moisture content and test weight. Weighing system includes subsampling feature for subsamples within 0.75-1.5L.	1	each	\$
17	Field PC running on Windows 7 or 10 OS, pre-loaded with field research note-taking software. USB/power dock pre-installed.	1	each	\$
18	Field printer in dust-proof enclosure.	1	each	\$
<b>Additional Requirements</b>				
19	Cylinder wrench for unplugging clogged cylinder.	1	each	\$
20	Operating manual.	1	each	\$
21	Two (2) parts and service manuals.	1	set	\$
<b>Delivery (including any applicable freight and/or offloading charges, FOB destination)</b>				
22a	Brandon Research and Development Centre	1	each	\$
22b	Lacombe Research and Development Centre	1	each	\$
22c	Lethbridge Research and Development Centre	1	each	\$
22d	Morden Research and Development Centre	1	each	\$



Solicitation No. - N° de l'invitation  
01634-177707  
Client Ref. No. - N° de réf. du client  
01634-177707

Amd. No. - N° de la modif.  
  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
wpg119  
CCC No./N° CCC - FMS No./N° VME

22e	Ottawa Research and Development Centre	1	each	\$
22f	Saint-Jean-sur-Rechelieu Research and Development Centre	1	each	\$
22g	Saskatoon Research and Development Centre	1	each	\$
22h	Swift Current Research and Development Centre	1	each	\$
<b>Warranty</b>				
23	1-year warranty, as specified in Annex A.	1	each	\$
			<b>TOTAL (H)</b>	<b>\$</b>

<b>GRAND TOTAL (Initial SO Period and Option Periods)</b>		
<b>TOTAL (A) + TOTAL (B) + TOTAL (C) + TOTAL (D) + TOTAL (E) + TOTAL (F) + TOTAL (G) + TOTAL (H) =</b>	<b>GRAND TOTAL</b>	<b>\$</b>

---

## ANNEX C

### STANDING OFFER USAGE REPORT

#### Quarterly Usage Report Schedule:

First Quarter: April 1-June 30;

Second Quarter: July 1-September 30;

Third Quarter: October 1-December 31;

Fourth Quarter: January 1-March 31.

Report on the Volume of Business with Federal Government Departments and Agencies

Supplier:

Standing Offer Number:

Department or Agency:

Reporting Period:

Item No.	Item Description	Value of Call-up	GST/HST
1			
2			
3			
4			
5			
6			
A. Value of Call-ups for this Reporting Period			
B. Value of Accumulated Call-ups to Date			
Total Accumulated Call-ups (A + B)			

---

## **ANNEX D**

### **ELECTRONIC PAYMENT INSTRUMENTS**

The Bidder accepts any of the following Electronic Payment Instrument(s):

- ☐ ( ) VISA Acquisition Card;
- ☐ ( ) MasterCard Acquisition Card;
- ☐ ( ) Direct Deposit (Domestic and International);
- ☐ ( ) Electronic Data Interchange (EDI);
- ☐ ( ) Wire Transfer (International Only);
- ☐ ( ) Large Value Transfer System (LVTS) (Over \$25M)