

1 GENERAL

1.1 SECTION INCLUDES:

- .1 This Section specifies roles and responsibilities of Commissioning Training.

1.2 RELATED SECTIONS:

- .1 Section 01 78 00 – Closeout Submittals.
- .2 Section 01 91 13 – Commissioning (Cx) Requirements.
- .3 Section 01 91 33 – Commissioning (Cx) Forms.

1.3 TRAINEES

- .1 Trainees: personnel selected for operating and maintaining this facility including, but not limited to, Facility Manager, building operators, maintenance staff, security staff, and technical specialists as required.
- .2 Trainees may be available for training during any stage of construction.

1.4 INSTRUCTORS

- .1 The Cx Manual will contain:
 - .1 Descriptions of systems.
 - .2 Instruction on design philosophy, design criteria, and design intent.
- .2 Contractor and certified factory-trained manufacturers' personnel: to provide instruction on the following:
 - .1 Start-Up, operation, shut-down and maintenance of equipment, components and systems.
 - .2 Control features and reasons for, results of, implications on associated systems of adjustment of set points of control and safety devices.
 - .3 Instructions on servicing, maintenance and adjustment of systems, equipment and components.
 - .4 Training to be completed after Installation and Performance Verification are completed.

1.5 TRAINING OBJECTIVES

- .1 Training to be detailed and of sufficient duration to ensure:
 - .1 Safe, reliable, cost-effective, energy-efficient operation of systems in normal and emergency modes under all conditions.
 - .2 Effective on-going inspection, measurements of system performance.
 - .3 Proper preventive maintenance, diagnosis, trouble-shooting and maintenance.
 - .4 Ability to update documentation.

- .5 Ability to operate equipment and systems under emergency conditions until appropriate qualified assistance arrives.

1.6 **TRAINING MATERIALS**

- .1 Instructors to be responsible for content and quality. Provide copies for all those in attendance.
- .2 Training materials to include:
 - .1 "As-Built" Contract Documents.
 - .2 Operating Manual.
 - .3 Maintenance Manual.
 - .4 Testing, adjusting and balancing and performance verification reports where applicable.
- .3 Owner's Representative will review training manuals.
- .4 Training materials to be in a format that permits future training procedures to the same degree of detail with or without the instructor.

1.7 **SCHEDULING**

- .1 Contractor to include in schedule time for training. Provide a detailed commissioning schedule indicating all Cx tasks and training.
- .2 Deliver training during regular working hours, training sessions to be determined in Commissioning meetings.
- .3 Training to be completed prior to Substantial Completion.

1.8 **RESPONSIBILITIES**

- .1 Be responsible for:
 - .1 Implementation of training activities,
 - .2 Coordination among instructors,
 - .3 Quality of training, training materials,
- .2 Owner's Representative will evaluate training and materials.
- .3 Upon completion of training, provide written report, signed by Instructors, witnessed by Owner's Representative. Include list of those in attendance.

1.9 **TRAINING CONTENT**

- .1 Training to include demonstrations by Instructors using the installed equipment and systems.
- .2 Content includes:
 - .1 Review of facility and occupancy profile.
 - .2 Functional requirements.

- .3 System philosophy, limitations of systems and emergency procedures.
 - .4 Review of system layout, equipment, components and controls.
 - .5 Equipment and system start-up, operation, monitoring, servicing, maintenance and shut-down procedures.
 - .6 System operating sequences, including step-by-step directions for starting up, shut-down, operation of valves, dampers, switches, adjustment of control settings and emergency procedures.
 - .7 Maintenance and servicing.
 - .8 Trouble-shooting diagnosis.
 - .9 Inter-Action among systems during integrated operation.
 - .10 Review of O&M documentation.
- .3 Provide specialized training as specified in relevant Technical Sections of the construction specifications.

2 PRODUCTS (NOT APPLICABLE)

3 EXECUTION (NOT APPLICABLE)

END OF SECTION