



TENDER AMENDMENT

RETURN BIDS TO:

Parks Canada Agency
635 – 8 Avenue S.W., Suite 1300
Calgary, AB T2P 3M3
Bid Fax: (403) 292-4475

The referenced document is hereby amended: unless otherwise indicated, all other terms and conditions of the contract remain the same.

Issuing Office:

Parks Canada Agency
635 – 8 Avenue S.W., Suite 1300
Calgary, AB T2P 3M3

MODIFICATION D'APPEL D'OFFRES

RETOURNER LES SOUMISSIONS À :

Agence Parcs Canada
635 – 8 Avenue S.O., pièce 1300,
Calgary, AB T2P 3M3
N° de télécopieur pour soumissions : (403) 292-4475

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Bureau de distribution :

Agence Parcs Canada
635 – 8 Avenue S.O., pièce 1300
Calgary (AB) T2P 3M3

Title: Mount Edith Cavell Parking Lot and Road Reconstruction, Jasper National Park		
Solicitation No.: / N° de l'invitation : 5P420-17-5061/A	Amendment No.: / N° de modification de l'invitation : 002	Date: May 25, 2017 Date : 25 mai 2017
GETS Reference No.: / N° de référence de SEAG : PW-17-00776653		
Solicitation Closes: / L'invitation prend fin :		
At: 02:00 PM	On: May 31, 2017	Time Zone: Mountain Daylight Time (MDT)
À : 14h00	Le : 31 mai 2017	Fuseau horaire : Heure avancée des Rocheuses (HAR)
Address Inquiries to: / Adresser toute demande de renseignements à : Nicole Levesque-Welch		
Telephone No.: / N° de téléphone : (403) 292-4691	Fax No.: / N° de télécopieur : (403) 292-4475	Email Address: / Courriel : nicole.levesque-welch@pc.gc.ca
TO BE COMPLETED BY THE BIDDER (type or print) À ÊTRE COMPLÉTER PAR LE SOUMISSIONNAIRE (taper ou écrire en caractères d'imprimerie)		
Vendor/Firm Name – Nom du fournisseur/de l'entrepreneur		
Address - Adresse		
Name of person authorized to sign on behalf of the Vendor/Firm Nom de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur		
Title - Titre		
Signature		Date



AMENDMENT 002

This amendment is being raised to submit modifications to the specifications, drawings and price form for solicitation 5P420-17-5061/A:

A. SPECIFICATIONS AND DRAWINGS MODIFICATIONS

1. ADD to specification section 01 11 00 – Summary of Work, Items
 - 1.1.3.22 Approximately 0.15 ha of Clearing and Grubbing along south side of Highway 93A at entrance to Cavell Road
 - 1.1.3.23 Information Signs – Type N1 Signs, 8 signs as shown on Drawings 501, 502 and 503.
 - 1.17 Full-Time Site Supervision
 - .1 The contractor will be responsible for full-time supervision of the site during the construction. This includes supervision of sub-contractors, communication with the Department Representative and visitors.
 - .2 Provide a qualified site supervisor.
 - .3 The supervisor will be responsible to respond to all emergencies and operational requirements during and after construction hours and including statutory holidays.
 - .4 Include costs for fulltime supervision in the Mobilization and Demobilization bid item.
2. ADD specification section 31 11 00 – Clearing and Grubbing. See folder DSP 2 – 17-5061 for document.
3. ADD drawings 501 – Civil Sign Type 1, 502 – Civil Sign Type 2 and 503 – Civil Sign Type 3 to the drawing package. See folder DSP 2 – 17-5061 for document.
4. ADD to specification section 01 27 00 – Measurement and Payment, items
 - 1.4.2.5 Information Signs
 - .1 Contractor shall supply and install traffic information signs shown on drawings 501, 502 and 503. Scope of work shall include design, and installation of signage panel, bracing, fixtures, posts, foundation, coating, transportation, submissions, coordination, manufacturing, labour, equipment, materials and incidentals required to complete the engineering design and installation of signage.
 - .2 Disposal or surplus material and site restoration shall be considered incidental to the sign installation.
 - .3 Measurement shall be the complete unit of the sign structure installed. Payment shall be by unit rate of each sign installed completely.
 - 1.4.18 Clearing and Grubbing
 1. Clearing and grubbing is located on the Northwest corner of the intersection of Cavell Road and Highway 93A. Limits of clearing and grubbing will be marked by Parks Canada Representative. The intention of the clearing and grubbing is to increase sightlines for vehicular traffic.
 2. Measurement shall be the marked area that has been cleared and grubbed in hectares. Payment will be measured area by unit rate in hectares.



B. ANNEX A – BID PRICE FORM

THE ATTACHED PRICE FORM MUST BE USED IN ORDER FOR A BID TO BE DEEMED RESPONSIVE. ANY BIDS SUBMITTED USING THE PREVIOUS PRICE FORM WILL NOT BE ACCEPTED.

CHANGES ARE SHOWN IN RED.

All other terms and conditions remain the same.



ANNEX A PRICE FORM

- 1) The prices per unit shall govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

LUMP SUM AND UNIT PRICE TABLE

Note: Bidders are reminded that it is their responsibility to include in their bid all work as described in the drawings and specifications.

The Unit Price designates the Work to which a Unit Price Arrangement applies and the Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) The Price per Unit and the Estimated Total Price must be entered for each item listed.
- (b) Work included in each item is as described in the referenced specification section.

Item no.	Spec section	Description	Unit of Measurement	Est. Qty	Price per Unit GST/HST extra	Estimated Total Price GST/HST extra
1		General Requirements	Lump Sum	1	\$ _____	\$ _____
2		REMOVALS				
	02 41 13.14	1. Remove and Dispose existing Asphalt (100 mm Depth)	m ²	2,300	\$ _____	\$ _____
	32 31 13.13	2. Remove and Dispose stockpiled Topsoil	m ³	2,000	\$ _____	\$ _____
	32 31 13.13	3. Remove and Dispose stockpiled Mulch	Lump Sum	1	\$ _____	\$ _____
	31 24 13	4. Waste Excavation (Subject to Ground Condition)	m ³	300	\$ _____	\$ _____
3		EARTHWORKS				
	31 24 13	1. Import, Place and Compact Granular Material (Owner Supplied)	m ³	5,600	\$ _____	\$ _____
	31 24 13	2. Imported, Place and Compact Granular Material (Subject to Ground Condition) (Owner Supplied)	m ³	300	\$ _____	\$ _____
	31 24 13	3. Common Excavation, Place and Compact	m ³	2,650	\$ _____	\$ _____
	31 24 13	4. Temporary Berm				
		.1 Common Excavation, Place and Compact (to be used for Embankment Construction)	m ³	440	\$ _____	\$ _____
	.2 Reuse Berm Material for Site Restoration (100 mm Depth)	m ²	3,000	\$ _____	\$ _____	
	31 11 00	5. Clearing and Grubbing	ha	0.15	\$ _____	\$ _____



Item no.	Spec section	Description	Unit of Measurement	Est. Qty	Price per Unit GST/HST extra	Estimated Total Price GST/HST extra
		ROADWAY AND PARKING LOT CONSTRUCTION				
	31 24 13	1. Subgrade Preparation of the existing ground prior to embankment construction (Depth 300 mm)	m ²	9,500	\$ _____	\$ _____
		2. Roadway				
	32 12 16	.1 Asphaltic Concrete Paving (Type: M1, Grade: PG 52-34) (Depth 80 mm)	m ²	2,050	\$ _____	\$ _____
	32 11 23	.2 Granular Base Course (Depth 200 mm) (Owner Supplied)	m ²	2,150	\$ _____	\$ _____
		3. Parking Lot				
	32 12 16	.1 Asphaltic Concrete Paving (Type: M1, Grade: PG 52-34) (Depth 80 mm)	m ²	2,650	\$ _____	\$ _____
	32 11 23	.2 Granular Base Course (Depth 200 mm) (Owner Supplied)	m ²	2,700	\$ _____	\$ _____
	33 42 13	4. Supply and Install CSP Culvert				
		.1 750 mm dia.	m	110	\$ _____	\$ _____
4	31 37 00	5. Supply and Place Rip Rap				
		.1 Class 1 (Contractor Supplied)	m ²	140	\$ _____	\$ _____
		.2 Class 2 (Contractor Supplied)	m ²	100	\$ _____	\$ _____
	31 37 00	6. Place Rip Rap (Found On Site) (Subject to Ground Condition)	m ²	50	\$ _____	\$ _____
	33 46 16	7. Supply and Install 150 mm dia. PVC SDR 35 Perforated Sub-Drains	m	210	\$ _____	\$ _____
		8. Supply and Install Seepage Zone Control (Subject to Ground Conditions)				
	33 46 16	.1 Scenario 1 (See detail)	m ²	40	\$ _____	\$ _____
	33 46 16	.2 Scenario 2 (See detail)	m ²	40	\$ _____	\$ _____
	31 23 16.26	9. Boulder Excavation and Relocation (Subject to Deletion)	m ³	100	\$ _____	\$ _____
	31 32 19.01	10. Supply and Install Geo-Fabric (Subject to Ground Condition)	m ²	9,500	\$ _____	\$ _____



Item no.	Spec section	Description	Unit of Measurement	Est. Qty	Price per Unit GST/HST extra	Estimated Total Price GST/HST extra
		SITE RESTORATION/ LANDSCAPING				
	32 93 10	1. Place locally sourced woody debris	m ³	25	\$ _____	\$ _____
	32 93 10	2. Install Log Pond Sediment Control Structure c/w rebar, coirmat, and willow staking	Each	3	\$ _____	\$ _____
	32 93 10	3. Supply and Install Coniferous Trees – Saplings				
		.1 Engelmann Spruce (<i>Picea engelmannii</i>)	Each	407	\$ _____	\$ _____
		.2 Lodgepole Pine (<i>Pinus contorta</i>)	Each	175	\$ _____	\$ _____
5	32 93 10	4. Install White Bark Pine (Parks Supplied)	Each	150	\$ _____	\$ _____
	32 93 10	5. Willow Staking				
		.1 Smooth Willow (<i>Salix glauca</i>) installed as live silt fence in ditches	Each	1,400	\$ _____	\$ _____
		.2 Drummond's Willow (<i>Salix drummondiana</i>)	Each	870	\$ _____	\$ _____
	32 31 13.13	6. Place Topsoil in Ditches(100 mm Depth)	m ²	100	\$ _____	\$ _____
	32 31 13.13	7. Place existing Topsoil in the Restoration Zones (100 mm to 400 mm Depth)	m ²	4,600	\$ _____	\$ _____



Item no.	Spec section	Description	Unit of Measurement	Est. Qty	Price per Unit GST/HST extra	Estimated Total Price GST/HST extra		
6	32 17 23	PAVEMENT MARKINGS AND SIGNS						
		1. Supply and Install Pavement Markings (Cold Plastic 2 mm Nominal Thickness)						
		.1	100 mm Yellow Center Lane Line	m	240	\$ _____	\$ _____	
		.2	100 mm White Shoulder Lane Line	m	100	\$ _____	\$ _____	
		.3	100 mm White Parking Stall Line	m	40	\$ _____	\$ _____	
		.4	100 mm Yellow Hatch Line	m	25	\$ _____	\$ _____	
		.5	600 mm White Zebra Lines	each	25	\$ _____	\$ _____	
		.6	Directional Arrows	each	16	\$ _____	\$ _____	
		.7	Blue Handicapped Parking Symbol	each	3	\$ _____	\$ _____	
		32 17 23	2. Supply and Install Pavement Markings (Cold Plastic 1 mm Nominal Thickness)					
			.1	100 mm White Parking Stall Line	m	1,450	\$ _____	\$ _____
		10 14 53	3. Supply and Install Signs					
			.1	RA- 1 (15 km/hr)	each	2	\$ _____	\$ _____
			.2	RA- 4	each	4	\$ _____	\$ _____
			.3	RB- 51	each	8	\$ _____	\$ _____
			.4	RB- 51 Left	each	4	\$ _____	\$ _____
			.5	RB- 51 Right	each	2	\$ _____	\$ _____
			.6	RA 2	each	1	\$ _____	\$ _____
			.7	RB-11-L	each	1	\$ _____	\$ _____
			.8	Custom Parking Lot Sign	each	2	\$ _____	\$ _____
		10 14 53	4. Supply and Install Wooden Post					each 22 \$ _____ \$ _____
	10 14 53	5. Supply and Install Post Base					each 3 \$ _____ \$ _____	
	Addendum 01	6. Large Size Custom Project Information Signs					each 5 \$ _____ \$ _____	
	Dwgs	7. Information Signs – Type N1						
		.1	Sign Type 1 (single sided)	each	5	\$ _____	\$ _____	
		.2	RA- 4 (double sided)	each	1	\$ _____	\$ _____	
		.3	RB- 51 (single sided)	each	2	\$ _____	\$ _____	



Item no.	Spec section	Description	Unit of Measurement	Est. Qty	Price per Unit GST/HST extra	Estimated Total Price GST/HST extra
7	32 11 23/ 32 12 16	TRAIL CONSTRUCTION AND REPAIRS				
		1. Construct a 2.0 m wide Parking Lot Connection Trail	m	70	\$ _____	\$ _____
	32 11 23/ 32 12 16	2. Repair existing Asphalt Trail	m ²	750	\$ _____	\$ _____
8	03 20 00 DWG L-04	SITE FURNISHINGS				
		1. Install Waste Receptacle	Each	2	\$ _____	\$ _____
		2. Supply and Install Precast Concrete Pad for Waste Receptacle	Each	2	\$ _____	\$ _____
		3. Supply and Install backless Rustic Log Bench	Each	3	\$ _____	\$ _____
9	DWG C-02 33 31 14 DWG L-04 31 36 00	MISCELLANEOUS				
		1. Block Retaining Wall				
		.1 Salvage and reinstall the existing Temporary Retaining Wall Blocks for Delineation (Subject to Deletion)	Each	15	\$ _____	\$ _____
		.2 Remove and dispose existing Retaining Wall Blocks	Each	15	\$ _____	\$ _____
		.3 Remove and dispose existing Retaining Wall Section	Each	1	\$ _____	\$ _____
		2. Supply and Install Washroom Structure including Septic System and Concrete Pad	Each	2	\$ _____	\$ _____
		3. Construct a Seat Node	Each	1	\$ _____	\$ _____
		4. Supply and Install Gabion Retaining Wall at View Point 1	m ²	35	\$ _____	\$ _____
		5. Supply and Install Pre-Cast Low Profile Parking Curb	Each	27	\$ _____	\$ _____
TOTAL BID PRICE						\$ _____
Transfer amount to subparagraph 1) of BA03						\$ _____