



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Travaux publics et Services gouvernementaux
Canada
Place Bonaventure,
800 rue de la Gauchetière Ouest
Voir aux présentes - See herein
Montréal
Québec
H5A 1L6
FAX pour soumissions: (514) 496-3822

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Travaux publics et Services gouvernementaux Canada
Place Bonaventure,
800 rue de la Gauchetière Ouest
Voir aux présentes - See herein
Montréal
Québec
H5A 1L6

Title - Sujet Acc., tables et chaises collabo	
Solicitation No. - N° de l'invitation EF245-180108/A	Amendment No. - N° modif. 007
Client Reference No. - N° de référence du client EF245-18-0108	Date 2017-06-02
GETS Reference No. - N° de référence de SEAG PW-\$MTA-160-14338	
File No. - N° de dossier MTA-7-40023 (160)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-06-14	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Asquino, Carolina	Buyer Id - Id de l'acheteur mta160
Telephone No. - N° de téléphone (514) 496-3549 ()	FAX No. - N° de FAX (514) 496-3822
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 007

Delete:

The original Request for Bid (RFB - amendment 000) and the amendment 003 (RFB – amendment 003).

Replace:

With this Request for Bid (RFB – amendment 007).

Note, the closing date is Wednesday, June 14, 2017 by 2 p.m. EDT.

No of Page/

N° de page 47

Public Works and
Government Services
CanadaTravaux publics et
Services gouvernementaux
Canada**RETURN BIDS TO:****RETOURNER LES SOUMISSIONS A:**

See Section 1.

Voir Section 1.

STANDARD REQUEST FOR BID**INVITATION A SOUMISSIONNER - STANDARD**

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/.../PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la demande EF245-180108/A	Amendment No. - N° de modification 007
-----------------------------------------------------------	-----------------------------------------------

Solicitation closes – La demande prend fin : at – à See Section 1 Voir Section 1 on – le See Section 1 Voir Section 1	File No. - N° de dossier EF245-18-0108
---------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------

Date of Solicitation – Date de la demande May 8, 2017
Address inquiries to – Adresser toute demande de renseignement à : See Section 2, Article 4.1. Voir Section 2, Article 4.1
Destination See Section 2, Annex A. Voir Section 2, Annexe A.

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur
Name and title of person authorized to sign on behalf of supplier (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)
Signature : _____ Date : _____

TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS**Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)**

N/A

Step 2. Competitive or Non-Competitive

For Competitive Requirements:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. General or PSAB**Terms of the RFB:**

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4. below at the time indicated in article 3.

Security Requirement Not Applicable

1. Conditions
 - a. the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;
 - b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
2. For additional information on security requirements, bidders should refer to the [Canadian Industrial Security Directorate \(CISD\)](#), [Industrial Program](#) of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.
3. The conditions in article 1 above must be met by the Bidder (the checked box applies):
 - a. by the closing date of the bid;
 - b. before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
 - a. The Bidder's valid VOS clearance number issued by CISD;

- b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

Bid Evaluation

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid: Bids must be submitted to the Contracting Authority on the date and at the time indicated below.	
By no later than date and time:	a. Wednesday, June 14, 2017 b. 2 p.m. EDT
- To physical location (if applicable)	Public Works and Government Services Canada Place Bonaventure, 1st Floor 800 de la Gauchetière Street West, Suite 1110 Montreal (QC), H5A 1L6 By facsimile: (514) 496-3822
RFB Enquiries	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority four business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	4 business days

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract	
	The terms and conditions of Parts 6A and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (Applies if article a. or b. is checked)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below (the checked article applies).	
a.	<input type="checkbox"/>	Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<input type="checkbox"/>	Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	<input checked="" type="checkbox"/>	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority	
	Name:	Carolina Asquino
	Title:	Supply Specialist
	Department/Agency/Crown Corporation:	PWGSC

	Address:	Place Bonaventure, 1st Floor 800 de la Gauchetière Street West, Suite 1110 Montreal (QC), H5A 1L6
	Telephone No.:	514-496-3549
	E-mail address:	Carolina.asquino@tpsgc-pwgsc.gc.ca
4.2	Project Authority	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	Facsimile No.:	
	E-mail address:	
4.3	Contractor's Representative	
	As set out in Annex A, Table 10 below.	
5.	Payment	
	Method of Payment	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input type="checkbox"/>	Single Payment
	<input checked="" type="checkbox"/>	Multiple Payment
6.	Invoicing	
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:	
	Name of the organization and contact:	
	Address:	

ANNEX A.1
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. Category 6 - Support Space – Collaborative Furniture

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____

Scenario b. Includes floor plan(s) WITH identification of product information in Table 1 of Annex A of this RFB. Categories 5 & 6.

Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 5**Table 1 – Product**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (optional field)	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
1	MASME	Monitor Arms -Single Monitor, Edge Clamp Mount	38			
2	MADME	Monitor Arms - Dual Monitor, Edge Clamp Mount	297			
3	TLDBT	Task Light - Desk base type	257			
**Must not exceed ceiling unit price in SA.				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1, 2 & 3	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/28	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1, 2 & 3	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 4 to 7 – Not applicable**Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes		
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.		
2.	Canada's Facilities to Accommodate the Delivery		
2.1	Loading Dock/Location		
A	Location	Place Bonaventure Loading Dock	
B	Dock	Standard size, access by rue de Montfort	
C	Lift	Exists Weight & size sufficient for furniture	
D	Door	At least as big as freight elevator	
2.2	Freight Elevator	Big freight elevator:	Smaller freight elevator
		Width 10'2"	4'10"(door) 5'4" (interior)
		Length 19'9"	11'0"
		Height 9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)
		Capacity 18 000 lbs	7 000 lbs
2.3	Other (specify, if any)		
	Continuance of Certifications		
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:		
3.1	Integrity Provisions		
3.2	Federal Contractor's Program for Employment Equity		
3.4	Product Conformance		
3.5	Price Certification (In accordance with the SA, Part 6B)		

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder’s Authorized Representative

Table 6 – Bidder’s Authorized Representative	
1.	Bidder’s Authorized Representative for the Bid and the Contract
	Name: <input type="text"/>
	Telephone: <input type="text"/>
	E-Mail: <input type="text"/>
	Other: <input type="text"/>

*At contract award, “Total Evaluated (Bid) Price” becomes “Contract Price”.



ANNEX A.2
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. **Category 6 - Support Space – Collaborative Furniture**

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services

2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____

Scenario b. Includes floor plan(s) WITH identification of product information in Table 1 of Annex A of this RFB. Categories 5 & 6.

Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 6 – Meeting rooms & tables

Table 1 – Product

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (optional field)	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	TTPRQMPFNILTSSPCW 42xx0xxxNIL24xx	-24" X 42" TABLE	9			
2	TTPRQMPFNILTSSPCW 48xx0xxxNIL24xx	-24" X 48" MEETING TABLE (see plan for integrated connectivity outlets & note at bottom of this table)	11			
3	TTPRQMPFNILTSSPCW 60xx0xxxNIL24xx	-24" X 60" MEETING TABLE (see plan for integrated connectivity	45			

		outlets & note at bottom of this table)				
4	TTPRQMPFNILTSSPCW 42xx0xxxNIL30xx	-30" X 42" TABLE	4			
5	TTPRQMPFNILTSSPCW 48xx0xxxNIL30xx	-30" X 48" TABLE	7			
6	TTPRQMPFNILTSSPCW 72xx0xxxNIL30xx	-30" X 72" TABLE	3			
7	TTPRQMPFNILTSSPCW 72xx0xxxNIL36xx	-36" X 72" MEETING TABLE (see plan for integrated connectivity outlets & note at bottom of this table)	4			
Note for articles 2, 3 & 7: All tables are to be without the grommet hole. The client will provide the power/date box & therefore during the installation, the supplier will have to cut out the hole, as per the box's specifications, onsite for 17 tables. **Must not exceed ceiling unit price in SA.				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 to 7	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 to 7	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$
Note for articles 2, 3 & 7 of table 1: All tables are to be without the grommet hole. The client will provide the power/date box & therefore during the installation, the supplier will have to cut out the hole, as per the box's specifications, onsite for 17 tables.						

Table 4 to 7 – Not applicable

Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes																
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.																
2.	Canada's Facilities to Accommodate the Delivery																
2.1	Loading Dock/Location																
A	Location	Place Bonaventure Loading Dock															
B	Dock	Standard size, access by rue de Montfort															
C	Lift	Exists Weight & size sufficient for furniture															
D	Door	At least as big as freight elevator															
2.2	Freight Elevator	<table border="0"> <tr> <td></td> <td>Big freight elevator:</td> <td>Smaller freight elevator</td> </tr> <tr> <td>Width</td> <td>10'2"</td> <td>4'10"(door) 5'4" (interior)</td> </tr> <tr> <td>Length</td> <td>19'9"</td> <td>11'0"</td> </tr> <tr> <td>Height</td> <td>9'10" (door) 12'0"(interior)</td> <td>7'3"(door) 8'5" (interior)</td> </tr> <tr> <td>Capacity</td> <td>18 000 lbs</td> <td>7 000 lbs</td> </tr> </table>		Big freight elevator:	Smaller freight elevator	Width	10'2"	4'10"(door) 5'4" (interior)	Length	19'9"	11'0"	Height	9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)	Capacity	18 000 lbs	7 000 lbs
	Big freight elevator:	Smaller freight elevator															
Width	10'2"	4'10"(door) 5'4" (interior)															
Length	19'9"	11'0"															
Height	9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)															
Capacity	18 000 lbs	7 000 lbs															
2.3	Other (specify, if any)																

Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder's Authorized Representative

Table 6 – Bidder's Authorized Representative		
1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		Other:

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

ANNEX A.3
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. Category 6 - Support Space – Collaborative Furniture

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____Scenario b. Includes floor plan(s) WITH identification of product information in Table 1 of Annex A of this RFB. Categories 5 & 6.

Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 6 - Collaboration**Table 1 – Product**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (optional field)	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
1	TTPSPTACNILRSLNILNIL36xxNIL	-36" ROUND MEETING TABLE	1			
2	TTPSPTACNILRSLPCCNILNIL54xxNIL	-54" ROUND MEETING TABLE (see note at bottom of this table)	6			
3	TTHBPCCRBPDRLNILNIL414336xxNIL	-36" BISTRO TABLE	1			

4	TTDARLTSPDRSLNILN IL142118xxNIL	-R18" COMPUTER SIDE TABLE	25			
5	SREFRPMRPDPATRNIL OBCFFTFNILNILNIL	-COLLABORATIVE CHAIR WITH ROTATING WRITING SURFACE	11			
6	SREFRQPPNILAWANIL OBCFFTFNILNILNIL	-27" COLLABORATIVE CHAIR WITH ARMS	16			
7	SRETRBPBNILSAWSPR OBNILTFNILNIL20xx	POUF	10			
8	SREFRQPPNILAWANIL OBABCTFNILNILNIL	- BISTRO SOFA	4			
<p>Note for article 2: All tables are to be without the grommet hole. The client will provide the power/date box & therefore during the installation, the supplier will have to cut out the hole, as per the box's specifications, onsite for all the tables.</p> <p>**Must not exceed ceiling unit price in SA.</p>				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 to 8	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 to 8	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
Note for articles 2 of table 1: All tables are to be without the grommet hole. The client will provide the power/date box & therefore during the installation, the supplier will have to cut out the hole, as per the box's specifications, onsite for all the tables. *If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 4 to 7 – Not applicable**Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes																
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.																
2.	Canada's Facilities to Accommodate the Delivery																
2.1	Loading Dock/Location																
A	Location	Place Bonaventure Loading Dock															
B	Dock	Standard size, access by rue de Montfort															
C	Lift	Exists Weight & size sufficient for furniture															
D	Door	At least as big as freight elevator															
2.2	Freight Elevator	<table border="0"> <tr> <td></td> <td>Big freight elevator:</td> <td>Smaller freight elevator</td> </tr> <tr> <td>Width</td> <td>10'2"</td> <td>4'10"(door) 5'4" (interior)</td> </tr> <tr> <td>Length</td> <td>19'9"</td> <td>11'0"</td> </tr> <tr> <td>Height</td> <td>9'10" (door) 12'0"(interior)</td> <td>7'3"(door) 8'5" (interior)</td> </tr> <tr> <td>Capacity</td> <td>18 000 lbs</td> <td>7 000 lbs</td> </tr> </table>		Big freight elevator:	Smaller freight elevator	Width	10'2"	4'10"(door) 5'4" (interior)	Length	19'9"	11'0"	Height	9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)	Capacity	18 000 lbs	7 000 lbs
	Big freight elevator:	Smaller freight elevator															
Width	10'2"	4'10"(door) 5'4" (interior)															
Length	19'9"	11'0"															
Height	9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)															
Capacity	18 000 lbs	7 000 lbs															

2.3	Other (specify, if any)	
Continuance of Certifications		
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:		
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder's Authorized Representative

Table 6 – Bidder's Authorized Representative		
1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		Other:

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

ANNEX A.4
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. Category 6 - Support Space – Collaborative Furniture

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____Scenario b. Includes floor plan(s) WITH identification of product information in Table 1 of Annex A of this RFB. Categories 5 & 6.

Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 6 - Training Rooms**Table 1 – Product**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (optional field)	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	TRFTPTARNILTS LPCW3 6xxNILNIL24xx	-24" X 36" FOLDING TABLE WITH LOCKABLE WHEELS ("T" LEGS)	27			
2	TRFTPTARNILTS LPCW6 0xxNILNIL24xx	-24" X 60" FOLDING TABLE WITH LOCKABLE WHEELS ("T" LEGS)	13			
**Must not exceed ceiling unit price in SA.				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 & 2	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 & 2	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 4 to 7 – Not applicable**Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes		
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.		
2.	Canada's Facilities to Accommodate the Delivery		
2.1	Loading Dock/Location		
A	Location	Place Bonaventure Loading Dock	
B	Dock	Standard size, access by rue de Montfort	
C	Lift	Exists Weight & size sufficient for furniture	
D	Door	At least as big as freight elevator	
2.2	Freight Elevator	Big freight elevator:	Smaller freight elevator
		Width 10'2"	4'10"(door) 5'4" (interior)
		Length 19'9"	11'0"
		Height 9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)
		Capacity 18 000 lbs	7 000 lbs
2.3	Other (specify, if any)		
	Continuance of Certifications		
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:		
3.1	Integrity Provisions		
3.2	Federal Contractor's Program for Employment Equity		
3.4	Product Conformance		
3.5	Price Certification (In accordance with the SA, Part 6B)		

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder’s Authorized Representative

Table 6 – Bidder’s Authorized Representative	
1.	Bidder’s Authorized Representative for the Bid and the Contract
	Name: <input type="text"/>
	Telephone: <input type="text"/>
	E-Mail: <input type="text"/>
	Other: <input type="text"/>

*At contract award, “Total Evaluated (Bid) Price” becomes “Contract Price”.



ANNEX A.5
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. Category 6 - Support Space – Collaborative Furniture

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____

Scenario b. Includes floor plan(s) WITH identification of product information in Table 1 of Annex A of this RFB. Categories 5 & 6.

Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 6 – Dining Area**Table 1 – Product**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (optional field)	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
1	SCNTDQPMRPFSAWNI LNILCCINILNILNILNIL	-BAR TYPE CHAIR coordinated with the bistro chairs	16			
2	SCNCCTSBNILSAWNIL NILCCINILNILNILNIL	-BISTRO CHAIRS coordinated with the bar type chair	28			
**Must not exceed ceiling unit price in SA.				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 & 2	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 & 2	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 4 to 7 – Not applicable**Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.

	Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.		
	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.		
2.	Canada's Facilities to Accommodate the Delivery		
2.1	Loading Dock/Location		
A	Location	Place Bonaventure Loading Dock	
B	Dock	Standard size, access by rue de Montfort	
C	Lift	Exists Weight & size sufficient for furniture	
D	Door	At least as big as freight elevator	
2.2	Freight Elevator	Big freight elevator:	Smaller freight elevator
		Width 10'2"	4'10"(door) 5'4" (interior)
		Length 19'9"	11'0"
		Height 9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)
		Capacity 18 000 lbs	7 000 lbs
2.3	Other (specify, if any)		
	Continuance of Certifications		
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:		
3.1	Integrity Provisions		
3.2	Federal Contractor's Program for Employment Equity		
3.4	Product Conformance		
3.5	Price Certification (In accordance with the SA, Part 6B)		

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder's Authorized Representative

Table 6 – Bidder's Authorized Representative		
1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		Other:

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

ANNEX A.6
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. Category 6 - Support Space – Collaborative Furniture

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services

2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____

Scenario b. Includes floor plan(s) WITH identification of product information in Annex C of this RFB. Category 6 Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 6 - Collaboration

Table 1 – Product

See Annex C

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$

All Articles	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y)		
				(M)		
				(D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:	\$	

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
All Articles	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y)		
				(M)		
				(D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:	\$	

Table 4 to 7 – Not applicable

Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery	
2.1	Loading Dock/Location	
A	Location	Place Bonaventure Loading Dock
B	Dock	Standard size, access by rue de Montfort

C	Lift	Exists Weight & size sufficient for furniture															
D	Door	At least as big as freight elevator															
2.2	Freight Elevator	<table border="0"> <tr> <td></td> <td>Big freight elevator:</td> <td>Smaller freight elevator</td> </tr> <tr> <td>Width</td> <td>10'2"</td> <td>4'10"(door) 5'4" (interior)</td> </tr> <tr> <td>Length</td> <td>19'9"</td> <td>11'0"</td> </tr> <tr> <td>Height</td> <td>9'10" (door) 12'0"(interior)</td> <td>7'3"(door) 8'5" (interior)</td> </tr> <tr> <td>Capacity</td> <td>18 000 lbs</td> <td>7 000 lbs</td> </tr> </table>		Big freight elevator:	Smaller freight elevator	Width	10'2"	4'10"(door) 5'4" (interior)	Length	19'9"	11'0"	Height	9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)	Capacity	18 000 lbs	7 000 lbs
	Big freight elevator:	Smaller freight elevator															
Width	10'2"	4'10"(door) 5'4" (interior)															
Length	19'9"	11'0"															
Height	9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)															
Capacity	18 000 lbs	7 000 lbs															
2.3	Other (specify, if any)																
Continuance of Certifications																	
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:																	
3.1	Integrity Provisions																
3.2	Federal Contractor's Program for Employment Equity																
3.4	Product Conformance																
3.5	Price Certification (In accordance with the SA, Part 6B)																

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder's Authorized Representative

Table 6 – Bidder's Authorized Representative		
1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		Other:

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

ANNEX A.7
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

The requirement includes the following category (ies) of work

- a. Category 1 – Interconnecting Panels and Freestanding Systems

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when combined with interconnecting panels and/or freestanding systems and if the total sum of metal storage products represent less than 20% of the requirement. If this rule does not apply to the requirement, Category 3 must be used for the metal storage products forming part of this category.

- Category 1 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: Category 1 and 2

Category 1 and 2 can be combined for tier 2 and tier 3 requirements when Category 2 surfaces comprise no more than 50% of the total sum of work surfaces.

- Category 2 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- c. Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable when the requirement is to match existing panel systems heights forming part of an existing inventory. Additional storage forming part of the same requirement not incorporated into an existing panel system workstation must not specify maximum heights and added as a separate line item at article 3 of this Annex.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

- Category 3 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- d. Category 4 – Wood Veneer – Freestanding Products

- Category 4 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

- e. Category 5 – Ancillary and Lighting Products

- Category 5 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

f. Category 6 - Support Space – Collaborative Furniture

Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.

Category 6 Non-SA (NSA) products forming part of this requirement, refer to Annex D of this RFB (approval by AB required before adding to requirement)

g. Product Related Services2. GoCUID identification and/or floor plan(s)

2.1 For Product Related Services requirements

2.2 For Categories 1-6:

Scenario a. Does not include a floor plan – Category(ies) _____

Scenario b. Includes floor plan(s) WITH identification of product information in Table 1 of Annex A of this RFB. Categories 5 & 6.

Floor plan(s) are used for information purposes

Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award.

Site Inspection Date: _____

3. Product and Pricing Tables

Bidder to complete: Sections B of the tables identified by the IU in article 3 of this Annex as well as Tables 9 and 10. In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 6 – Lectern

Table 1 – Product

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (optional field)	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
1	MLUTMRVDTOONILSPA ED17304248NIL1624	Mobile base lectern with lockable casters at standing height and power and data. Wood veneer surface.	2			
**Must not exceed ceiling unit price in SA.				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 4 to 7 – Not applicable**Table 8 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.

	Within ten business days of the contract award, the Contracting Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.		
	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.		
2.	Canada's Facilities to Accommodate the Delivery		
2.1	Loading Dock/Location		
A	Location	Place Bonaventure Loading Dock	
B	Dock	Standard size, access by rue de Montfort	
C	Lift	Exists Weight & size sufficient for furniture	
D	Door	At least as big as freight elevator	
2.2	Freight Elevator	Big freight elevator:	Smaller freight elevator
		Width 10'2"	4'10"(door) 5'4" (interior)
		Length 19'9"	11'0"
		Height 9'10" (door) 12'0"(interior)	7'3"(door) 8'5" (interior)
		Capacity 18 000 lbs	7 000 lbs
2.3	Other (specify, if any)		
	Continuance of Certifications		
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces, as follows:		
3.1	Integrity Provisions		
3.2	Federal Contractor's Program for Employment Equity		
3.4	Product Conformance		
3.5	Price Certification (In accordance with the SA, Part 6B)		

Table 9 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Product Total (Table 1) or Annex C Total	\$
2	Optional Product Total (Table 4)	\$
3	Delivery Total (Table 2)	\$
4	Optional Delivery Total (Table 5)	\$
5	Installation Total (Table 3)	\$
6	Optional Installation Total (Table 6)	\$
7	Product Related Services Total (if applicable) (Table 7)	\$
8	NSA Total (if applicable) refer to Annex D	\$
9	Hardware Total as per article 1.5 of Annex A-1 of SA (if applicable)	\$
10	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7+8+9):	\$\$
11	Applicable Tax(es):	\$
12	Total Estimated Cost (10+11):	\$

Table 10 – Bidder's Authorized Representative

Table 6 – Bidder's Authorized Representative		
1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		Other:

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

**ANNEX B
SECURITY REQUIREMENTS**

Not applicable

ANNEX C FLOOR PLAN(s)

Instructions to Bidder(s):

For Annexe A.6, Bidders must provide:

- a) completed floor plan(s) with proposed SA approved products;
- b) a product listing of proposed SA approved products offered at floor plan(s).

As a minimum the product listing must include the following information:

- Supplier part numbers;
- brief product descriptions;
- quantities;
- firm unit prices.

By submitting a bid, the Bidder certifies that their submission includes all components and quantities required and identified in the floor plan(s) in accordance with the product descriptions of Annex A.1 to A.5, the product configurations and the banquette seating (Annex A.6) as stipulated at Annex C.

***At contract award, “By submitting a bid, the Bidder...” becomes “The Contractor...”.**

NSA products forming part of the requirement will be identified at Annex D of this RFB.

1) Floor Plan(s) in PDF or AutoCAD version

See attached floor plans

2) Product Descriptions

In the dining areas, there is a requirement for continuous banquette seating – no space between each banquette seat and no space between the banquette seat and the walls. Each banquette must have the following characteristics:

Ganging Banquette Seating (Soft Seating)

- Four legs with glides for carpets
- Without arms
- With High Back Add-on Screen
- Metal frame
- With Velcro attachment
- Vinyl seat and back in fabric
- Depth -19-35
- Width or length 23.5-45 OR 46-72 OR 69-103.5
- Height 43-54

Furthermore, in accordance with the plan, the banquettes must have frontal connectivity – the costs for this element are to be submitted in Annex D or indicate in your bid if this element (frontal connectivity) is included in the price of your bid for the banquettes.

3) Product Configurations

#	GoCUID	Description of Product	Quantity
1		Ganging Banquette Seating (Soft Seating) - Four legs with glides for carpets - Without arms - With High Back Add-on Screen - Metal frame - With Velcro attachment - Vinyl seat and back in fabric - Depth -19-35 - Width or length 23.5-45 - Height 43-54	
2		Ganging Banquette Seating (Soft Seating) - Four legs with glides for carpets - Without arms - With High Back Add-on Screen - Metal frame - With Velcro attachment - Vinyl seat and back in fabric - Depth -19-35 - Width or length 46-72 - Height 43-54	
3		Ganging Banquette Seating (Soft Seating) - Four legs with glides for carpets - Without arms - With High Back Add-on Screen - Metal frame - With Velcro attachment - Vinyl seat and back in fabric - Depth -19-35 - Width or length 69-103.5 - Height 43-54	

4) Workstation Layout(s) or Panel Matrix

See section Collaboration of the plan

5. Product and Pricing

Complete Annex A.6 and D if need be.

ANNEX D
Non Supply Arrangement (NSA) Products

This Annex includes the Specifications, Products and Pricing, Certifications associated with NSA products forming part of the requirement.

1. Specifications

See table 1A, B, C & D below, as well as the attached plans and drawings (**note: drawings are provided as examples, but do not represent a specific make &/or model**).

2. Product and Pricing

Bidder to complete: Sections B of the tables identified by the IU below as well as Tables 9 and 10 of Annex A. In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".

Product Category: 6

Table 1A – NSA Products

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
#	Description of Product	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
1	Polyform waiting sofa with lateral connectivity (electricity & usb) -4 without arms; 3 without backs and 1 with a back -height 18" -felt upholstery -inter-modular shapes -full base	4			
2	Polyform collaborative sofa without connectivity -3 without arms; 2 without backs and 1 with back -height 18" -felt upholstery -inter-modular shapes -full base	3			
			Product Total		\$

Table 1B – NSA Products

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
#	Description of Product	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
3	High working chair for high surfaces -5 wheels base -circular foot rest – adjustable if possible -mesh seat and back -with arms & no headrest -non reclining -height adjustable and rotating	36			

4	Isolating chair with arch -color match quad pod leg -fabric upholstery -integrated intimacy upper frame -no arms	12			
			Product Total		\$

Table 1C– NSA Products

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
#	Description of Product	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
5	36" low round coffee table -height 14" to 21" -chrome wire legs -high density laminate top	7			
6	36" x 66" table -standard +/- 30" height -4 legs -high pressure laminate top	1			
			Product Total		\$

Table 1D– NSA Products

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
#	Description of Product	Qty	Supplier Part Number	Firm unit Price** \$	Extended Total [Qty x Price] \$
7	As per Annex C, the banquettes must have a connectivity module with the following characteristics: The power/USB combined module must be recessed in the front of the banquette. The module must have a 15-ampere cord that is at least 3.7 m (12 ft.) long with a plug. Hardwired connection is not acceptable.	Every banquette			
			Product Total		\$

Table 2A - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 & 2	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 2B- Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
3 & 4	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 2C - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
5 & 6	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 2D - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will deliver on the date and at the time below*	Firm lot Price \$	Extended Total \$
7	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	2017/11/14	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time.				Delivery Total:		\$

Table 3A – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
1 & 2	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 3B– Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
3 & 4	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 3C– Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
5 & 6	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 3D– Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours (Normal) Or Outside Normal Business Hours (Outside)*	Supplier will install on the date and at the time below*	Firm lot Price \$	Extended Total \$
7	Place Bonaventure, 7th Floor 800 de la Gauchetière Street West, Suite 7300 Montreal (QC), H5A 1L6	No later than December 1, 2017	Normal	(Y) (M) (D)		
*If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.				Installation Total:		\$

Table 4A. NSA TOTAL

1	Product Total	\$
2	Delivery Total	\$
3	Installation Total	\$
4	NSA Total (1+2+3)	\$

Table 4B. NSA TOTAL

1	Product Total	\$
2	Delivery Total	\$
3	Installation Total	\$
4	NSA Total (1+2+3)	\$

Table 4A. NSA TOTAL

1	Product Total	\$
2	Delivery Total	\$
3	Installation Total	\$
4	NSA Total (1+2+3)	\$

Table 4D. NSA TOTAL

1	Product Total	\$
2	Delivery Total	\$
3	Installation Total	\$
4	NSA Total (1+2+3)	\$

3. Certification**NSA Product Conformance** (Required precedent to Issuance of a contract)

The Supplier certifies that all the NSA products offered will conform to all specifications of, and meet the testing requirements detailed in Annex D of this RFB.

Supplier's Signature

Date

NSA Product Conformance Certification (applies after contract award)

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in Annex D. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.