

FIRE RATING PLAN – NEW LEVEL 1




FIRE RATING NOTES


- SEE DRAWING A-110 & A-111 FOR PARTITION TYPES.
- ONE HOUR FIRE RATING REQUIRED BETWEEN LEVEL 1 AND LEVEL 2. PROVIDE FIRE INTUMESCENT PAINT ON UNDERSIDE OF ENTIRE EXISTING LEVEL 2 FLOOR DECK. PROVIDE FIRESTOPPING AT ALL PENETRATIONS THROUGH LEVEL 2 FLOOR TO MAINTAIN ONE HOUR RATING.
- ONE HOUR FIRE RATING REQUIRED FOR ALL COLUMNS SUPPORTING LEVEL 2 FLOOR. PROVIDE FIRE INTUMESCENT PAINT ON COLUMNS. PROVIDE FIRESTOPPING.
- FOR GENERAL FIRE RATING NOTES SEE SHEET A-100.

FIRE RATING LEGEND

- 1 HOUR FIRE RATED PARTITION
- 2 HOUR FIRE RATED PARTITION
- 1 HOUR FIRE RATED COLUMN. SEE NOTE 3.
- 1 HOUR FIRE RATED DECK. SEE NOTE 2.



FIRE RATING PLAN – NEW LEVEL 2



APPROX. NORTH

0	ISSUED FOR TENDER	30/03/2017
revisions		date
project	WABUSH ATB RENOVATION	
	WABUSH AIRPORT	
	WABUSH, NL	

FIRE RATINGS PLAN – LEVEL 1 & 2

designed	conçu
date	
drawn	DNF/AM
date	OCT 2016
approved	approuvé
date	
Tender	Soumission
PWGC Project Manager	Administrateur de projets TPSGC
project number	no. du projet
R.076412.001	
drawing no.	no. du dessin
A-117	