



**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Public Works Government Services Canada- Bid**  
**Receiving / Réception des soumissions**  
**189 Prince William Street**  
**Room 405**  
**Saint John**  
**New Brunswick**  
**E2L 2B9**  
**Bid Fax: (506) 636-4376**

## **SOLICITATION AMENDMENT**

## **MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### **Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
**Public Works Government Services Canada- Bid**  
**Receiving / Réception des soumissions**  
**189 Prince William Street**  
**Room 405**  
**Saint John**  
**New Bruns**  
**E2L 2B9**

<b>Title - Sujet</b> Entrance Upgrade-Fundy Natl Park,NB	
<b>Solicitation No. - N° de l'invitation</b> EC373-180243/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> R075853.001	<b>Date</b> 2017-06-08
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWB-013-4130	
<b>File No. - N° de dossier</b> PWB-7-40016 (013)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2017-06-15</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Johnston, Edward PWB	<b>Buyer Id - Id de l'acheteur</b> pwb013
<b>Telephone No. - N° de téléphone</b> (506) 636-4416 ( )	<b>FAX No. - N° de FAX</b> (506) 636-4376
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
EC373-180243/A

Amd. No. - N° de la modif.  
002

Buyer ID - Id de l'acheteur  
PWB013

Client Ref. No. - N° de réf. du client  
R.075853.001

File No. - N° du dossier  
PWB-7-40016

CCC No./N° CCC - FMS No./N° VME

---

This Solicitation Amendment No. Two (2) is raised to include the following addendum no. 2.

The following addendum to the tender documents is effective immediately. This addendum shall form part of the contracts documents.

All other terms and conditions remain the same.

Addendum no. 2

### **EXTENSION OF TIME**

Notice is hereby given that the time for the reception of tenders previously due June 13, 2017 is hereby extended to 14:00 hours, June 15, 2017.

### **DRAWINGS**

- 1 M5.1 – Septic Field Layout, Section 6
  - .1 Liberty Pumps is an approved alternate for the pre-engineered pump station.
- 2 E3 Electrical Lighting Plan
  - .1 Baseboard Electrical Heat:
    - .1 Supplied by Electrical Contractor
    - .2 Stelpro B-series – wattage indicated on plans
      - .1 Model # for 750W: B0752
      - .2 Model # for 1000W: B1002
      - .3 Model # for 1500W: B1502
    - .3 In-line thermostats supplied and installed as indicated on plans.
  - .2 In-floor Electric Heat
    - .1 Supplied by Electrical Contractor
    - .2 Stelpro FFI Series
      - .1 Model # for 1000W: FFI1002
      - .2 Model # for 1500W: FF1502
    - .3 Thermostats by mechanical. Electrical to supply and install relays and associated wiring for inter-connection with auxiliary heating.
  - .3 Ceiling Radiant Heat:
    - .1 Supplied by Electrical Contractor
    - .2 Qmark CP Series electric radiant ceiling panels
      - .1 Model #: CP752
    - .3 Thermostats supplied and installed as indicated on plans.