



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Travaux publics et Services gouvernementaux
Canada

Place Bonaventure,

800 rue de la Gauchetière Ouest

Voir aux présentes - See herein

Montréal

Québec

H5A 1L6

FAX pour soumissions: (514) 496-3822

REQUEST FOR PROPOSAL

DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du

fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Travaux publics et Services gouvernementaux Canada
Place Bonaventure,

800 rue de la Gauchetière Ouest

Voir aux présentes - See herein

Montréal

Québec

H5A 1L6

Title - Sujet Coffres à outils	
Solicitation No. - N° de l'invitation W0130-16B020/A	Date 2017-06-15
Client Reference No. - N° de référence du client W0130-16-B020	
GETS Reference No. - N° de référence de SEAG PW-\$MTA-405-14372	
File No. - N° de dossier MTA-6-39362 (405)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-07-26	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Séguin, Caroline	Buyer Id - Id de l'acheteur mta405
Telephone No. - N° de téléphone (514) 496-3734 ()	FAX No. - N° de FAX (514) 496-3822
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: MINISTERE DE LA DEFENSE NATIONALE GARN ST-HUB 438E ESCAD TACT HÉL 4110 LECKIE ST SAINT-HUBERT Québec J3Y 5T4 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée .	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
W0130-16B020/A
Client Ref. No. - N° de réf. du client
W0130-16-B020

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-6-39362

Buyer ID - Id de l'acheteur
MTA405
CCC No./N° CCC - FMS No./N° VME

******* CHANGE OF ADDRESS – BID DELIVERY *******

In person or by mail:
Place Bonaventure, 1st Floor
800 de la Gauchetiere Street West, Suite 1110
Montreal (QC), H5A 1L6

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	3
1.1 SECURITY REQUIREMENTS	3
1.2 REQUIREMENT	3
1.3 DEBRIEFINGS	3
1.4 TRADE AGREEMENTS	3
PART 2 - BIDDER INSTRUCTIONS	4
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	4
2.2 SUBMISSION OF BIDS.....	4
2.3 ENQUIRIES - BID SOLICITATION.....	4
2.4 APPLICABLE LAWS.....	5
2.5 OPTIONAL SITE VISIT.....	5
PART 3 - BID PREPARATION INSTRUCTIONS.....	6
3.1 BID PREPARATION INSTRUCTIONS	6
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	7
4.1 EVALUATION PROCEDURES.....	7
4.2 BASIS OF SELECTION.....	7
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	8
5.1 CERTIFICATIONS REQUIRED WITH THE BID	8
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	8
PART 6 - RESULTING CONTRACT CLAUSES	9
6.1 SECURITY REQUIREMENTS	9
6.2 REQUIREMENT	9
6.3 STANDARD CLAUSES AND CONDITIONS.....	9
6.4 TERM OF CONTRACT	9
6.5 AUTHORITIES	10
6.6 PAYMENT	11
6.7 INVOICING INSTRUCTIONS	11
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	12
6.9 APPLICABLE LAWS.....	12
6.10 PRIORITY OF DOCUMENTS	12
6.11 SACC MANUAL CLAUSES	12
6.12 SHIPPING INSTRUCTIONS - DELIVERY AT DESTINATION	12
ANNEX "A"	13
REQUIREMENT	13
ANNEX "B"	16
BASIS OF PAYMENT	16
ATTACHMENT 1	17
MANDATORY TECHNICAL CRITERIA.....	17

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

This request does not include a security requirement.

1.2 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2017-04-27) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.1.1 SACC Manual Clauses

SACC Manual Clause [B3000T](#) (2006-06-16), Equivalent Products

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation, which is:

In person or by mail:
Place Bonaventure, 1st Floor
800 de la Gauchetière Street West, Suite 1110
Montreal (QC), H5A 1L6

Due to the nature of the bid solicitation, bids transmitted by facsimile to PWGSC will not be accepted.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than five (5) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

2.5 Optional Site Visit

It is recommended that the Bidder or a representative of the Bidder visit the work site. Arrangements have been made for the site visit to be held at la Garrison St-Hubert, 438E Escadron Tactique d'hélicoptère, located at 4110 Leckie Street, St-Hubert (QC), J3Y 5T4, on Wednesday June 28th 2017. The site visit will begin at 10:00 AM (EDT).

Bidders are requested to communicate with the Contracting Authority no later than June 23rd 2017 at 5:00 PM (EDT) to confirm attendance and provide the name(s) of the person(s) who will attend. Bidders may be requested to sign an attendance sheet. Bidders who do not attend or do not send a representative will not be given an alternative appointment but they will not be precluded from submitting a bid. Any clarifications or changes to the bid solicitation resulting from the site visit will be included as an amendment to the bid solicitation.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid: one (1) hard copy

Section II: Financial Bid: one (1) hard copy

Section III: Certifications: one (1) hard copy

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.1.2 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

The mandatory technical criteria are identified in the Attachment 1 "Mandatory Technical Criteria".

Bidders must fill out the Attachment 1.

Plans or technical sheets including a drawing must be provided with the bid in order to confirm the conformance with the mandatory technical criteria.

If possible, photos have to be provided with the bid.

4.1.2 Financial Evaluation

The total of articles 1 to 3 identified in Annex B « Basis of Payment » will be evaluated.

The contract will be awarded in Canadian dollars.

4.1.2.1 Clause du *Guide des CCUA*

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price

4.2 Basis of Selection

4.2.1 Basis of Selection – Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide with its bid the required documentation, as applicable, to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](http://www.esdc.gc.ca/en/jobs/workplace/human_rights/employment_equity/federal_contractor_program.page?&_ga=1.229006812.1158694905.1413548969) website (http://www.esdc.gc.ca/en/jobs/workplace/human_rights/employment_equity/federal_contractor_program.page?&_ga=1.229006812.1158694905.1413548969).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.2.1 Optional Goods and/or Services

The Contractor grants to Canada the irrevocable option to acquire the goods, services or both described at Annex "A" of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.

The Contracting Authority may exercise the option within twelve (12) months after contract award by sending a written notice to the Contractor.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from date of Contract to August 31st 2018 inclusive.

6.4.2 Delivery Date

All the deliverables must be received on or before _____ (*will be completed at contract award*).

6.4.3 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Contract.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Caroline Séguin
Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
Quebec Region
Address: 800 de la Gauchetière Street West, Montreal (QC), H5A 1L6

Telephone: (514) 496-3734
Facsimile: (514) 496-3822
E-mail address: Caroline.Z.Seguin@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

This will be completed at contract award.

The Project Authority for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____
Telephone: _____
Facsimile: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

The Contractor's representative for this contract is:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B "Basis of Payment" for a cost of \$ _____. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16), Limitation of Price

6.6.3 Single Payment

Canada will pay the Contractor upon completion and delivery of the Work in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work delivered has been accepted by Canada.

6.6.4 SACC Manual Clauses

SACC Manual Clauses C2000C (2007-11-30), Taxes – Foreign-based contractor

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Each invoice must be supported by:

- a. a copy of time sheets to support the time claimed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
 - b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2016-04-04), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____.

6.11 SACC Manual Clauses

A9062C (2010-01-11), Canadian Forces Site Regulations
G1005C (2016-01-28), Insurance – No Specific Requirement

6.12 Shipping Instructions - Delivery at Destination

Goods must be consigned to the destination specified in the Contract and delivered:

Delivered Duty Paid (DDP) – St-Hubert Garrison, 438E Escadron Tactique d'hélicoptère, 4110 Leckie Street, St-Hubert (QC), J3Y 5T4, Incoterms 2000 for shipments from a commercial contractor.

ANNEX "A"

REQUIREMENT

1. OBJECTIVE

This document describes the general and specific requirements regarding the procurement of two (2) mobile toolboxes, for which the dimensions are mentioned below, for the Department of National Defence (DND), St-Hubert Garrison, 438e ETAH unit.

2. CONTEXT

The 438e ETAH unit wishes to procure two custom made toolboxes to replace current obsolete tool boxes.

3. SCOPE

The tool boxes are kept in the BH-15 room. Most of the space is occupied by one toolbox. The two new toolboxes will allow a better space management of the BH-15 room and will make the management of tools easier.

4. DELIVERY

The delivery of both tool boxes is required by August 31st 2017.

5. TECHNICAL SPECIFICATIONS

A) LARGE TOOLBOX

1. Dimensions:

- Length (minimum): 20 feet (20')
- Length (maximum): 20 feet, 2 inches (20'2")
- Depth (minimum): 3 feet (3')
- Depth (maximum): 3 feet (3')
- Height (minimum): 85 inches (85"), without wheels
- Height (maximum): 91 inches (91"), with wheels
- The toolbox must be divided into two sections, as long as each section is of a minimum length of 10 feet (10').

Metric conversion: 1 inch (1") = 2.54 cm; 1 foot (1') = 30.48 cm

2. Structure

- Toolbox armature: square, 2 inches (2") steel, mild steel or equivalent.
- The toolbox must include a tube frame. The tube must be installed inside the toolbox, in the middle, to strengthen it and to support the folding door. The frame must prevent access to the content of the box from the bottom or top of the door.
- Exterior of the box: Sheet metal 16GA or equivalent.
- Interior of the box: Plywood, ¾ inch (¾") or equivalent.
- Inside floor the box: Diamond plate aluminum finish or equivalent.

3. Mobility

- The toolbox must be mounted on eight (8) wheels.
- Each wheel must be able to support a weight of 1500 pounds (weight of the box included), without deformation occurring.
- The wheels must be able to lock.
- The wheels must be full (no space).

4. Door

- The door must be a folding door (curtain style) made of aluminum or equivalent material.
- The door must be full (no space).
- The door must be able to lock with a key. Padlocks are not acceptable.
- Two (2) keys must be provided with the toolbox.

5. Tool inventory

- A tool inventory mechanism using tokens must be provided with the toolbox.
- A token box must be installed on one of the outer sides of the toolbox.
- The suggested dimensions for the token box are: 36 inches (36") of length, 6 inches (6") of depth and 48 inches (48") of height.
- The token box must be able to lock with a key.
- Two (2) keys must be provided with the box.

6. Tool storage

- The box must include a fixed shelf (non-removable) installed 32 inches (32") from the box floor, inclined at 60° along the entire length of the toolbox.
- The box must include a fixed shelf (non-removable) installed 17 inches (17") from the box ceiling, inclined at 30° along the entire length of the toolbox.

7. Assembly

- The toolbox must be preassemble before delivery at DND.

B) SMALL TOOLBOX

1. Dimensions:

- Length (minimum): 10 feet (10')
- Length (maximum): 10 feet, 2 inches (10'2")
- Depth (minimum): 3 feet (3')
- Depth (maximum): 3 feet (3')
- Height (minimum): 83 inches (83"), without wheels
- Height (maximum): 91 inches (91"), with wheels
- The toolbox must be divided into two sections, as long as each section is of a minimum length of 5 feet (5').

Metric conversion: 1 inch (1") = 2.54 cm; 1 foot (1') = 30.48 cm

2. Structure

- Toolbox armature: square, 2 inches (2") steel, mild steel or equivalent.
- The toolbox must include a tube frame. The tube must be installed inside the toolbox, in the middle, to strengthen it and to support the folding door. The frame must prevent access to the content of the box from the bottom or top of the door.
- Exterior of the box: Sheet metal 16GA or equivalent.
- Interior of the box: Plywood, 3/4 inch (3/4") or equivalent.
- Inside floor the box: Diamond plate aluminum finish or equivalent.

3. Mobility

- The toolbox must be mounted on six (6) wheels.
- Each wheel must be able to support a weight of 1500 pounds (weight of the box included), without deformation occurring.
- The wheels must be able to lock.
- The wheels must be full (no space).

4. Door

- The door must be a folding door (curtain style) made of aluminum or equivalent material.
- The door must be full (no space).
- The door must be able to lock with a key. Padlocks are not acceptable.
- Two (2) keys must be provided with the toolbox.

5. Tool inventory

- A tool inventory mechanism using tokens must be provided with the toolbox.
- A token box must be installed on one of the outer sides of the toolbox.
- The suggested dimensions for the token box are: 36 inches (36") of length, 6 inches (6") of depth and 48 inches (48") of height.
- The token box must be able to lock with a key.
- Two (2) keys must be provided with the box.

6. Tool storage

- The box must include a fixed shelf (non-removable) installed 32 inches (32") from the box floor, inclined at 60° along the entire length of the toolbox.
- The box must include a fixed shelf (non-removable) installed 17 inches (17") from the box ceiling, inclined at 30° along the entire length of the toolbox.

7. Assembly

- The toolbox must be preassemble before delivery at DND.

Solicitation No. - N° de l'invitation
W0130-16B020/A
Client Ref. No. - N° de réf. du client
W0130-16-B020

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-6-39362

Buyer ID - Id de l'acheteur
MTA405
CCC No./N° CCC - FMS No./N° VME

ANNEX "B"

BASIS OF PAYMENT

The prices indicated below are applicable for the entire duration of the contract.

The prices indicated below exclude applicable taxes.

Item no.	Item description	Quantity (A)	Unit price* (B)	Price (A x B)
1	Large toolbox as described in section 5A) of Annex A.	1	\$ _____	\$ _____
2	Small toolbox as described in section 5B) of Annex A.	1	\$ _____	\$ _____
3	Transport and delivery for both toolboxes to the address indicated below.	1	\$ _____	\$ _____
TOTAL				\$ _____

* Currency (if other than Canadian dollars): _____

Delivery address:

Delivered Duty Paid (DDP) – St-Hubert Garrison, 438E Escadron Tactique d'hélicoptère, 4110 Leckie Street, St-Hubert (QC), J3Y 5T4, Incoterms 2000 for shipments from a commercial contractor.

Best delivery date:

While delivery is requested by August 31st 2017, the best delivery that could be offered is _____.

ATTACHMENT 1

MANDATORY TECHNICAL CRITERIA

A) LARGE TOOLBOX

Criteria no.	Criteria Description	Bid Reference
1.1	Length (minimum): 20 feet (20') Length (maximum): 20 feet, 2 inches (20'2") Depth (minimum): 3 feet (3') Depth (maximum): 3 feet (3') Height (minimum): 85 inches (85"), without wheels Height (maximum): 91 inches (91"), with wheels	Page : _____ Section : _____
1.2	The toolbox must be divided into two sections, as long as each section is of a minimum length of 10 feet (10').	Page : _____ Section : _____
2.1	Toolbox armature: square, 2 inches (2") steel, mild steel or equivalent.	Page : _____ Section : _____
2.2	The toolbox must include a tube frame. The tube must be installed inside the toolbox, in the middle, to strengthen it and to support the folding door. The frame must prevent access to the content of the box from the bottom or top of the door.	Page : _____ Section : _____
2.3	Exterior of the box: Sheet metal 16GA or equivalent.	Page : _____ Section : _____
2.4	Interior of the box: Plywood, ¾ inch (¾") or equivalent.	Page : _____ Section : _____
2.5	Inside floor the box: Diamond plate aluminum finish or equivalent.	Page : _____ Section : _____
3.1	The toolbox must be mounted on eight (8) wheels.	Page : _____ Section : _____
3.2	Each wheel must be able to support a weight of 1500 pounds (weight of the box included), without deformation occurring.	Page : _____ Section : _____
3.3	The wheels must be able to lock.	Page : _____ Section : _____

3.4	The wheels must be full (no space).	Page : _____ Section : _____
4.1	The door must be a folding door (curtain style) made of aluminum or equivalent material.	Page : _____ Section : _____
4.2	The door must be full (no space).	Page : _____ Section : _____
4.3	The door must be able to lock with a key. Padlocks are not acceptable.	Page : _____ Section : _____
5.1	A tool inventory mechanism using tokens must be provided with the toolbox.	Page : _____ Section : _____
5.2	The token box must be able to lock with a key.	Page : _____ Section : _____
6.1	The box must include a fixed shelf (non-removable) installed 32 inches (32") from the box floor, inclined at 60° along the entire length of the toolbox.	Page : _____ Section : _____
6.2	The box must include a fixed shelf (non-removable) installed 17 inches (17") from the box ceiling, inclined at 30° along the entire length of the toolbox.	Page : _____ Section : _____

B) SMALL TOOLBOX

Criteria no.	Criteria Description	Bid Reference
1.1	Length (minimum): 10 feet (10') Length (maximum): 10 feet, 2 inches (10'2") Depth (minimum): 3 feet (3') Depth (maximum): 3 feet (3') Height (minimum): 83 inches (83"), without wheels Height (maximum): 91 inches (91"), with wheels	Page : _____ Section : _____
1.2	The toolbox must be divided into two sections, as long as each section is of a minimum length of 5 feet (5').	Page : _____ Section : _____
2.1	Toolbox armature: square, 2 inches (2") steel, mild steel or equivalent.	Page : _____ Section : _____
2.2	The toolbox must include a tube frame. The tube must be installed inside the toolbox, in the middle, to strengthen it and to support the folding door. The frame must prevent access to the content of the box from the bottom or top of the door.	Page : _____ Section : _____

2.3	Exterior of the box: Sheet metal 16GA or equivalent.	Page : _____ Section : _____
2.4	Interior of the box: Plywood, ¾ inch (¾") or equivalent.	Page : _____ Section : _____
2.5	Inside floor the box: Diamond plate aluminum finish or equivalent.	Page : _____ Section : _____
3.1	The toolbox must be mounted on six (6) wheels.	Page : _____ Section : _____
3.2	Each wheel must be able to support a weight of 1500 pounds (weight of the box included), without deformation occurring.	Page : _____ Section : _____
3.3	The wheels must be able to lock.	Page : _____ Section : _____
3.4	The wheels must be full (no space).	Page : _____ Section : _____
4.1	The door must be a folding door (curtain style) made of aluminum or equivalent material.	Page : _____ Section : _____
4.2	The door must be full (no space).	Page : _____ Section : _____
4.3	The door must be able to lock with a key. Padlocks are not acceptable.	Page : _____ Section : _____
5.1	A tool inventory mechanism using tokens must be provided with the toolbox.	Page : _____ Section : _____
5.2	The token box must be able to lock with a key.	Page : _____ Section : _____
6.1	The box must include a fixed shelf (non-removable) installed 32 inches (32") from the box floor, inclined at 60° along the entire length of the toolbox.	Page : _____ Section : _____
6.2	The box must include a fixed shelf (non-removable) installed 17 inches (17") from the box ceiling, inclined at 30° along the entire length of the toolbox.	Page : _____ Section : _____