



Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

Stantec

STANTEC Architecture
200 - 1180 Main Street
Montréal, Québec H3A 2B4
Tel: 508.383.8800
www.stantec.com

Copyright Reserved
The Customer shall verify and be responsible for all dimensions, etc.
The Customer shall verify and be responsible for all dimensions, etc.
The Customer shall verify and be responsible for all dimensions, etc.

NOTES:

- ALL WALLS NOTED TO BE FIRE RATED ARE TO BE SEALED TOP AND BOTTOM WITH APPROVED FIRE STOPPING MATERIAL, APPLIED AS PER MANUFACTURER'S INSTRUCTIONS.
- ALL PENETRATIONS TO BE SEALED WITH APPROVED FIRE STOPPING MATERIAL, APPLIED AS PER MANUFACTURER'S INSTRUCTIONS.
- MECHANICAL AND ELECTRICAL SERVICES PASSING THROUGH A FIRE RATED WALL MUST HAVE DAMPERS AND / OR FIRE STOPPING.

CERTIFICATE OF PRACTICE
22091
May 12, 2017
Robert J. MacDonald
STANTEC ARCHITECTURE LTD.
ASSOCIATE ARCHITECT

0	ISSUED FOR TENDER	MAY 12 2017
revisions		date
project		project

**INTERPRETIVE CENTER
MARY'S POINT, NB**

drawing design

**FLOOR PLANS
AND WALL TYPES**

designed RJM conçu

date FEB. 2016

drawn HGA dessiné

date FEB. 2016

approved approuvé

date

Tender Submission

PWOSC Project Manager Administrateur de projets TPSOC

project number no. du projet

R.076495.001

drawing no. no. du dessin

A100

E-DRM/GDD-E: 536436