

3 Greenleaf Dr., Charlottetown Prince Edward Island C1A 2E7
 Phone: (902) 568-5456, Fax: (902) 568-3598
 email: lokeshgarg201@gmail.com




- GENERAL NOTES:**
- CONTRACTOR SHALL VISIT THE SITE TO FAMILIARIZE WITH THE SCOPE OF WORK AND EXISTING CONDITIONS BEFORE BIDDING ON THIS PROJECT.
 - LOCATIONS AND DIMENSIONS OF ALL EXISTING STRUCTURAL ELEMENTS ARE APPROXIMATE ONLY. CONTRACTOR SHALL VERIFY ALL LOCATIONS AND DIMENSIONS ON SITE BEFORE COMMENCING WORK.
 - CONTRACTOR TO PERFORM A SITE SURVEY FOR ELEVATION AND WHARF ALIGNMENT (TO MATCH EXISTING) BEFORE ORDERING OF MATERIALS.
 - CONTRACTOR TO MARK UP AND SUBMIT AS-BUILT DRAWINGS AT COMPLETION OF PROJECT, TO INCLUDE ALL CHANGES TO CONTRACT DURING CONSTRUCTION.
 - LOAD CARRYING ABILITY OF EXISTING STRUCTURE IS UNKNOWN. STRUCTURE IS NOT POSTED FOR LOADS AND PRESENTLY NOT SUITABLE FOR HEAVY CONSTRUCTION EQUIPMENT AND TRUCK LOADING. ONLY 1/2 TON PICK-UP TRUCK OR LIGHT VEHICLE IS ALLOWED.
 - BIDDERS ARE CAUTIONED THAT THIS WORK SURROUNDS EACH WORKS OF VARYING NATURE. EXISTING ROCK-BALLAST, CRIB TIMBER, ETC. MAY BE ENCOUNTERED DURING EXCAVATION. REMOVE ALL TIMBER, ETC. AND DISPOSE OFF SITE IN ACCORDANCE WITH PROVISIONS OF SPECIFICATION.
 - CONTRACTOR TO REMOVE AND REINSTATE UTILITIES AND SERVICES REQUIRED IN KEEPING WITH SERVICE PROVIDERS REQUIREMENTS.
 - IF THERE IS ANY DISCREPANCY BETWEEN SPECIFICATIONS AND DRAWINGS, THE MOST STRINGENT CLAUSE/CONDITION SHALL GOVERN.
 - ALL WELDING IN FIELD SHALL BE DONE BY CWB CERTIFIED WELDERS FOR ALL POSITIONS WELDING.
 - REMOVE FLUX/SLAG FROM ALL WELDS AND INSPECT THE WELD FOR QUALITY. FIX WELDS IF REQUIRED.
 - PATCH TO MATCH EXISTING WORK AND FIX SITE GRADING, ETC. IF DISTURBED DURING CONSTRUCTION.
 - EXCAVATION REQUIRED TO PLACE RIP RAP IS INCIDENTAL TO WORK ASSOCIATED AND NOT PAID SEPARATELY.

revision	description	date
4	REVISED - ISSUED FOR TENDER	Jun. 08 2017
3	REVISED - ISSUED FOR TENDER	Nov. 24 2016
2	ISSUED FOR TENDER	Aug. 19 2016
1	99% SUBMISSION	July 04 2016


**WHARF RECONSTRUCTION
408
MONTAGUE
KINGS COUNTY, PEI**

**EXISTING CONDITIONS,
BOREHOLE DATA
& NOTES**

designed	L.G.	conçu
date	JUNE, 2017	
drawn	M.G.M.	dessiné
date	JUNE, 2017	
approved		approuvé
date		
tender	Jay Morris	sourmission
PWOSC Project Manager	Administrateur de projets TPSGC	
project number		no. du projet
	R.084160.001	
drawing no.		no. du dessin
	M1 OF 5	




1 COAST PLAN
SCALE/ÉCHELLE: N.T.S.




NOTE: EXISTING CONSTRUCTION DETAIL NOT VERIFIED ON SITE (EXISTING DRAWINGS NOT AVAILABLE)

3 SECTION (EXISTING)
SCALE/ÉCHELLE: 1:50




4 SECTION (EXISTING)
SCALE/ÉCHELLE: 1:50



2 EXISTING PLAN VIEW
SCALE/ÉCHELLE: 1:300


BOREHOLE NO. BH-01 2015

BOREHOLE BH-01 IS REFERENCED IN GEOTECHNICAL INVESTIGATION BY STANTEC, PROJECT #121618188, DATED (BORING) MAY 27, 2015.




BOREHOLE NO. BH-02 2015

BOREHOLE BH-02 IS REFERENCED IN GEOTECHNICAL INVESTIGATION BY STANTEC, PROJECT #121618189, DATED (BORING) MAY 27, 2015.



BOREHOLE NO. M-1 2009

BOREHOLE BH-02 IS REFERENCED IN GEOTECHNICAL INVESTIGATION BY STANTEC, PROJECT #121618189, DATED (BORING) MAY 28, 20--.



5 BOREHOLE DETAILS
SCALE/ÉCHELLE: 1:100