

DOOR NO.	DOOR						GLAZ'G		FRAME			NOTES
	WIDTH	HEIGHT	THICKN.	MAT.	FIN.	ELEV.	MAT.	MAT.	FIN.	ELEV.		
D101a	965	2135	44	HM	PT	'A'	TG	PS	PT	'A'		
D110d	2-965	2135	44	HM	PT	'B'	TG	PS	PT	'A'		
D110e	965	2150	44	HM	PT	'C'	TG	GW	PT	'A'	1.,2.,3. 3/4 HR F.R.R. DOOR DOOR SIZE TO WORK WITH EXISTING BLOCK DIMENSIONS. LOCATE DOOR IN PLAN, ON BLOCK MODULE.	
D120	2-965	2135	44	HM	PT	'B'	TG	GW	PT	'A'	1.,2.,3. 3/4 HR FRR DOOR.	
D120a	1220	2135	44	HM	PT	'B'	TG	GW	PT	'A'	1.,2.,3. 3/4 HR FRR DOOR (EXTRA WIDE DOOR) DOOR SIZE TO BE INSTALLED INSIDE EXISTING STEEL OVERHEAD DOOR FRAME INSULATED STC 50	
D120b	965	2135	44	HM	PT	'A'	TG	PS	PT	'A'	1.,2.,3. 3/4 HR FRR DOOR.	
D121	965	2135	44	HM	PT	'A'	TG	PS	PT	'A'		
D124	965	2135	44	HM	PT	'A'	TG	PS	PT	'A'		
D125	965	2135	44	HM	PT	'C'		PS	PT	'A'	3. INSULATED STC 50	

1 DOOR SCHEDULE
A4

NOTES: REFER ALSO TO COVER SHEET FOR ABBREVIATIONS


- DOOR TO BE INSULATED.
- USE GEORGIAN WIRE GLAZING AT RATED DOORS.
- ACCESS DOOR 120,120a AND 120b TO BE GASKETED AND WEATHER STRIPPED BETWEEN CLIMATE ZONES. DOOR 125 TO BE GASKETED AND WEATHER STRIPPED FOR ACOUSTICS.

ROOM No.	ROOM NAME	FLOOR		BASE		NORTH WALL		SOUTH WALL		WEST WALL		EAST WALL		CEILING		NOTES
		MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	
104	SOUTH CORRIDOR	(e)vct	(e)vct	(e)res		(e)cb	(e)pt	(e)cb	(e)pt	(e)cb	(e)pt	(e)cb	(e)pt	(e)act	(e)act	PATCH AND REPAIR DAMAGED AREAS OF CONCRETE BLOCK AROUND NEW DOOR OPENING D110d.
110c	RELOCATED I.T. ROOM	(e)af	(e)af	(e)res		(e)rp	(e)vc	GYP	PT	GYP	PT	(e)rp	(e)vc	(e)act	(e)act	NEW GYPSUM WALLS ON RELOCATED I.T. ROOM SIDE TO HAVE PAINT FINISH TO MATCH EXISTING BULKHEADS. EXISTING VINYL COVER PANELS TO REMAIN.
110d	REDUCED LAN ROOM	(e)af	(e)af	(e)res/RES		(e)rp	(e)vc	GYP	PT	GYP	PT	(e)rp	(e)vc	(e)act	(e)act	NEW GYPSUM WALLS TO HAVE PAINT FINISH TO MATCH EXISTING BULKHEADS.
120	MAIL PROCESSING ROOM	VCT	VCT	RES	RES	GBD	PT	GBD	PT	GBD	PT	GBD	PT	ACT-1	ACT-1	
120a	BANCTEC SORTING	VCT	VCT	RES	RES	GBD	PT	GBD	PT	GBD	PT	eWM	PT	ACT-1	ACT-1	
121	OPEX TECHNICIAN	VCT	VCT	RES	RES	GBD	PT	GBD	PT	GBD	PT	GBD	PT	ACT-1	ACT-1	
124	BANCTEC TECHNICIAN	VCT	VCT	RES	RES	GBD	PT	GBD	PT	GBD	PT	GBD	PT	ACT-1	ACT-1	
124a	BANCTEC WORK AREA	VCT	VCT	RES	RES	GBD	PT	GBD	PT	GBD	PT			ACT-1	ACT-1	
124b	BANCTEC TECHNICIAN	VCT	VCT	RES	RES			GBD	PT	GBD	PT	GBD	PT	ACT-1	ACT-1	
125	MECH/ELECTRICAL RM.	VCT	VCT	RES	RES	GBD	PT	GBD	PT	GBD	PT	GBD	PT	N/C	N/C	
122	FILE STORAGE	(e)vct	(e)vct	(e)res		(e)rp	(e)vc	(e)rp	(e)vc	(e)rp	(e)vc	(e)rp	(e)vc	(e)act	(e)act	PATCH AND REPAIR AND FINISH INFILL AREA OF DOOR ON EXISTING FILE STORAGE SIDE OF WALL.
123	FILE STORAGE	(e)vct	(e)vct	(e)res		(e)rp	(e)vc	(e)rp	(e)vc	(e)rp	(e)vc	(e)rp	(e)vc	(e)act	(e)act	PATCH AND REPAIR AND FINISH INFILL AREA OF DOOR ON EXISTING FILE STORAGE SIDE OF WALL.
177	WAREHOUSE	(e)epx	(e)epx	(e)res/RES	(e)res/RES	(e)cb	(e)pt	GBD	PT	(e)cb	(e)pt	(e)cb	(e)pt	(e)n/c	(e)n/c	NEW GYPSUM WALLS ON WAREHOUSE SIDE TO HAVE PAINT FINISH AND NEW RESILIENT BASE.

1 ROOM FINISH SCHEDULE
A4

NOTES: REFER ALSO TO COVER SHEET FOR ABBREVIATIONS

- IMPACT RESISTANT GYPSUM BOARD TO ALL WALLS.
- (e)lower case INDICATES EXISTING MATERIAL AND FINISH TYPE.




2 DOOR ELEVATIONS
A4

SCALE 1:50

DRAWING NOTES - SHEET A-5


THESE NOTES APPLY TO DRAWING SHEET A-5 ONLY

- HOLLOW METAL DOOR FRAME W/ PAINT FINISH. FASTEN FRAME TO NEW STUD WALL. PROVIDE 45 MIN FRR FRAME @ RATED WALL LOCATIONS.
- HOLLOW METAL DOOR W/ PAINT FINISH PROVIDE 45 MIN FRR FRAME @ RATED WALL LOCATIONS.
- CONTINUOUS CAULKING.
- METAL STUD.
- METAL CHANNEL OVER DOOR HEAD. INDICATES RESILIENT CHANNEL.
- 16mm TYPE 'X' GYPSUM RETURN AT DOOR JAMBS AND HEADS.
- EXISTING DE-MOUNTABLE GYPSUM PANELS. EXISTING 190MM CONCRETE BLOCK. PERIMETER BASE. INFILL BLOCK COURSE W/ CONCRETE.
- SAWCUT AND REMOVE EXISTING CONCRETE BLOCK WALL - FOR NEW OPENING.
- PROVIDE NEW 2 - BACK TO BACK STEEL UNTEL PAINT FINISH. NEEDLE INTO BLOCK ON BOTH SIDES OF OPENING. REFER TO STRUCTURAL FOR UNTEL SIZE AND BEARING LENGTH.
- INFILL PRESSED STEEL DOOR FRAME W/ GROUT SOLID.
- EXISTING CONCRETE BLOCK WALL.
- PRESSED STEEL DOOR FRAME, GROUT SOLID.
- PROVIDE NEW 2 - 100 x 100 x 8 MM STEEL UNTEL. PAINT FINISH. REFER TO STRUCTURAL.
- EXISTING DE-MOUNTABLE GYPSUM PANEL VINYL TRANSITION U-CLIP.
- PROVIDE CONTINUOUS LAYER OF FIRE RATED SEALANT AROUND PERIMETER OF BOTH SIDES OF NEW DOOR FRAME.
- EXISTING ROLLING OVERHEAD DOOR & COIL BOX TO BE REMOVED. DOOR & DOOR HARDWARE TO BE RETURNED TO DEPARTMENTAL REPRESENTATIVE.
- EXISTING OPENING FRAME TO REMAIN.




4 TYPICAL DOOR DETAIL @ ROLLING OVERHEAD DOOR
A4

SCALE 1:5




3 DOOR HEAD & JAMB DETAIL @ RATED WALL
A4

SCALE 1:5



4 DOOR HEAD & JAMB DETAILS @ TYPICAL MTL.ST. PART.
A4

SCALE 1:5



4 DOOR DETAILS
A4

SCALE 1:5

revisions	description	date
2	ISSUED FOR TENDER	2017 06 30
1	66% CLIENT REVIEW	2017 06 16

A	B	C
A detail no. du detail	B location drawing no. sur dessin no.	C drawing no. dessin no.

project CRA / MAIL PROCESSING RM. INTERIOR FITUP/RENOVATION

1050 NOTRE DAME AVE., SUDBURY, ON.

drawing DOOR ELEVATIONS & SCHEDULES & DETAILS

Designed By	M.MARTIGNAGO	Conçu par
Date	2015/11/09	(yyyy/mm/dd)
Drawn By	C.DURKIN / T.CURLEY	Dessiné par
Date	2015/11/09	(yyyy/mm/dd)
Reviewed By	M.MARTIGNAGO	Examiné par
Date	2015/11/09	(yyyy/mm/dd)
Approved By	M.MARTIGNAGO	Approuvé par
Date	2015/11/09	(yyyy/mm/dd)
Tender		Soumission

Project Manager CRISTIAN BORS / Administrateur de projets

Project no. PWGSC R.087411.001

Drawing no. A4