



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 405
Saint John
New Brunswick
E2L 2B9
Bid Fax: (506) 636-4376

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 405
Saint John
New Bruns
E2L 2B9

Title - Sujet New Marginal Wharf, Val Comeau NB	
Solicitation No. - N° de l'invitation EC015-180585/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client EC015-180585	Date 2017-07-17
GETS Reference No. - N° de référence de SEAG PW-\$PWB-020-4151	
File No. - N° de dossier PWB-7-40036 (020)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-07-25	Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Donovan, Janine PWB	Buyer Id - Id de l'acheteur pwb020
Telephone No. - N° de téléphone (506) 636-5347 ()	FAX No. - N° de FAX (506) 636-4376
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Val Comeau, NB	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EC015-180585/A
Client Ref. No. - N° de réf. du client
R.081898.001

Amd. No. - N° de la modif.
001
File No. - N° du dossier
PWB-7-40036

Buyer ID - Id de l'acheteur
pwb020
CCC No./N° CCC - FMS No./N° VME

This Solicitation Amendment No. 1 is raised to include the following Addendum No. 1.

The following addendum to the tender documents is effective immediately. This addendum shall form part of the contract documents.

All other terms and conditions remain the same.

Addendum No. 1

SPECIFICATION

ADD section 32 32 21 - Floating Silt Curtain to the Specifications.

PART 1 - GENERAL

- | | | |
|------------------------------------|----|---|
| <u>1.1 Description</u> | .1 | The fabrication and installation of a floating silt curtain, including maintenance for the duration of work. |
| <u>1.2 Samples</u> | .1 | Submit to Engineer following samples at least 2 weeks prior to commencing work manufactures specifications on the filter fabric proposed to be used for approval. |
| <u>1.3 Storage and Handling</u> | .1 | Store, handle and protect fabric in accordance with manufacturer's instructions and in such a manner that no damage is done to material. |
| <u>1.4 Measurement for Payment</u> | .1 | <u>Floating Silt Curtain</u> : The fabrication and installation of a floating silt and debris containment curtain, and maintenance for the duration of the work will not be paid separately but be included as part of the lump sum price for item no. 1, Site Work, Section 01 74 21, including the cost for the removal and disposal of the floating silt curtain. |

PART 2 - PRODUCTS

- | | | |
|----------------------|----|--|
| <u>2.1 Materials</u> | .1 | Silt curtain fabric to be synthetic fiber, rot proof, unaffected by action of oil or salt water and not subject to attack by marine life, insects, or rodents. |
| | .2 | Fabric to be of non woven construction supplied in rolls of minimum 3.0 metres width, minimum thickness of 4.0 mm and to following properties: <ul style="list-style-type: none">.1 Mass(g/m2) 250 to 270.2 Tear (N) 500.3 Tensile Strength (N) 950.4 Elongation at Break(%) 70-100.5 Mullen Burst Strength (kPa) 2500.6 Opening Size (um) 50 to 150.7 Permeability (K cm s-1) 2.7x10-1. |
| | .3 | Contractor shall note that the material may become buoyant. |

PART 3 - EXECUTION

- 3.1 Floating Silt Curtain .1 The silt curtain will be installed before the start of construction and it will remain in place for the duration of the work.
- .2 Once the high water mark established, install the silt fence as directed by Engineer.
- .3 Install firmly secured to the ground and to the sides of the adjacent structures.
- .4 Install silt curtain firmly secured to the ground and to sides of the adjacent structures. The installation should withstand earth and hydrostatic pressures that would be exerted to the full height of the curtain.
- .5 Remove and replace fabric damaged or deteriorated as directed by Engineer.
- .6 Any fabric damaged to be replaced at no additional cost to the Engineer.
- .7 The floating silt curtain will not be removed until approved by the Engineer.