






NOTES:

- REFER TO ELECTRICAL DRAWINGS UNDERGROUND CONDUITS AND LIGHT POLES.
- IN ALL LOCATIONS WHEREBY NEW WATERMAIN CROSSES THE NEW SEWER, ONE FULL LENGTH OF WATER PIPE SHOULD BE LOCATED SO BOTH JOINTS WILL BE AS FAR FROM THE SEWER AS POSSIBLE.



PROFILE
 SCALE: 1:250
 SCALE: 1:100

2
C5

revision	date	project
E	ISSUED FOR TENDER	JULY 10 2017
D	ISSUED FOR TENDER	JUN 28 2017
C	ISSUED FOR 99% REVIEW	JUN 08 2017
B	ISSUED FOR CLIENT REVIEW	APR 21 2017
A	ISSUED FOR 66% REVIEW	MAR 24 2017

MCTS CENTRE AND C&P BUILDING
 PLACENTIA

STORM SEWER PLAN & PROFILE

designed *fw* conq
 date JULY 12, 2017
 drawn *fw* dessin
 date JULY 12, 2017
 approved *fw* approuv
 date JULY 12, 2017
 Tender *fw* Submission
 PWSSC Project Manager Administrateur de projets TPSSC
 project number no. du projet
R.081781.004
 drawing no. no. du dessin
C5