

- NOTES :
- CONTRACTOR MUST VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH ANY PORTION OF THIS WORK. DO NOT SCALE FROM DRAWINGS.
 - THE SEPTIC SYSTEM WAS DESIGNED IN ACCORDANCE WITH THE PRIVATE SEWAGE DISPOSAL AND WATER SUPPLY STANDARDS ISSUED BY THE GOVERNMENT OF NEWFOUNDLAND AND LABRADOR.
 - SEPTIC TANK TO BE LOCATED AS PER BELOW WHICH INCLUDES MINIMUM SEPARATION DISTANCES FROM THE FOLLOWING :
 - BUILDINGS - 1m
 - PROPERTY BOUNDARIES - 3m
 - DUG WELLS AND SPRINGS - 30m
 - DRILLED WELLS - 15m
 - WATER SUPPLY - 30m
 - WATERMAIN - 15m
 - WATER SERVICE LINE - 7.5m
 - FROM LAKE, STREAM OR POND - 30m
 - WATER TABLE TO BOTTOM OF TRENCH 1m.
 - MINIMUM CLEARANCE FOR DISTANCES FOR SEPTIC FIELD,
 - BUILDINGS - 15m
 - PROPERTY BOUNDARIES - 3m
 - DUG WELLS - 15m
 - WATER SUPPLY - 30m
 - WATERMAIN - 15m
 - WATER SERVICE LINE - 7.5m
 - FROM LAKE, STREAM OR POND - 30m
 - WATER TABLE TO BOTTOM OF TRENCH 1m.
 - DISPOSAL FIELD TO BE CONSTRUCTED USING BORROW FROM SITE.
 - FINISHED THE SURFACE AROUND THE SEPTIC TILE FIELD WITH PLACE 150mm TOPSOIL AND HYDROSEEDING.

E	ISSUED FOR TENDER	JULY 10 2017
D	ISSUED FOR TENDER	JUN 28 2017
C	ISSUED FOR 99% REVIEW	JUN 09 2017
B	ISSUED FOR CLIENT REVIEW	APR 21 2017
A	ISSUED FOR 66% REVIEW	MAR 24 2017
revisions		date


project project

MCTS CENTRE AND
C&P BUILDING
PLACENTIA


drawing design

PLAN & SECTIONS
SEPTIC DISPOSAL FIELD


designed	conçu
date	July 12, 2017
drawn	dessiné
date	July 12, 2017
approved	approuvé
date	July 12, 2017
Tender	Responsable
Project Manager	Administrateur de projets
project number	no. du projet
R.081781.004	
drawing no.	no. du dessin
C9	



PROFILE - DISPOSAL FIELD




4
C9



SECTION - ABSORPTION TRENCH

SCALE : N.T.S.

3
C9



SECTION


SCALE : N.T.S.

A
C9


SECTION

SCALE : N.T.S.

B
C9



PLAN - SEPTIC DISPOSAL FIELD



1
C9