



PROVINCE OF NEWFOUNDLAND AND LABRADOR

PEG
Newfoundland
and Labrador
PERMITTING, INSPECTION AND CERTIFICATION

PERMIT HOLDER

This Permit Allows
PLP JUN 28, 2017

Amec Foster Wheeler Americas Limited

To practice Professional Engineering
in Newfoundland and Labrador.
Permit No. as issued by PEG: D0018

which is valid for the year 2017.



NOTES:
ALL ELECTRIC BASEBOARD HEATER REFER TO
ELECTRICAL DRAWINGS BY DIV. 26.

NOTES:

1. CONTRACTOR TO VERIFY ALL SITE CONDITIONS, LOCATIONS AND DIMENSIONS PRIOR TO COMMENCING WORK. TRACE WORK, COORDINATE, STABIL, SHUT DOWN & SERVICE INTERRUPTIONS WITH OWNER.
2. PROVIDE ALL MATERIALS & LABOR REQUIRED TO INSTALL REQUIRED COMPONENTS IN ACCORDANCE WITH APPLICABLE CODES, REGULATIONS & DRAWINGS THAT FORM PART OF THIS CONTRACT.
3. DO NOT SCALE FROM DRAWINGS.
4. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.

5. WIRE CONTROL COMPONENTS – CONFIGURATION & WIRING ARE BASED ON INFORMATION PROVIDED BY A SINGLE SUPPLIER, AND MAY NOT BE COMPLETE OR COMPATIBLE WITH OTHER MANUFACTURERS' ACTUAL LAYOUT & CONFIGURATION OF COMPONENTS, AS WELL AS THE NUMBER, TYPE, & GAUGE OF WIRING, SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS FOR THE ACTUAL SYSTEM PROVIDED & AS REQUIRED FOR A COMPLETE & FUNCTIONAL CONTROLS SYSTEM.

6. ALL BUILDING SYSTEMS & DEVICES REQUIRING CENTRALIZED CONTROL SHALL BE INTERFACED WITH THE VRF SYSTEM CONTROLLER AS INDICATED. ENSURE THAT THE BMS INTERFACE HAS SUFFICIENT INPUT & OUTPUT POINTS, & THAT ALL INPUTS & OUTPUTS ARE COMPATIBLE WITH THE BMS INTERFACE.

C	ISSUED FOR TENDER		JUN 2 2017
B	ISSUED FOR 99% REVIEW		MAY 2 2017
A	ISSUED FOR CLIENT REVIEW		APR 2 2017
revisions			date

MCTS CENTRE AND
C&P BUILDING
PLACENTA

MECHANICAL VRF SYSTEM CONTROL DETAILS

designed	conq
D.W	
date	JUNE 28, 2017

date JUNE 28, 2017

date W JUNE 28, 2017


PWGSÉ Project Manager Administrateur de projets TPSG

R.081781.004


drawing no.	no. du dessin
-------------	---------------



C&P FACILITY CONTROLS LAYOUT



NOTES:
ALL ELECTRIC BASEBOARD HEATER REFER TO
ELECTRICAL DRAWINGS BY DIV. 26.



MCTS FACILITY CONTROLS LAYOUT

$$\frac{2}{M11}$$