





NOTE :
1. EXCAVATE TO UNDERLYING TILL LAYER BY REMOVING ORGANICS AS REQUIRED. PROOF ROLL AND REPLACE WITH MATERIAL AS SPECIFIED TO BRING THE SITE TO SUBGRADE. ORGANICS DEPTH VARIES FROM 0.2m TO APPROXIMATELY 1.22m. OBTAIN DEPARTMENTAL REPRESENTATIVE APPROVAL OF SUBGRADE BEFORE PLACING TYPE "3" FILL. REFER TO ENVIRONMENTAL SITE ASSESSMENT REPORT INCLUDED IN APPENDIX "G" OF SPECIFICATIONS.
2. REFER TO STRUCTURAL DRAWINGS FOR DEPTH OF BUILDING CONCRETE FOUNDATION WALL AND FOOTINGS.



MCTS CENTRE AND
C&P BUILDING
PLACENTIA

SITE SECTIONS

designed *hw* conçu
date JULY 12, 2017
drawn *ghe* dessiné
date JULY 12, 2017
approved *MC JB* approuvé
date JULY 12, 2017
Tender *G.F. MacCallum* Submission
PWSC Project Manager Administrateur de projets TPSC
project number no. du projet
R.081781.004
drawing no. no. du dessin
C11