

NOTES :

1. ALL DIMENSIONS INDICATED ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
2. ALL SIGNAGE SHOWN, WHETHER ON SIGN POST, MOUNTED TO BUILDING OR PAINTED ON PAVEMENT IS ENGLISH VERSION ONLY. CONTRACTOR RESPONSIBLE TO PROVIDE FRENCH VERSION AS WELL. SUBMIT SHOP DRAWINGS TO DEPARTMENTAL REPRESENTATIVE FOR APPROVAL PRIOR TO FABRICATION.

D	ISSUED FOR TENDER	JULY 10 2017
C	ISSUED FOR TENDER	JUN 28 2017
B	ISSUED FOR 99% REVIEW	JUN 09 2017
A	ISSUED FOR CLIENT REVIEW	APR 21 2017
revisions		date

project project

MCTS CENTRE AND C&P BUILDING

PLACENTIA

drawing design

DETAIL SHEET NO. 2


designed	conçu
date	July 12, 2017
drawn	dessiné
date	July 12, 2017
approved	approuvé
date	July 12, 2017
Tender	Submission
PWSSC Project Manager	Administrateur de projets TPSSC
project number	no. du projet
R.081781.004	
drawing no.	no. du dessin

C13

SIGNAGE NOTES :

1. ALL CONCRETE TO BE 35 MPa, UNLESS NOTED OTHERWISE TO MEET CSA A23.1, CLASS C-2 EXPOSURE.
2. SIGN POST TO BE GALVANIZED CONTINUOUS WELD, SCHEDULE 40 PIPE.
3. SIGNAGE TO BE MOUNTED AS UNIFORM TRAFFIC CONTROL STANDARDS.
4. LOCATION OF SIGN TO BE DETERMINED ON SITE WITH OWNER REPRESENTATIVE.
5. REFER TO BUILDING ACCESSIBILITY ACT & REGULATIONS, FIGURE 4, UNIFORM TRAFFIC CONTROL IDENTIFYING PARKING SPACES FOR DISABLED PERSONS FOR SIGNAGE INFORMATION.
6. ALL SIGNAGE SHALL BE SIGN GRADE ALUMINUM ALLOY 5052-H38 WITH A NOMINAL THICKNESS OF 2mm CONFORMING TO THE REQUIREMENTS OF ASTM B209M.

NOTE: ALL SIGNAGE WITHIN 300mm OF THE BUILDING, SHALL BE MOUNTED TO THE BUILDING USING #10 PAN HEAD WOOD SCREWS c/w FLAT WASHERS, STAINLESS STEEL. INSTALL SCREWS AT EXTERIOR SIDING NAIL LINES. MAKE WATERTIGHT.



DETAIL - SIGNAGE

SCALE : N.T.S.

DETAIL

BARRIER-FREE SIGNAGE

TYPICAL FOR ALL OTHER SINGLE POST SIGNAGE

SCALE : N.T.S.

DETAIL

VEHICLE CHARGING STATION BASE

SEE ELECTRICAL FOR LOCATIONS


SCALE : N.T.S.

DETAIL - FLAGPOLE

SCALE : N.T.S.

DETAIL - LIGHT POLE


SCALE : N.T.S.



SECTION

APPROACH SLAB AT WALL


SCALE : N.T.S.



DETAIL

NO SMOKING SIGNAGE

SCALE : N.T.S.




DETAIL

CONCRETE RAMP

SCALE : N.T.S.


SUPPLY AND INSTALL NEW GALVANIZED DRAIN PIPE (25mm) C/W SHUT OFF VALVES. SEAL BOTTOM AND ENDS WATER TIGHT. MOUNT SIDE BY SIDE. (FOR LOCATION SEE DWG C13) (SHOWN AN OFFSET FOR CLARITY)

CURB DRAIN PIPE & VALVE



DETAIL - SIGN BASE

SCALE : N.T.S.



SECTION