

1 / T2.3 NEW INTRUSION ALARM SYSTEM LAYOUT
1:125

GENERAL NOTES:

1. ALL INTRUSION ALARM CONDUITS TO BE 21mm UNLESS OTHERWISE NOTED.
2. MAIN CONDUIT TO BE INSTALLED IN RAISED FLOOR SPACE THEN UP TO WALL CAVITY TO DEVICE LOCATION OR TO ACCESSIBLE CEILING SPACE.
3. ALL CONDUITS TO DEVICE LOCATIONS SHALL BE CONCEALED UTILIZING WALL CAVITY, DOOR FRAME, ETC.
4. CONTRACTOR TO COORDINATE INSTALLATION OF CONDUIT WITH OTHER TRADES TO AVOID BLOCKAGE OF ACCESS TO OTHER EQUIPMENT.
5. CONDUIT PENETRATION THROUGH FIRE RATED WALL SHALL BE FIRE SEALED. CONDUIT THROUGH NON-FIRE RATED SHALL BE SEALED TO MAINTAIN THE STC RATING OF WALL.
6. ALL CEILING AND WALL MOUNTED MOTION DETECTOR TO BE PROVIDED WITH MOUNTING BRACKET SO IT CAN BE ADJUSTED TO SUITE SITE CONDITION.
7. BLUE STROBE LIGHT AND MULTI-TONE CHIME TO BE CEILING MOUNTED UNLESS OTHERWISE NOTED.
8. KEYPAD TO BE MOUNTED AT 1200mm A.F.F.

Public Works and Government Services Canada / Travaux publics et Services gouvernementaux Canada
REAL PROPERTY SERVICES
Western Region
SERVICES IMMOBILIERS
Région de l'ouest

REPUBLIC ARCHITECTURE INC
374 Donald Street, First Floor
Winnipeg, MB R3B 2J2
T 204 989 0102
F 204 989 0094
www.republicarchitecture.ca

HDK CONSULTING INCORPORATED
2633 Portage Avenue
Winnipeg, Manitoba
Canada, R3J 0P7
T: 204.818.0390
F: 204.818.0388
www.hdkconsulting.com
info@hdkconsulting.com
Mechanical|Electrical|Communications|Security Engineering

REGISTERED PROFESSIONAL ENGINEER H. A. CEA CANAS LICENSEE NWT/NU
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER BICSI Kellie J. Orr Reg. No. 171478R Expires 12-31-17 RCDD

PERMIT TO PRACTICE
HDK CONSULTING INCORPORATED
Signature
Date MAY 19, 2017
PERMIT NUMBER: P 1060
NT/NU Association of Professional Engineers and Geoscientists

Revision	Description	Date
5		
4		
3	ISSUED FOR CONSTRUCTION	May 19, 2017
2	ISSUED FOR REVIEW 99% CONSTRUCTION DOCUMENTS	Apr. 25, 2017
1	66% CD SUBMISSION	Feb. 24, 2017
0	DESIGN DEVELOPMENT SUBMISSION	Jan. 20, 2017

Client / client
PSPC/SPAC
5th Floor, 10025 Jasper Avenue
Edmonton. AB

Project title / Projet
5101 50th Avenue
Yellowknife, NWT

4th Floor Tenant Fit-Up
Greenstone Building

Designed by / Conçu par: **JS**
Drawn by / Dessiné par: **IS**
Approved by / Approuvé par: **KO**
PWGSC Project Manager / Administrateur de Projets TPSGC: **Brenda Embury**

Drawing title / Titre du dessin
NEW INTRUSION ALARM SYSTEM LAYOUT

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
R.060383	T2.3 OF 8	3