

AMENDMENT # 3

**Roof Replacement
St. John's Community Correctional Centre (CCC), St John's, NL
EC016-180593/A**

THE FOLLOWING AMENDMENT TO THE TENDER DOCUMENTS IS EFFECTIVE IMMEDIATELY.
THE AMENDMENT SHALL FORM A PART OF THE CONTRACT DOCUMENTS.

ADDENDUM NO. 2**SPECIFICATIONS**

- .1 Reference: Specification Section 07 61 00 Sheet Metal Roofing**
- .1 Delete 1.3 in its entirety.
 - .2 Revise 1.6.1 as follows:
 - .1 *Contractor shall provide a written manufacturer's warranty stating that the installed roofing membrane is warranted against defects and leakage for a period of two (2) years from the date of Substantial Completion of the project.*
 - .3 Revise 1.6.4 as follows:
 - .4 Provide a warranty and manufacturer's preventative maintenance manual before Final acceptance of the roofing.
 - .4 Revise 2.3.4 as follows:
 - .4 *Coating thickness: 200 micrometres minimum top side; 100 micrometres minimum bottom side.*
- .2 Reference: Specification Section 07 61 00 Sheet Metal Roofing**
- .1 Delete 2.3.1.5 in its entirety.
- .3 Reference: Specification Section 07 62 00 Sheet Metal Flashing and Trim**
- .1 Delete 2.3.1.5 in its entirety.

By submission of its tender, the Tenderer confirms that it has read and understands the requirements expressed in all addenda and has included all costs of these requirements in its Total Tender Amount.

All other terms & conditions remain unchanged.
