

PART 1 - GENERAL

- 1.1 SUBMITTALS .1 Provide submittals in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Indicate size and description of components, base material, surface finish inside and out, hardware and locks, attachment devices, description of rough-in frame and other related information.
- .3 Sustainable Design Submittals:  
.1 LEED Canada Submittals: in accordance with Section 01 35 21 - LEED Requirements.
- 1.2 CLOSEOUT SUBMITTALS .1 Provide maintenance data for equipment for incorporation into maintenance manual specified in Section 01 78 00 - Closeout Submittals.

PART 2 - PRODUCTS

- 2.1 BICYCLE RACKS .1 Floor mount curved bike rack, suitable for storing three bicycles.
- .2 Rack to receive front wheel of bicycle.
- .3 Capable of locking bicycles in place.
- .4 25 mm diameter, 14 ga. hot-dipped galvanized pipe construction.
- .5 Curved design, or acceptable alternate.
- 2.2 DOUBLE CONDUIT FLASHING .1 Manufactured roof penetration component.
- .2 Galvanized steel flashing sleeve with integral deck flange, pre-moulded insulation liner.
-

- 2.2 DOUBLE CONDUIT FLASHING  
(Cont'd)
- .3 Moulded-in-place hot dipped galvanized steel conduit fittings with metal stiffeners.
  - .4 EPDM triple pressure grommet seals with stainless steel base enclosure.
  - .5 Height: 300 mm.
  - .6 Diameter of fittings: to suit conduit sizes.
  - .7 Warranty:
    - .1 20 year warranty against leaks, condensation and defects in material or manufacture.
- 2.3 FLOOR GRILLE
- .1 Hinged grille, complete with lighting hooks.
  - .2 Steel angle perimeter suitable for casting into concrete slab.
  - .3 Evaporation - type grille, with sloped bottom pan.
  - .4 Bar grating with square-shaped ribs for scraping boots.
  - .5 Bar depth: 30 mm nominal.
  - .6 Interlocking bar grating and transverse rods.
  - .7 All materials Type 304 stainless steel, mill finish.
  - .8 Size: as indicated.
- 2.4 ROLL-UP MAT
- .1 Heavy duty vinyl-basket entrance matting commercial carpet mat.
-

---

MCTS CENTRE	MANUFACTURED	Section 10 99 90
PORT AUX BASQUES, NL	SPECIALTIES	Page 3
R.082780.004		2017-06-28

---

PART 3 - EXECUTION

3.1 NOT USED .1 Not Used.