
Part 1 General

1.1 SUBMITTALS

- .1 Product Data: Submit manufacturer's product data, installation and maintenance instructions.
- .2 Shop Drawings: Indicate end track location, width of window opening, location of blocking for anchors, appurtenances and interferences, adjacent construction, operating hardware, electrical characteristics and connection requirements and support bracket details.
- .3 Samples: provide 300mm x 300mm samples of each fabric specified.
- .4 Closeout Submittals: Submit the following:
 - .1 Operation and Maintenance Data: Operation and maintenance data for installed products in accordance with Division 1 Closeout Submittals (Maintenance Data and Operation Data) Section. Include methods for maintaining installed products and precautions against cleaning materials and methods detrimental to finishes and performance.
 - .2 Warranty: Warranty documents specified herein.

1.2 FIELD MEASUREMENTS

- .1 Field measure prior to manufacturing.

1.3 MAINTENANCE DATA

- .1 Include data for motor, shaft and gearing, lubrication frequency, control adjustments, and spare parts sources.

1.4 DELIVERY, STORAGE & HANDLING

- .1 Ordering: Comply with manufacturer's ordering instructions and lead time requirements to avoid construction delays.
- .2 Deliver, store and handle hygienic wall protection panels in accordance with Section 01 61 00 Common Product Requirements.
- .3 Deliver materials in manufacturer's original, unopened, undamaged containers with identification labels intact.
- .4 Store materials protected from exposure to harmful weather conditions, at temperature and humidity conditions recommended by manufacturer.
- .5 Store panels in temperature controlled environments. Leave protective blue film on panel until ready to use.

1.5 WARRANTY

- .1 Project Warranty: Refer to Conditions of the Contract for project warranty provisions.

- .2 Manufacturer's Warranty: Submit, for Owner's acceptance, manufacturer's standard warranty document executed by authorized company official. Manufacturer's warranty is in addition to, and not a limitation of, other rights Owner may have under Contract Documents.

Part 2 Products

2.1 MATERIALS

- .1 **RS-1:**
 - .1 Fabric: 3% openness
 - .2 Color: Technique Pearl 715-0207
 - .3 Cord length to suit window application
 - .4 Location: all windows, including door sidelights unless otherwise noted.
 - .5 Standard of Acceptance:
 - .1 Altex – Deko Lite-lift
- .2 **RS-2:**
 - .1 Fabric: blackout
 - .2 Color: to be determined from manufacturer's full product range.
 - .3 Cord length to suit window application
 - .4 Location: all bedroom windows.
 - .5 Standard of Acceptance:
 - .1 Altex – Deko Lite-lift

Part 3 Execution

3.1 MANUFACTURER'S INSTRUCTIONS

- .1 Compliance: Comply with manufacturer's product data, including product technical bulletins, product catalog, installation instructions and product label instructions for installation.

3.2 EXAMINATION

- .1 Site Verification of Conditions: Verify substrate conditions, which have been previously installed under other sections, are acceptable for product installation in accordance with manufacturer's instructions.

3.3 INSTALLATION

- .1 Install roller blinds in accordance with manufacturer's instructions.
- .2 Ensure blinds are installed level.
- .3 Joints between each blind shall occur over window mullions.
- .4 Installer shall be responsible for supply and install of all equipment necessary to complete the installation.

- .5 Do not stand on window sills or furniture. Use a ladder as required. Be responsible for damage resulting from installation of Work of this Section.

3.4 CLEANING

- .1 Please refer to manufacturer's current maintenance recommendations.

END OF SECTION