



<b>INTERIOR WALL</b> COMPOSITE FIRE RATING - NO RATING STC RATING - 40 13MM GWB 92MM STUD @ 400MM O.C. 13MM GWB	<b>INTERIOR PARTITION WALL</b> COMPOSITE FIRE RATING - NO RATING STC RATING - 40 13MM GWB 152MM STUD @ 400MM O.C. 13MM GWB
<b>INTERIOR PARTITION WALL</b> COMPOSITE FIRE RATING - NO RATING STC RATING - 40 13MM GWB 92MM STUD @ 400MM O.C. 92MM ACOUSTIC BATT INSULATION 13MM GWB	<b>INTERIOR PARTITION WALL</b> COMPOSITE FIRE RATING - NO RATING STC RATING - 40 13MM GWB 152MM STUD @ 400MM O.C. 152MM ACOUSTIC BATT INSULATION 13MM GWB
	<b>FURRING WALL</b> COMPOSITE FIRE RATING - NO RATING STC RATING - NO RATING 13MM GWB 92MM STUD @ 400MM O.C.

- GENERAL NOTES :
- ALL DRAWINGS IN MM UNLESS OTHERWISE NOTED.
- ALL PARTITION AND FURRING WALLS:
    - ALL TO UNDERSIDE OF STRUCTURE UNLESS OTHERWISE NOTED
    - USE MOISTURE RESISTANT DRYWALL AT ALL WASHROOM WALLS
    - INTERIOR FINISH AS SCHEDULED
  - ALL FURNITURE, APPLIANCES AND EQUIPMENT SHOWN IN DASHED LINES ARE FOR INFORMATION ONLY.
  - ALL MILLWORK SHALL BE CONFIRMED WITH EQUIPMENT AND ACCESSORY SELECTIONS BY OWNER & TENANTS PRIOR TO SHOP DRAWING SUBMISSION. COORDINATE WITH CONSULTANT TO ENSURE APPROPRIATE SIZING ACCOMMODATED.
  - ALL GRID LINES OF EXISTING STRUCTURE ARE FROM CENTER OF THE EXISTING FOUNDATION WALLS AND ARE FOR REFERENCE ONLY.
  - ALL NEW INTERIOR PARTITION DIMENSIONS ARE TO FACE OF FINISHED WALLS UNLESS OTHERWISE NOTED.
  - CONSTRUCTION ASSEMBLIES SHALL BE READ IN SEQUENCE AS WRITTEN FROM THE SIDE ON WHICH THE TAG IS LOCATED.
  - ALL EXTERIOR WALLS ARE EXISTING.
  - PROVIDE BLOCKING FOR ALL WALL MOUNTED FIXTURES AND EQUIPMENTS.
  - COMPOSITE STAIR AND DECK CONSTRUCTION C/W ALUM. RAILING. SEE SPEC.
  - INSTALL PREFIN. METAL SIDING AT PERIMETER EXTERIOR FACE OF ICF WALL (TYPICAL).
  - NOTCH MILLWORK AROUND COLUMN.



300 - 214 McDermot Avenue, Winnipeg Manitoba R3B 0S3  
Tel (204) 956-0530 Fax (204) 943-5704 www.mmparchitects.com



5		
4		
3		
2		
1		
0	ISSUED FOR CONSTRUCTION	2017/07/21
Revision	Description	Date
Client		client

FISHERIES AND OCEANS CANADA

Project title  
**GIMLI, MB  
17 HARBOUR LANE**

Project  
**GIMLI SEARCH & RESCUE STATION**

Designed by  
**AS**

Drawn by  
**NL**

Approved by  
**CD**

PWGC Project Manager  
Administrateur de Projets TPSGC

Drawing title  
**ACCOMMODATION BUILDING**

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
<b>2016-39</b>	<b>A1.1</b> OF 6	<b>0</b>