



PRIME CONSULTANT, MECHANICAL & ELECTRICAL



ANTARES ENGINEERING GROUP INC.

ARCHITECTURAL



STAMP



GENERAL NOTES:

- CONTRACTOR MUST VERIFY ALL DIMENSIONS ON SITE BEFORE PROCEEDING WITH ANY PORTION OF THIS WORK. DO NOT SCALE DRAWING.

revisions	title	date
B	Issued for Tender	07.21.17
A	Issued for 90% Review	05.06.17

project District Office Infrastructure

John Cabot Building
St. John's, NL
Building ID: GOC00047

drawing EXISTING REFLECTED CEILING PLAN

designed EC/RF

date MAY 2017

drawn EC

date MAY 2017

approved RF

date MAY 2017

Tender Submission
Project Manager / administrateur de projets TPSCC

project number R.090120.001

drawing no. A-12.2


E-DRM/GDD-E

LEGEND:

- EXISTING WALL
- CEILING HEIGHT
- EXISTING DOOR
- EXISTING RECESSED FLUORESCENT LIGHTING
- LIMITS OF CONTRACT
- EXISTING METAL INFILL PANELS

SHEET NOTES:

- CAREFULLY REMOVE ALL EXISTING CEILING TILES AND GRID. TURNOVER TO DEPARTMENTAL REPRESENTATIVE.
- REMOVE EXISTING BULKHEAD AND DISPOSE OF OFF SITE TO A DESIGNATED AREA.
- EXISTING LIGHTING TO REMOVED AND TURNED OVER TO DEPARTMENTAL REPRESENTATIVE.
- REMOVE EXISTING METAL INFILL PANELS IN LIGHTS AND TURN OVER TO DEPARTMENTAL REPRESENTATIVE.
- EXISTING SPRINKLER HEADS TO REMAIN, TO BE SECURED AND PROTECTED DURING CONSTRUCTION.
- EXISTING SPEAKER TO BE RELOCATED, TO BE SECURED AND PROTECTED DURING CONSTRUCTION.
- EXISTING ELECTRICAL DEVICE TO REMAIN, TO BE SECURED AND PROTECTED DURING CONSTRUCTION.
- CAREFULLY REMOVE ACOUSTIC TILES AND SUSPENSION SYSTEM THROUGHOUT AREA OF WORK TO ALLOW FOR WORK. SAFELY STORE CEILING DURING WORK. REPLACE ALL DAMAGED ACOUSTIC TILES WITH NEW TO MATCH EXISTING. WHILE WORK IS ONGOING, SECURE AND MAINTAIN EXISTING MECHANICAL AND ELECTRICAL FIXTURES. SEE DRAWING A-2.2 FOR FURTHER DETAIL ON EXISTING FIXTURES TO BE SUPPORTED DURING CONSTRUCTION.



EXISTING REFLECTED CEILING PLAN
SCALE 1:20

1
A-12.2

