PART 1 – GENERAL

1.1 DESCRIPTION OF WORK

This Section includes but is not limited to the following:

.1 All sitework, demolition and removals as required to complete the work. All items to be verified prior to submission of a tender. All available plans of the existing structure are available for viewing at PWGSC office, 3 Queen Street, Charlottetown, P.E.

1.2 RELATED WORK

.1 Refer to Section 01 33 00 for Submittal Procedures.

1.3 SUBMISSIONS

.1 Methodology:
.1 Provide methodology for carrying out the major components of the work.

.2 Provide submissions in accordance with Section 01 33 00.

1.4 PROTECTION

.1 Prevent movement, settlement or damage of adjacent structures. Provided bracing and shoring as required. In event of damage, immediately replace such items or make repairs to approval of a Departmental Representative and at no additional cost.

.2 Prevent debris from entering harbour and creating navigational hazards.

.3 All damage to existing structures, roadways, etc., not specified for removal to be repaired at the Contractor’s cost to the satisfaction of the Departmental Representative.

.4 Do not load or travel on any structures other than those designated for replacement.

.5 Do not travel on harbour bridge with loads greater than posting of 4500kg per axle or 5500 kg gross vehicle mass.

.6 Provide the same protection of the East Breakwater against overload as presently provided by the West Breakwater throughout construction

1.5 MEASUREMENT OF PAYMENT

.1 Demolition and removals will be measured in accordance with Section 01 10 10 and shall include demolitions, selective demolitions, removals, transportation, disposal, environmental protective measures, and site cleanup.

.2 Disposal of creosote timber will be a separate Unit Price item in accordance with Section 01 10 10.

PART 2 – PRODUCTS Not applicable.

PART 3 – EXECUTION

3.1 PREPARATION

.1 Inspect site and verify with a Departmental Representative items designated for removal and items to be preserved.

.2 Do not disturb adjacent structures designated to remain in place.

3.2 REMOVAL

.1 Remove items indicated.

.2 At end of each day’s work, leave work in

safe condition so no part is in danger of toppling or failing.

.3 Excavate to extents and dimensions indicated on the drawings.

.4 Do not leave existing or new structure open or exposed to the elements at the end of each day. This is of particular importance with regard to wave exposure.

3.3 DISPOSAL OF MATERIAL

.1 All creosote materials to be disposed of at land fill located in Wellington, PE or approved equivalent.

3.4 RESTORATION

.1 Upon completion of work, remove debris, trim surfaces and leave work site clean.

.2 Reinstate areas and existing works outside areas of demolition to conditions that existed prior to commencement of work. Match condition of adjacent, undisturbed areas.

END OF SECTION