



**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS A:  
Bid Receiving/Réception des  
sousmissions**

**RCMP / GRC  
Procurement & Contracting services  
c/o Commissionaires, F Division  
6101 Dewdney Avenue  
Regina, SK S4P 3K7**

**Facsimile Number for Amendments:  
(306) 780-3466**

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

**The referenced document is hereby  
revised; unless otherwise indicated, all  
other terms and conditions remain the  
same.**

**Ce document est par la présente révisé;  
sauf indication contraire, les modalités  
de l'invitation demeurent les memes.**

**Comments - Commentaries**

**Vendor/Firm Name and Address  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Facsimile No. - No de télécopieur:**

**Telephone No. - no de téléphone:**

Title-Sujet <b>Damp Proof Basement Walls</b>	
Solicitation No. - No. de l'invitation <b>M5000-18-2161/A</b>	Date <b>18 September 2017</b>
Amendment No. - No modif. <b>04</b>	
Client Reference No. - No. De Référence du Client <b>M5000-18-2161/A</b>	
GETS Reference No. - No. de Référence de SEAG <b>PW-17-00792559</b>	
Solicitation Closes -L'invitation prend fin <b>at - à 2 :00 pm Central Standard Time on - le 20 September 2017</b>	
F.O.B. - F.A.B. Destination	
Address Enquiries to: - Adresser toutes questions à: <b>Teresa Hengen, Senior Contracting Officer</b>	
Telephone No. - No de téléphone <b>(639) 625-3449</b>	Fax No. - N° de FAX: <b>(306) 780-3466</b>
Destination of Goods, Services, and Construction: <b>Destinations des biens, services et construction:</b> Royal Canadian Mounted Police Academy-Depot Division Medical Treatment Centre 5600 11 <sup>th</sup> Ave Regina, SK	
<b>This document does not contain a PERSONNEL SECURITY Clearance requirements</b>	
Delivery Required - Livraison exigée:	Delivery Offered - Livraison proposée
Name and title of person authorized to sign on behalf of Vendor/Firm <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur</b>	



This amendment is raised to provide additional information:

All concrete to be sulfate resistant, 35 mpa , ( flat work 6" thick) , unless otherwise specified, concrete to be sealed with AC-30 , reinforcements to be 15 M (min) rebar 16" o.c. in flat work, all base material to be type # 32 compacted base.

Existing elevation would be maintained to match up to door ways.