



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3
Bid Fax: (403) 292-5786

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

National Individual Standing Offer (NISO)

Offre à commandes individuelle nationale (OCIN)

The referenced document is hereby revised; unless
otherwise indicated, all other terms and conditions of
the Offer remain the same.

Ce document est par la présente révisé; sauf
indication contraire, les modalités de l'offre demeurent
les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services
Canada/Travaux publics et Services
gouvernementaux Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

Title - Sujet PVC, ABS, and PP Edgebanding		
Solicitation No. - N° de l'invitation 21C11-177016/A		Date 2017-09-19
Client Reference No. - N° de référence du client 21C11-177016		Amendment No. - N° modif. 003
File No. - N° de dossier CAL-6-39105 (142)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$CAL-136-6618		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2017-07-28
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-09-27		Time Zone Fuseau horaire Mountain Daylight Saving Time MDT
Address Enquiries to: - Adresser toutes questions à: Blake, Luke		Buyer Id - Id de l'acheteur cal142
Telephone No. - N° de téléphone (403) 613-0725 ()		FAX No. - N° de FAX (403) 292-5786
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

This amendment has been raised to answer questions from industry and amend solicitation 21C11-177016 as follows:

- Q1. In response to compliance matrix item: A.1 Light resistance must meet ISO 4892-2; and A.3 Chemical resistance must meet DNI 68 861 (which relate to B1, B3, C1, C3, D1, D3, E1, E3).

Light resistance and chemical resistance have never been asked by any of our clients. I have talked to our PVC /ABS/PP suppliers (one of North Americas largest plastics compound companies) and they indicate they have never been asked for these tests and that it would take money and time to do so. The tests are also very cumbersome. Can you please review this specification and advise if it can be revised?

- A1. Upon review of the requirement, CORCAN has determined that these two requirement are suitable but not mandatory. They (along with B1, B3, C1, C3, D1, D3, E1, and E3) will be removed from the compliance matrix.

Closing date extended as follows:

Old Closing Date: 14:00 MST September 22, 2017

New Closing Date: 14:00 MST September 27, 2017

On page 63 of 72 under Annex "C" Compliance Matrix:

Delete: In its entirety

Insert: *(see next page)*

ANNEX "C"

COMPLIANCE MATRIX

COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

A complete list of the minimum mandatory performance specifications are detailed below in the "Compliance Matrix". Bidders are to clearly demonstrate compliance with each mandatory specification.

1. Bidders **must** show compliance by addressing each performance specification in the Compliance Matrix, whether the product offered "meets" or "doesn't meet".
2. Bidders are requested to indicate how they meet each performance specification by recording this information under the Performance Specification Offered column in the Compliance Matrix.
3. It is requested that supporting technical documentation, including but not limited to, specification sheets, technical brochures, photographs or illustrations be provided with the bid at solicitation close and be cross-referenced on the Compliance Matrix for each performance specification to outline where in the supporting technical documentation it demonstrates compliance. It is the Bidders responsibility to ensure that the submitted supporting technical documentation provides detail to prove that the proposed product(s) meet the requirements of the Performance Specification. If published supporting technical document is not available, the Bidder should prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance.
4. If the supporting documentation referenced above has not been provided at bid closing, the Contracting Authority will notify the Bidder that they must provide supporting documentation within two (2) business days following notification. Failure to comply with the request of the Contracting Authority within that time period, will deem the bid non-responsive and the bid will be given no further consideration.
5. Bidders must address any concerns with the performance specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
6. Failure to meet each mandatory performance specification will result in the bid being deemed non-responsive, and be given no further consideration.

COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS:

Item #	Performance Specification	Status (M) Mandatory (D) Desirable*	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidder should indicate how they meet the performance specification by	Cross Reference: In this column, Bidders should cross-reference where this performance
--------	---------------------------	---	--	--	---

N° de l'invitation - Solicitation No.
21C11-177016/A
N° de réf. du client - Client Ref. No.
21C11-177016

N° de la modif - Amd. No.
03
File No. - N° du dossier
CAL-6-39105

Id de l'acheteur - Buyer ID
CAL142
N° CCC / CCC No./ N° VME - FMS

				recording this information in this column	specification is indicated in their supporting documents.
A	Test Standard:				
A.1	Shore D hardness must meet DNI 53 505 / ISO 868.	M			
B	Semi-rigid PVC edging:				
B1	Shore D hardness must be 62 (+/- 5).	M			
B2	Must provide thickness of 0.5 mm, 1 mm, and 3 mm.	M			
B3	Must provide width of 25 mm and 35 mm (tolerance of +/- 2 mm).	M			
C	Rigid PVC Edging				
C.1	Shore D hardness must be 80 (+/-5)	M			
C.2	Must provide thickness of 0.5 mm, 1 mm, and 3 mm.	M			
C.3	Must provide width of 25 mm and 35 mm (tolerance of +/- 2 mm).	M			
D	ABS Edging				
D.1	Shore D hardness must be 72 (+/-5)	M			
D.2	Must provide thickness of 0.5 mm, 1 mm, and 3 mm.	M			
D.3	Must provide width of 25 mm and 35 mm (tolerance of +/- 2 mm).	M			
E	PP Edging				
E.1	Shore D hardness must be 71 (+/- 5).	M			
E.2	Must provide thickness of 0.5 mm, 1 mm, and 3 mm.	M			

N° de l'invitation - Solicitation No.
21C11-177016/A
N° de réf. du client - Client Ref. No.
21C11-177016

N° de la modif - Amd. No.
03
File No. - N° du dossier
CAL-6-39105

Id de l'acheteur - Buyer ID
CAL142
N° CCC / CCC No./ N° VME - FMS

E.3	Must provide width of 25 mm and 35 mm (tolerance of +/- 2 mm).	M			
F	Offeror must be able to match solid colours, wood grain colours, and colour patterns that complement Arborite surfaces. Refer to Annex D - Colour Requirements Annex for a list of examples.	M			

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME