


ASPHALT SECTION
NOT TO SCALE

1
C06/C20




NOTES:
1. CONTROL JOINTS AT 3m INTERVALS
- MINIMUM 1/4 OF THICKNESS


BARRIER CURB

SCALE : 1:10


4
C06/C20



NOTE:
ALL CASTINGS MUST HAVE A PERMANENT MARKING IDENTIFYING THE MANUFACTURER, MAKE AND MODEL NUMBER OF THE CASTING.




NOTE:
FRAME IS CAST IRON TO ASTM A48 CLASS 30 MINIMUM WEIGHT 95.3 kg.



CATCH BASIN OR MANHOLE
NOT TO SCALE


9
C17/C20



ASPHALT MILL JOINT

SCALE : 1:10

2
C06/C20




NOTES:
1. CONTROL JOINTS AT 3m INTERVALS
- MINIMUM 1/4 OF THICKNESS. ALIGN WITH SIDEWALK JOINTS WHERE CURB ABUTS SIDEWALK
2. SURROUNDED WITH NON-WOVEN GEOTEXTILE

CURB AND GUTTER

SCALE : 1:10


5
C19/C20



TYPICAL PIPE TRENCH

SCALE : 1:20


7
C17/C20




WOODEN OUTLET STRUCTURE

SCALE : 1:20

10
C18/C20



SIDEWALK SECTION




CONTROL JOINT

EXPANSION JOINT

CONCRETE SIDEWALK

SCALE : 1:10


3
C06/C20



DRAINAGE SWALE

SCALE : 1:50


6
C18/C20



STORM WATER STORAGE PIPES

NOT TO SCALE

8
C17/C19



ORIFICE PLATE

NOT TO SCALE

11
C17/C20

revisions	date
5	ISSUED FOR TENDER 09.15.2017
4	RS4 - 100% SUBMISSION 09.01.2017
3	RS4 - 99% SUBMISSION 06.30.2017
2	RS4 - 66% SUBMISSION 05.31.2017
1	RS4 - 33% SUBMISSION 04.30.2017
0	RS3 SUBMISSION 03.31.2017

project GREEN GABLES-PHASE 2
NEW VISITOR CENTRE
QUEENS CO., PEI

drawing CIVIL DETAILS

designed BT	conçu
drawn MT	dessiné
date APR-2017	
approved	approuvé
date	
Tender	Soumission
PWGSC Project Manager	Administrateur de projets TPSGC
project number	no. du projet
	R.081199.001
drawing no.	no. du dessin
	C20 OF 20