



CONSTRUCTION GENERAL NOTES


- IMPORTANT: ALL WALLS NOTED AS FIRE SEPARATIONS MUST CONFORM TO RATING. ALL EXISTING WALLS MUST BE CONFIRMED THAT THEY MEET RATING DESIGNATION OR MUST BE UPGRADED AS REQUIRED. ALL RATED WALLS MUST GO TO U/S OF STRUCTURE ABOVE AND BE PROPERLY SEALED TO MAINTAIN FIRE RATING. ALL PENETRATIONS THROUGH WALLS MUST BE PROPERLY SEALED AND/OR HAVE APPROPRIATE FIRE RATED ITEMS (EG. FIRE DAMPERS).
- WHERE NEW DOORS ARE LOCATED IN EXISTING WALLS, PATCH AND REPAIR ALL DAMAGED EDGES AND SURFACES OF THE EXISTING WALL TO MATCH EXISTING.
- WHERE OPENINGS BETWEEN FLOORS ARE ENCOUNTERED DURING THE COURSE OF RENOVATIONS, INFILL OPENINGS WITH APPROPRIATE 1 HOUR FIRESTOPPING MATERIAL. REFER TO SPECIFICATIONS.
- PATCH AND REPAIR ALL EXISTING DAMAGED WALLS, CEILING, & FLOORS IN AREAS OF RENOVATIONS TO MATCH EXISTING.
- REFER TO ROOM FINISH SCHEDULE FOR EXTENT OF NEW FINISHES.
- REFER TO MECHANICAL AND ELECTRICAL DRAWINGS. PATCH ALL EXISTING WALLS AND CEILINGS WHERE EXISTING DUCTS AND GRILLES REMOVED. PATCH TO MATCH EXISTING.
- ALL EXISTING WASHROOM FIXTURES AND ACCESSORIES ARE TO BE PROTECTED DURING THE COURSE OF THE RENOVATIONS.




1 PLAN DETAIL
A1.0 A1.2 1:10




2 PLAN DETAIL
A1.0 A1.2 1:10




3 PLAN DETAIL
A1.0 A1.2 1:10



4 PLAN DETAIL
A1.0 A1.2 1:10




5 DOOR DETAIL
A1.1 A1.2 1:10




6 PLAN DETAIL
A1.0 A1.2 1:10




7 DOOR DETAIL
A1.1 A1.2 1:10




8 WINDOW DETAIL
A1.1 A1.2 1:10




10 STC 52 DOOR DETAIL
A1.1 A1.2 1:1




11 PLAN DETAIL
A1.0 A1.2 1:10




12 PLAN DETAIL
A1.0 A1.2 1:10




13 DRYWALL DETAIL
A1.1 A1.2 1:5




16 BAFFLE DETAIL
A1.1 A1.2 1:10




17 BALLISTIC CEILING DETAIL
A1.1 A1.2 1:10




18 SECTION AT COUNTER
A1.1 A1.2 1:10




19 SECTION AT OPEN MILLWORK
A1.1 A1.2 1:10




9 DRYWALL DETAIL
A1.1 A1.2 1:5




14 SECTION AT SHELF
A1.1 A1.2 1:10



15 ELEVATION AT SHELF
A1.1 A1.2 1:10



20 ELEVATION AT OPEN MILLWORK
A1.1 A1.2 1:10



Revision	Description	Date
5		
4		
3		
2	ISSUED FOR CONSTRUCTION	2015/02/23
1	ISSUED FOR 99% REVIEW	2014/12/22
0	ISSUED FOR 50% REVIEW	2014/10/20

Client: client

ROYAL CANADIAN MOUNTED POLICE D-DIVISION
1091 PORTAGE AVENUE WINNIPEG, MANITOBA

Project: WINNIPEG, MANITOBA
1091 PORTAGE AVENUE
D-DIVISION HEADQUARTERS
FIRING RANGE UPGRADE

Designed by: S. Shaw
Drawn by: C. Falkenberg
Approved by: M. Duhoux

FWGSC Project Manager: P. Ducharme

Drawing title: WINNIPEG FIRING RANGE SUB BASEMENT SECTIONS AND ELEVATIONS

Project no./No. du projet: A1.2
Drawing no./No. du dessin: 0
Revision no.: 0