


PRELIMINARY
NOT FOR CONSTRUCTION

HDK HDK CONSULTING INCORPORATED
55-81 Garry St.
Winnipeg, Manitoba
Canada, R3C 4J9
T: 204.618.0388
F: 204.618.0388
www.hdkconsulting.com
info@hdkconsulting.com
Mechanical | Electrical | Communications | Security Engineering



1 PARTIAL ELECTRICAL SUB-BASEMENT – POWER DEMOLITION PLAN
DE2.0 DE2.0 1:100

NOTES:

1. MAINTAIN THE INTEGRITY OF ALL EXISTING SYSTEMS REQUIRED TO REMAIN OPERATIONAL. IDENTIFY ALL CIRCUIT BREAKERS, WIRING, JUNCTION BOXES AND DEVICES PRIOR TO PROCEEDING WITH WORK. CONTACT DEPARTMENTAL REPRESENTATIVE IF UNSURE BEFORE SHUTDOWNS, DEMOLITION, OR RELOCATION OF ANY DEVICES.
2. ALL ITEMS SHOWN DASHED WITH AN 'E' ARE EXISTING AND ARE TO REMAIN OR BE RELOCATED AS REQUIRED. ITEMS SHOWN DASHED WITH A 'D' ARE TO BE DISCONNECTED AND REMOVED AND HAVE ALL ASSOCIATED WIRE AND CONDUIT REMOVED BACK TO SOURCE.
3. EXTEND, RE-ROUTE, RE-WIRE AND RE-CONNECT ALL EXISTING DEVICES TO BE RELOCATED.
4. WIRE AND CONDUIT SERVING DEVICES REQUIRED TO REMAIN IN USE SHALL BE RE-ROUTED AND DIVERTED AS REQUIRED TO MAINTAIN OPERATION. EXTEND, RE-ROUTE, RE-WIRE AND RE-CONNECT AS REQUIRED. CONFIRM EXISTING ON SITE.
5. PROVIDE NEW BLANK STAINLESS STEEL COVERPLATES FOR ALL ABANDONED OUTLETS.
6. REPORT ANY DISCREPANCIES BETWEEN THE CONTRACT DOCUMENTS AND SITE OBSERVATIONS TO DEPARTMENTAL REPRESENTATIVE.
7. NOT ALL DEVICES AND ELECTRICAL EQUIPMENT IS BEING SHOWN ON ELECTRICAL DRAWINGS. REMOVE ALL EXISTING ELECTRICAL DEVICES LOCATED ON INDICATED WALLS OR PORTIONS OF THE BUILDING BEING DEMOLISHED. MAINTAIN INTEGRITY OF ALL EXISTING ELECTRICAL SYSTEMS IN AREAS NOT INCLUDED IN THIS PROJECT AND IN PARTS OF THE BUILDING WITHIN RENOVATION THAT ARE NOT SUBJECTED TO ANY DEMOLITION WORK.
8. REFER TO SYMBOL SCHEDULE FOR ELECTRICAL SYMBOLS AND LETTER DESIGNATIONS.
9. NO SPLICING OF EXISTING AND NEW WIRING WILL BE ALLOWED IN THE BUILDING. EXISTING ELECTRICAL DEVICES REMAINING IN SAME LOCATIONS FED FROM RELOCATED PANELS HAVE TO BE REWIRED COMPLETELY TO NEW PANEL LOCATION. EXISTING PANELS AND OTHER DISTRIBUTION EQUIPMENT IN THE AREA OF DEMOLITION ARE TO BE DISCONNECTED AND REMOVED IF NECESSARY. THE EXISTING ASSOCIATED WIRING IS TO BE PULLED BACK TO THE SOURCE, REMOVED AND REPLACED WITH NEW WIRING.
10. EXISTING TARGETING SYSTEM CONTROL PANEL TO BE COMPLETELY DISCONNECTED AND REMOVED ALONG WITH ALL ASSOCIATED WIRE AND CONDUIT.
11. ALL EXISTING DEVICES ON WALLS, FLOORS OR CEILING NOT BEING AFFECTED BY RENOVATION ARE TO REMAIN.



Revision	Description	Date
5		
4		
3		
2	ISSUED FOR CONSTRUCTION	FEB 23/15
1	ISSUED FOR 99% REVIEW	DEC 22/14
0	ISSUED FOR 50% REVIEW	OCT 20/14

Client: client

ROYAL CANADIAN MOUNTED POLICE D-DIVISION

1091 PORTAGE AVENUE
WINNIPEG, MANITOBA

Project: Project

WINNIPEG, MANITOBA
1091 PORTAGE AVENUE
D-DIVISION HEADQUARTERS

FIRING RANGE UPGRADE

Designed by: Conçu par
HUGO CEA CANAS / PAUL LAPOINTE

Drawn by: Dessiné par
PAUL LAPOINTE

Approved by: Approuvé par
HUGO CEA CANAS

PWGC Project Manager / Administrateur de Projets TPSCG
PAUL DUCHARME

Drawing title: Titre du dessin

PARTIAL ELECTRICAL SUB-BASEMENT POWER DEMOLITION PLAN

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
	DE2.0 OF XX	0