





374 Donald Street, First Floor
Winnipeg, MB R3B 2J2



KEY PLAN
 SCALE 1:1000




5		
4		
3		
2	ISSUED FOR CONSTRUCTION	2017/06/09
1	99% CONSTRUCTION DOCUMENT	2017/03/27
0	50% CONSTRUCTION DOCUMENT	2017/02/17
Revision	Description	Date
Client		client

SASKATOON, SASKATCHEWAN

Kitchen/Dining Renovations

PWGSC Project Manager Administrateur de Projets TPSGC
BRET WARD

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
R.079453.001	A2 OF 3	2



2870 CEILING HEIGHT, A.F.F.
ACT CEILING FINISH

610 X 610	NEW ACOUSTIC CEILING TILE
-----------	---------------------------

NEW SPRINKLER HEAD

1. PATCH & REPAIR ANY DAMAGE CAUSED DURING REMOVAL OF EXISTING. CONSTRUCTION AND PREPARE FOR NEW CONSTRUCTION.
2. REMOVED LIGHT FIXTURES TO BE RETURNED TO OWNER UNLESS OTHERWISE REQUESTED.
3. REMOVE EXISTING ACT. AND STORE GOOD CONDITION TILES (FULL TILES FREE OF DISCOLOURATION, HOLES AND STAINS) AND FIXTURES FOR RELOCATION AS INDICATED.

② REMOVE EXISTING CEILING TILE & GRID THROUGHOUT AREA OF RENOVATION UNLESS OTHERWISE INDICATED; SALVAGE CEILING TILES IN GOOD CONDITION FOR INSTALLATION IN ROOMS WHERE EXISTING ACT IS TO REMAIN

③ EXISTING DRYWALL CEILING AT 4060MM TO REMAIN.

1. NEW PAINT FINISH TO ALL EXPOSED NEW AND EXISTING GWB CEILINGS AND BULKHEADS THROUGHOUT AREA OF RENOVATION UNLESS OTHERWISE INDICATED.
2. ENSURE THAT ALL PIPING, DUCTING AND ANY OPENINGS THAT RUN THROUGH NEW SLAB TO SLAB PARTITIONS OR PLENUM BARRIERS ARE FIRESTOPPED (WITH A ULC RECOGNIZED SYSTEM) TO MEET FRR SEPARATIONS AND PROPERLY SEALED WITH ACOUSTIC CAULKING TO ACHIEVE ST3 SEPARATIONS. REFER TO MECHANICAL.
3. INSTALL BLOCKING AND/OR BRACING IN CEILING AS REQUIRED TO SUPPORT DOORS, FRAMES AND SLOTLIGHTS.
4. CEILING GRIDS TO BE LAID OUT SYMMETRICALLY IN ROOMS AND TO REDUCE CUTS IN CEILING TILES. CONFIRM START POINTS OF CEILING GRIDS WITH DEPARTMENTAL REPRESENTATIVE.

① NEW ACT CEILING - REFER TO SPEC.

② HEIGHT OF NEW CEILING TO MATCH EXISTING. INSTALL NEW ACT BELOW EXISTING GWB CEILING.

