



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada

Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1
Bid Fax: (306) 975-5397

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right
of Canada, in accordance with the terms and conditions
set out herein, referred to herein or attached hereto, the
goods, services, and construction listed herein and on any
attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la
Reine du chef du Canada, aux conditions énoncées ou
incluses par référence dans la présente et aux annexes
ci-jointes, les biens, services et construction énumérés
ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Speed Plow	
Solicitation No. - N° de l'invitation 5P426-170383/A	Date 2017-10-26
Client Reference No. - N° de référence du client 5P426-170383	
GETS Reference No. - N° de référence de SEAG PW-\$STN-203-5019	
File No. - N° de dossier STN-7-40027 (203)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-12-06	Time Zone Fuseau horaire Central Standard Time CST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: McDonald, Shannon M.	Buyer Id - Id de l'acheteur stn203
Telephone No. - N° de téléphone (306) 251-2684 ()	FAX No. - N° de FAX (306) 975-5397
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: PARKS CANADA; ELK ISLAND NATIONAL PARK 1-54401 RANGE ROAD 203 FORT SASKATCHEWAN Alberta T8L0V3 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Réception
des soumissions Travaux publics et Services gouvernementaux
Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS.....	2
2.3 ENQUIRIES - BID SOLICITATION.....	2
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES.....	4
4.2 BASIS OF SELECTION.....	4
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	4
5.1 CERTIFICATIONS REQUIRED WITH THE BID	5
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	5
PART 6 - RESULTING CONTRACT CLAUSES	6
6.1 SECURITY REQUIREMENTS	6
6.2 REQUIREMENT	6
THE CONTRACTOR MUST PROVIDE THE ITEMS DETAILED UNDER THE "REQUIREMENT" AT ANNEX "A".	6
6.3 STANDARD CLAUSES AND CONDITIONS.....	6
6.4 TERM OF CONTRACT	6
6.5 AUTHORITIES	7
6.6 PAYMENT	8
6.7 INVOICING INSTRUCTIONS	8
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	8
6.9 APPLICABLE LAWS.....	9
6.10 PRIORITY OF DOCUMENTS	9
6.11 <i>SACC MANUAL</i> CLAUSES.....	9
6.12 INSURANCE	9
6.13 INSPECTION AND ACCEPTANCE.....	9
ANNEX "A" - REQUIREMENT	10
ANNEX "B" – BASIS OF PAYMENT	13
ANNEX "C" TO PART 3 OF THE BID SOLICITATION	14
ANNEX "D" - MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS.....	15

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), and the Canadian Free Trade Agreement (CFTA).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2017-04-27) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)
Section II: Financial Bid (1 hard copy)
Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “C” Electronic Payment Instruments, to identify which ones are accepted.

If Annex "C" Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

3.1.3 SACC Manual Clauses

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

As per Annex D – Minimum Mandatory Performance Specifications

4.1.2 Financial Evaluation

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price

4.2 Basis of Selection

4.2.1 SACC Manual Clause A0031T (2010-08-16) Basis of Selection – Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.3.2 Warranty - Modification - General Conditions 2010A

Section 09 entitled *Warranty of general conditions 2010A* is amended by deleting subsection 2 in its entirety and replacing it with the following:

The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs.

All other provisions of the warranty section remain in effect.

6.4 Term of Contract

6.4.1 Delivery Date

While delivery is requested by March 28, 2018 the best delivery that could be offered is _____.

6.4.2 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Contract.

Solicitation No. - N° de l'invitation
5P426-170383/A
Client Ref. No. - N° de réf. du client
5P426-170383

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40027

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Shannon McDonald
Title: Procurement Officer
Public Works and Government Services Canada
Procurement Branch
Address: Suite 110, 101-22nd St E
Saskatoon SK S7K 0E1
Telephone: 306-251-2684
Facsimile: 306975-5397
E-mail address: Shannon.mcdonald@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is: **(To be provided at time of contract award)**

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone: _____

Facsimile: _____

E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified in Annex B – Basis of Payment. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work

6.6.2 Limitation of Price

SACC Manual clause [C6000C](#) (2017-08-17) Limitation of Price

6.6.3 Single Payment

SACC Manual Clause H1000C (2008-05-12) - Single Payment

6.6.4 SACC Manual Clauses

SACC Manual Clause C2000C (2007-11-30) – Taxes – Foreign Based Contractor

6.6.5 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

To be inserted at Contract Award

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the following address for certification and payment.
Elk Island National Park
1-54401 Range Road 203
Fort Saskatchewan, AB T8L 0V3
 - b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2016-04-04) General Conditions - Goods (Medium Complexity)
- (c) Annex Requirement;
- (d) the Contractor's bid dated _____

6.11 SACC Manual Clauses

B1501C	Electrical Equipment	2006-06-16
D0018C	Delivery and Unloading	2007-11-30

6.12 Insurance

SACC Manual clause G1005C (2016-01-28), Insurance – No Specific Requirement

6.13 Inspection and Acceptance

The Technical Authority is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Statement of Work and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

ANNEX "A" - REQUIREMENT

Parks Canada, Elk Island National Park, Fort Saskatchewan, Alberta has a requirement for the supply and delivery of one (1) speed plow.

The speed plow must conform to all applicable laws, regulations and industrial standards governing manufactures, safety, noise levels, and pollution in effect in Canada at the time of manufacture.

Product must meet or exceed the following specifications:

General
GVWR Minimum 14,900 kg.
Locking Rear Axle
Model Year 2017 or newer
Steel Dump/Combination Centre Sander box body style (see below)
Engine Equipment
Diesel Engine Minimum 250 HP
Engine block heater
Power steering
Minimum 160 Amp alternator
Transmission
Automatic Transmission
Transmission gears - minimum 5 speed
Front Axle and Suspension
Front axle rating minimum 5,443 kg (must accommodate snow plow)
Mud flaps installed
Rear Axle and Suspension
Rear Axle Rating minimum 9,500 kg (locking rear axle)
Mud flaps installed
Brake System
Must be a full air brake system in compliance with CMVSS 121
Frame and Chassis Equipment
Front and rear tow hooks
Heavy duty rear mounted receiver hitch c/w 7 pin and 7 flat blade w/electric brake control and rear glad hands
Frame reinforcements if necessary to accommodate snow plow
Back up alarm
Minimum Fuel Tank Capacity 200L
The vehicle including the integrated body must be provided with the manufacturers lighting package including integrated LED Body Lighting
Wheels and Tires
Front wheels must meet or exceed capacity of front axle
Rear axle(s) must be dual wheeled
Rear wheels must meet or exceed capacity of rear axle
1 sets of ice chains for rear dually tires.
1 full size spare wheel and tire.
Radial tires HD ply specified for on/off road (Winter rated)
Cab Exterior
Conventional day cab 2 door cab design
Exterior heated power mirrors

Solicitation No. - N° de l'invitation
 5P426-170383/A
 Client Ref. No. - N° de réf. du client
 5P426-170383

Amd. No. - N° de la modif.
 File No. - N° du dossier
 STN-7-40027

Buyer ID - Id de l'acheteur
 stn203
 CCC No./N° CCC - FMS No./N° VME

Blind spot mirrors
Over blade head light system installed with cab controls
Cab mounted LED amber beacon lights
Exterior mounted grab handle
Cab and box must be painted yellow as per Canadian General Standards Board (CGSB) Specification 1-GP-12c, gloss yellow, 505-101 using polyurethane automotive Enamel
Cab Interior
Power window controls and door locks
Tilt and telescoping steering wheel
Interior door mounted grab handle
Heater and defroster
Air conditioning
Circuit fuses 12v negative ground electrical system
Additional 12v power supply in cab
Air Ride Driver Bucket seat and single passenger seat
Cloth Seats
Radio AM/FM
Intermittent heated wipers
Steel Combination Centre Sander/Dump Box
Sander/Dump Body : Heavy duty body serving as a spreader or dump, transformed by a hydraulic tilting floor and doors that drop down to cover the conveyor chain and floor.
Box minimum 144 inches in length x 88 inches inside width
Cab mounted controls for sanding rate and spread
Cab shield constructed from minimum 10 gauge steel and reinforced at both ends
Access ladders to box on both sides immediately behind cab with grab handles
Side walls minimum 30 inches high with pockets to allow 2"x10" to be added to increase side wall height.
Front of dump should be over height of cab with at least 20" top deck
Double pivot tailgate with remote bottom locks
LED rear box mounted strobe amber beacon lights
Snow Plow Blade
Fully hydraulic with adjustments from inside cab
Fully articulating (up/down, left /right) (Two Way Blade)
Front Blade width minimum 144 inches x 48 inches high
Plow mounting system can remain on truck
High vis end marker whips
Additional LED plow lights
Cutting edge minimum 8 inch height with carbide insert
Moldboard must have replaceable height adjustable sled type shoes
Snow Wing
Wing attachment to be mounted on passenger side of truck
Wing control system equipped with panic button to provide fast mounting of wing in emergency situations
Wing adjustment mechanism shall be of a hydraulic telescopic type to allow for variations of ground height
Minimum length of wind blade 90 inches
Must be complete with replaceable carbide cutting edge on blade
Equipped with complete cab mounted controls for operation

Solicitation No. - N° de l'invitation
5P426-170383/A
Client Ref. No. - N° de réf. du client
5P426-170383

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40027

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

FOB Destination:

Parks Canada

Elk Island National Park
1-54401 Range Road 203
Fort Saskatchewan, AB T8L 0V3
Canada

DELIVERY

The speed plow must be assembled at the time of delivery. After the assembly it must be ready for use and operational. **The complete unit is desired to be delivered in one shipment.**

ANNEX "B" – BASIS OF PAYMENT

- ❖ Bidder must quote firm, all-inclusive prices, including all materials, equipment and travel as detailed in Annex A – Requirement. All surcharges (if applicable) must be included in the prices quoted herein.
- ❖ FOB Destination
- ❖ Price includes all shipping and delivery charges
- ❖ Customs duties are included.
- ❖ GST, if applicable, is to be shown as a separate item on any resulting invoice
- ❖ The speed plow must be assembled at the time of delivery. After the assembly it must be ready for use and operational. **The complete unit is desired to be delivered in one shipment.**

Item Description	Quantity	Price
Speed Plow as per the Annex A Requirement	One (1) complete unit as per Annex A Requirement	\$_____ /each

Solicitation No. - N° de l'invitation
5P426-170383/A
Client Ref. No. - N° de réf. du client
5P426-170383

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40027

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

ANNEX "C" to PART 3 OF THE BID SOLICITATION

ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- VISA Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);
- Large Value Transfer System (LVTS) (Over \$25M)

Annex “D” - MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

A complete list of the minimum mandatory performance specifications are detailed below in the “Compliance Matrix”. Bidders are to clearly demonstrate compliance with each mandatory specification.

1. Bidders **must** show compliance by addressing each performance specification in the Compliance Matrix, whether the product offered “meets” or “doesn’t meet”.
2. Bidders are requested to indicate how they meet each performance specification by recording this information under the Performance Specification Offered column in the Compliance Matrix.
3. It is requested that supporting technical documentation, including but not limited to, specification sheets, technical brochures, photographs or illustrations be provided with the bid at solicitation close and be cross-referenced on the Compliance Matrix for each performance specification to outline where in the supporting technical documentation it demonstrates compliance. It is the Bidders responsibility to ensure that the submitted supporting technical documentation provides detail to prove that the proposed product(s) meet the requirements of the Performance Specification. If published supporting technical document is not available, the Bidder should prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance.
4. If the supporting documentation referenced above has not been provided at bid closing, the Contracting Authority will notify the Bidder that they must provide supporting documentation within two (2) business days following notification. Failure to comply with the request of the Contracting Authority within that time period, will deem the bid non-responsive and the bid will be given no further consideration.
5. Bidders must address any concerns with the performance specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
6. Failure to meet each mandatory performance specification will result in the bid being deemed non-responsive, and be given no further consideration.

Requirement:	Manufacturer Offered:	Model number Offered#:
Speed Plow		

Item #	Performance Specification	Status (M) Mandatory (D) Desirable*	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidder should indicate how they meet the performance specification by recording this information in this column	Cross Reference: In this column, Bidders should cross-reference where this performance specification is indicated in their supporting documents.
1	General				
1.1	Gross Vehicle Weight Rating (GVWR) Minimum 14,900 kg.	Mandatory			
1.2	Locking Rear Axle	Mandatory			

Solicitation No. - N° de l'invitation
 5P426-170383/A
 Client Ref. No. - N° de réf. du client
 5P426-170383

Amd. No. - N° de la modif.
 File No. - N° du dossier
 STN-7-40027

Buyer ID - Id de l'acheteur
 stn203
 CCC No./N° CCC - FMS No./N° VME

1.3	Model Year 2017 or newer	Mandatory			
1.4	Steel Dump/Combination Centre Sander box body style (see below)	Mandatory			
2	Engine Equipment				
2.1	Diesel Engine Minimum 250 HP	Mandatory			
2.2	Engine block heater	Mandatory			
2.3	Power steering	Mandatory			
2.4	Minimum 160 Amp alternator				
3	Transmission				
3.1	Automatic Transmission	Mandatory			
3.2	Transmission gears - minimum 5 speed	Mandatory			
4	Front Axle and Suspension				
4.1	Front axle rating minimum 5,443 kg (must accommodate snow plow)	Mandatory			
4.2	Mud flaps installed	Mandatory			
5	Real Axle and Suspension				
5.1	Rear Axle Rating minimum 9,500 kg (locking rear axle)	Mandatory			
5.2	Mud flaps installed				
6	Brake System				
6.1	Must be a full air brake system in compliance with CMVSS 121	Mandatory			
7	Frame and Chassis Equipment				
7.1	Front and rear tow hooks	Mandatory			
7.2	Heavy duty rear mounted receiver hitch c/w 7 pin and 7 flat blade w/electric brake control and rear glad hands	Mandatory			
7.3	Frame reinforcements if necessary to accommodate snow plow	Mandatory			
7.4	Back up alarm	Mandatory			

7.5	Minimum Fuel Tank Capacity 200L	Mandatory			
7.6	The vehicle including the integrated body must be provided with the manufacturers lighting package including integrated LED Body Lighting	Mandatory			
8	Wheels and Tires				
8.1	Front wheels must meet or exceed capacity of front axle	Mandatory			
8.2	Rear axle(s) must be dual wheeled	Mandatory			
8.3	Rear wheels must meet or exceed capacity of rear axle	Mandatory			
8.4	1 sets of ice chains for rear dually tires.	Mandatory			
8.5	1 full size spare wheel and tire.	Mandatory			
8.6	Radial tires HD ply specified for on/off road (Winter rated)	Mandatory			
9	Cab Exterior				
9.1	Conventional day cab 2 door cab design	Mandatory			
9.2	Exterior heated power mirrors	Mandatory			
9.3	Blind spot mirrors	Mandatory			
9.4	Over blade head light system installed with cab controls	Mandatory			
9.5	Cab mounted LED amber beacon lights	Mandatory			
9.6	Exterior mounted grab handle	Mandatory			
9.7	Cab and box must be painted yellow as per Canadian General Standards Board (CGSB) Specification 1-GP-12c, gloss yellow, 505-101 using polyurethane	Mandatory			

	automotive Enamel				
10	Cab Interior				
10.1	Power window controls and door locks	Mandatory			
10.2	Tilt and telescoping steering wheel	Mandatory			
10.3	Interior door mounted grab handle	Mandatory			
10.4	Heater and defroster	Mandatory			
10.5	Air conditioning	Mandatory			
10.6	Circuit fuses 12v negative ground electrical system	Mandatory			
10.7	Additional 12v power supply in cab	Mandatory			
10.8	Air Ride Driver Bucket seat and single passenger seat	Mandatory			
10.9	Cloth Seats	Mandatory			
10.10	Radio AM/FM	Mandatory			
10.11	Intermittent heated wipers	Mandatory			
11	Steel Combination Centre Sander/Dump Box				
11.1	Sander/Dump Body: Heavy duty body serving as a spreader or dump, transformed by a hydraulic tilting floor and doors that drop down to cover the conveyor chain and floor.	Mandatory			
11.2	Box minimum 144 inches in length x 88 inches inside width	Mandatory			
11.3	Cab mounted controls for sanding rate and spread	Mandatory			
11.4	Cab shield constructed from minimum 10 gauge steel and reinforced at both ends	Mandatory			
11.5	Access ladders to box on both sides immediately behind cab	Mandatory			

	with grab handles				
11.6	Side walls minimum 30 inches high with pockets to allow 2"x10" to be added to increase side wall height.	Mandatory			
11.7	Front of dump should be over height of cab with at least 20" top deck	Mandatory			
11.8	Double pivot tailgate with remote bottom locks	Mandatory			
11.9	LED rear box mounted strobe amber beacon lights	Mandatory			
12	Snow Plow Blade				
12.1	Fully hydraulic with adjustments from inside cab	Mandatory			
12.2	Fully articulating (up/down, left /right) (Two Way Blade)	Mandatory			
12.3	Front Blade width minimum 144 inches x 48 inches high	Mandatory			
12.4	Plow mounting system can remain on truck	Mandatory			
12.5	High vis end marker whips	Mandatory			
12.6	Additional LED plow lights	Mandatory			
12.7	Cutting edge minimum 8 inch height with carbide insert	Mandatory			
12.8	Moldboard must have replaceable height adjustable sled type shoes	Mandatory			
13	Snow Wing				
13.1	Wing attachment to be mounted on passenger side of truck	Mandatory			
13.2	Wing control system equipped with panic button to provide fast mounting of wing in emergency situations	Mandatory			

Solicitation No. - N° de l'invitation
5P426-170383/A
Client Ref. No. - N° de réf. du client
5P426-170383

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40027

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

13.3	Wing adjustment mechanism shall be of a hydraulic telescopic type to allow for variations of ground height	Mandatory			
13.4	Minimum length of wind blade 90 inches	Mandatory			
13.5	Must be complete with replaceable carbide cutting edge on blade	Mandatory			
13.6	Equipped with complete cab mounted controls for operation	Mandatory			