



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada**

**Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1
Bid Fax: (306) 975-5397**

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Corrugated Steel Pipe, Culverts	
Solicitation No. - N° de l'invitation 01R11-180665/A	Date 2017-11-07
Client Reference No. - N° de référence du client 01R11-180665	
GETS Reference No. - N° de référence de SEAG PW-\$STN-203-5021	
File No. - N° de dossier STN-7-40033 (203)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-12-19	Time Zone Fuseau horaire Central Standard Time CST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: McDonald, Shannon M.	Buyer Id - Id de l'acheteur stn203
Telephone No. - N° de téléphone (306) 251-2684 ()	FAX No. - N° de FAX (306) 975-5397
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Department of Agriculture and Agri-Food Canada See Herein	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Réception
des soumissions Travaux publics et Services gouvernementaux
Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS.....	2
2.3 ENQUIRIES - BID SOLICITATION.....	2
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES.....	4
4.2 BASIS OF SELECTION.....	5
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	5
5.1 CERTIFICATIONS REQUIRED WITH THE BID	5
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	5
5.3 BEST DELIVERY DATE - BID	6
PART 6 - RESULTING CONTRACT CLAUSES	6
6.1 SECURITY REQUIREMENTS	6
6.2 REQUIREMENT	6
6.3 STANDARD CLAUSES AND CONDITIONS.....	6
6.4 TERM OF CONTRACT	6
6.5 AUTHORITIES	7
6.6 PAYMENT	8
6.7 INVOICING INSTRUCTIONS	8
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	9
6.9 APPLICABLE LAWS.....	9
6.10 PRIORITY OF DOCUMENTS	9
6.11 <i>SACC MANUAL CLAUSES</i>	9
ANNEX "A" – REQUIREMENT	10
ANNEX B – BASIS OF PAYMENT.....	12
ANNEX "C" TO PART 3 OF THE BID SOLICITATION	16

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

"The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), and the Canadian Free Trade Agreement (CFTA)."

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003 \(2017-04-27\)](#) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.1.1 SACC Manual Clauses

B1000T (2014-06-26), Conditions of Material - Bid

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit

the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)
Section II: Financial Bid (1 hard copy)
Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “C” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “C” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

3.1.3 SACC Manual Clauses

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

- a) Ability to provide goods as per the Annex A – Requirement and Annex B – Basis of Payment

Compliance: YES _____ **No** _____

4.1.2 Financial Evaluation

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price

The financial evaluation will be completed as follows:

Table 1 Item 1 – Quantity x Unit Price = Extended Price 1

Table 1 Item 2 – Quantity x Unit Price = Extended Price 2

Extended Price 1 + Extended Price 2 = Total Lot Price (T1)

Table 2 Item 1 – Quantity x Unit Price = Extended Price 1

Table 2 Item 2 – Quantity x Unit Price = Extended Price 2

Extended Price 1 + Extended Price 2 = Total Lot Price (T2)

Table 3 Item 1 – Quantity x Unit Price = Extended Price 1

Table 3 Item 2 – Quantity x Unit Price = Extended Price 2

Table 3 Item 3 – Quantity x Unit Price = Extended Price 3

Table 3 Item 4 – Quantity x Unit Price = Extended Price 4

Table 3 Item 5 – Quantity x Unit Price = Extended Price 5

Extended Price 1 + Extended Price 2 + Extended Price 3 + Extended Price 4 + Extended Price 5 = Total Lot Price (T3)

Total Lot Price (T1) + Total Lot Price (T2) + Total Lot Price (T3) = Evaluated Bid Price

4.2 Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

5.3 Best Delivery Date - Bid

While delivery is requested by March 30, 2018, the best delivery that could be offered is _____.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

6.4.2 Delivery Date

All the deliverables must be received on or before _____ (**To be inserted at Contract Award**).

6.4.5 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Contract.

Solicitation No. - N° de l'invitation
01R11-180665/A
Client Ref. No. - N° de réf. du client
01R11-180665

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40033

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Shannon McDonald
Title: Procurement Officer
Public Works and Government Services Canada
Procurement Branch
Address: Suite 110, 101-22nd St E
Saskatoon SK S7K 0E1
Telephone: 306-251-2684
Facsimile: 306-975-5397
E-mail address: Shannon.mcdonald@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is: ***To be inserted at Contract Award***

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: ____ _
Facsimile: ____ _
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____

Solicitation No. - N° de l'invitation
01R11-180665/A
Client Ref. No. - N° de réf. du client
01R11-180665

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40033

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

Facsimile: _____

E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a "firm lot price(s)", as specified in Annex B. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause [C6000C](#) (2017-08-17) Limitation of Price

6.6.3 Single Payment

Canada will pay the Contractor upon completion and delivery of the Work in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work delivered has been accepted by Canada.

6.6.4 SACC Manual Clauses

SACC Manual Clause C2000C (2007-11-30) Taxes – Foreign Based Contractor
SACC Manual Clause C2605C (2008-05-12) Canadian Customs Duties and Sales Tax - Foreign-based Contractor

6.6.5 Electronic Payment of Invoices – Contract

To be inserted at Contract Award

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the following address for certification and payment.
Agriculture and Agri-Food Canada

c/o Operations Services Supervisor
Box 1088
Swift Current SK S9H 3X3

- b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions [2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity) ;
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____

6.11 SACC Manual Clauses

A9068C (2010-01-11), Government Site Regulations
B7500C (2006-06-16), Excess Goods
G1005C (2016-01-28), Insurance - No Specific Requirement

ANNEX "A" – REQUIREMENT

For the supply and delivery of Corrugated Steel Pipe – Culverts, Couplers and Sluice Gates to the Department of Agriculture and Agri-Food Canada (AAFC) for delivery to 3 locations: Val Marie, Saskatchewan, Rush Lake, Saskatchewan, and Eastend, Saskatchewan.

DELIVERY

Val Marie is located approximately 120 km south of Swift Current, Saskatchewan on Hwy #4
Rush Lake is located approximately 30 km east of Swift Current, Saskatchewan on Hwy #1
Eastend is located approximately 30 km west of Shaunavon, Saskatchewan on Hwy #13

Delivery Location: Val Marie, Saskatchewan
<u>CULVERTS</u> All culverts to have both ends respun to allow for couplers Corrugated Steel Pipe, Culverts Galvanized, 2.8 wall thickness, 1400 mm diameter, 68x13 mm corrugation, 12.2 m length
<u>GATES</u> Sluice Gate with Coupler 600 mm diameter. - Flat back cast iron seat, slide and crossbar attached to galvanized steel frame yoke. - 20ft seating pressure - 10ft unseating pressure - Must come with frame, rising stem and wheel. Gate connection must be suitable for a near water tight connection to a 600 mm diameter corrugated steel pipe. All materials required for a near water tight connection must be supplied.
Delivery Location: Rush Lake, Saskatchewan
<u>CULVERTS</u> All culverts to have both ends respun to allow for couplers Corrugated Steel Pipe, Culverts Galvanized, 2.8 wall thickness, 1200 mm diameter, 68x13 mm corrugation, 12.2 m length
<u>GATES</u> Sluice Gate with Coupler 600 mm diameter. - Flat back cast iron seat, slide and crossbar attached to galvanized steel frame yoke. - 20ft seating pressure

- 10ft unseating pressure
- Must come with frame, rising stem and wheel.
Gate connection must be suitable for a near water tight connection to a 600 mm diameter corrugated steel pipe. All materials required for a near water tight connection must be supplied.

Delivery Location: Eastend, Saskatchewan

CULVERTS

All culverts to have both ends respun to allow for couplers

Corrugated Steel Pipe, Culverts
Galvanized, minimum 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 12.2 m length
Corrugated Steel Pipe, Culverts
Galvanized, minimum 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 9.1 m length
Corrugated Steel Pipe, Culverts
Galvanized, minimum 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 6.1 m length

COUPLERS

All couplers to be near water tight, bolt style.

Corrugated Steel Pipe, Couplers near water tight bolt style, 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 0.5 m length

GATES

Sluice Gate with Coupler
600 mm diameter.
- Flat back cast iron seat, slide and crossbar attached to galvanized steel frame yoke.
- 20ft seating pressure
- 10ft unseating pressure
- Must come with frame, rising stem and wheel.
Gate connection must be suitable for a near water tight connection to a 600 mm diameter corrugated steel pipe. All materials required for a near water tight connection must be supplied.

ANNEX B – Basis of Payment

***Applicable Taxes are to be excluded from the prices quoted herein**

***Applicable Taxes to be added as a separate item on the invoice, if applicable.**

Table 1 - Delivery Location: Val Marie, Saskatchewan

Item	Description	Qty	Unit Price	Extended Price (Qty x Unit Price)
1	<p>A. CULVERTS All culverts to have both ends respun to allow for couplers</p> <p>Corrugated Steel Pipe, Culverts Galvanized, 2.8 wall thickness, 1400 mm diameter, 68x13 mm corrugation, 12.2 m length</p>	4 each	\$_____	\$_____/Lot
2	<p>B. GATES Sluice Gate with Coupler 600 mm diameter.</p> <p>- Flat back cast iron seat, slide and crossbar attached to galvanized steel frame yoke.</p> <p>- 20ft seating pressure</p> <p>- 10ft unseating pressure</p> <p>- Must come with frame, rising stem and wheel. Gate connection must be suitable for a near water tight connection to a 600 mm diameter corrugated steel pipe. All materials required for a near water tight connection must be supplied.</p>	2 each	\$_____	\$_____/Lot
<p>F.O.B. Destination, All-inclusive delivery cost to Val Marie, Saskatchewan.</p> <p>*Contact information prior to delivery: (To be inserted at Contract Award)</p>				\$_____
TOTAL LOT PRICE (T1)				\$_____

Table 2 - Delivery Location: Rush Lake, Saskatchewan

Item	Description	Qty	Unit Price	Extended Price (Qty x Unit Price)
	A. <u>CULVERTS</u> All culverts to have both ends respun to allow for couplers			
1	Corrugated Steel Pipe, Culverts Galvanized, 2.8 wall thickness, 1200 mm diameter, 68x13 mm corrugation, 12.2 m length	1 each	\$ _____	\$ _____/Lot
	B. <u>GATES</u>			
2	Sluice Gate with Coupler 600 mm diameter. - Flat back cast iron seat, slide and crossbar attached to galvanized steel frame yoke. - 20ft seating pressure - 10ft unseating pressure - Must come with frame, rising stem and wheel. Gate connection must be suitable for a near water tight connection to a 600 mm diameter corrugated steel pipe. All materials required for a near water tight connection must be supplied.	6 each	\$ _____	\$ _____/Lot
F.O.B. Destination, All-inclusive delivery cost to Rush Lake, Saskatchewan.				\$ _____
*Contact information prior to delivery: (To be inserted at Contract Award)				
TOTAL LOT PRICE (T2)				\$ _____

Table 3 - Delivery Location: Eastend, Saskatchewan

Item	Description	Qty	Unit Price	Extended Price (Qty x Unit Price)
A. CULVERTS				
All culverts to have both ends respun to allow for couplers				
1	Corrugated Steel Pipe, Culverts Galvanized, minimum 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 12.2 m length	1 each	\$_____	\$_____/Lot
2	Corrugated Steel Pipe, Culverts Galvanized, minimum 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 9.1 m length	1 each	\$_____	\$_____/Lot
3	Corrugated Steel Pipe, Culverts Galvanized, minimum 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 6.1 m length	6 each	\$_____	\$_____/Lot
B. COUPLERS				
All couplers to be near water tight, bolt style.				
4	Corrugated Steel Pipe, Couplers near water tight bolt style, 2.0 wall thickness, 600 mm diameter, 68x13 mm corrugation, 0.5 m length	2 each	\$_____	\$_____/Lot

5	<p>C. GATES</p> <p>Sluice Gate with Coupler 600 mm diameter.</p> <ul style="list-style-type: none"> - Flat back cast iron seat, slide and crossbar attached to galvanized steel frame yoke. - 20ft seating pressure - 10ft unseating pressure - Must come with frame, rising stem and wheel. Gate connection must be suitable for a near water tight connection to a 600 mm diameter corrugated steel pipe. All materials required for a near water tight connection must be supplied. 	7 each	\$ _____	\$ _____/Lot
<p>F.O.B. Destination, All-inclusive delivery cost to Eastend, Saskatchewan.</p> <p>*Contact information prior to delivery: (To be inserted at Contract Award)</p>				\$ _____
TOTAL LOT PRICE (T3)				\$ _____
VAL MARIE, SASKATCHEWAN			TOTAL LOT PRICE (T1)	\$ _____
RUSH LAKE, SASKATCHEWAN			TOTAL LOT PRICE (T2)	\$ _____
EASTEND, SASKATCHEWAN			TOTAL LOT PRICE (T3)	\$ _____
BID PROPOSAL			TOTAL LOT PRICE (T1 + T2 + T3)	\$ _____

Solicitation No. - N° de l'invitation
01R11-180665/A
Client Ref. No. - N° de réf. du client
01R11-180665

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40033

Buyer ID - Id de l'acheteur
stn203
CCC No./N° CCC - FMS No./N° VME

ANNEX "C" to PART 3 OF THE BID SOLICITATION

ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- VISA Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);
- Large Value Transfer System (LVTS) (Over \$25M)