



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St./ 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Clothing and Textiles Division / Division des vêtements et des textiles
11 Laurier St./ 11, rue Laurier
6A2, Place du Portage
Gatineau, Québec K1A 0S5

Title - Sujet T-Shirts	
Solicitation No. - N° de l'invitation M7594-182812/A	Date 2017-11-16
Client Reference No. - N° de référence du client M7594-182812	
GETS Reference No. - N° de référence de SEAG PW-\$\$PR-735-73756	
File No. - N° de dossier pr735.M7594-182812	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-12-07	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Swanson, Manon	Buyer Id - Id de l'acheteur pr735
Telephone No. - N° de téléphone (819) 420-2945 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: ROYAL CANADIAN MOUNTED POLICE 440 Coventry Road, East dOOR Uniform and Equipment Program OTTAWA Ontario K1K 2C4 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

- 1.1 SECURITY REQUIREMENT
- 1.2 REQUIREMENT
- 1.3 DEBRIEFINGS
- 1.4 TRADE AGREEMENTS
- 1.5 CANADIAN CONTENT

PART 2 - BIDDER INSTRUCTIONS

- 2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS
- 2.2 SUBMISSION OF BIDS
- 2.3 ENQUIRIES - BID SOLICITATION
- 2.4 APPLICABLE LAWS
- 2.5 VIEWING SAMPLE
- 2.6 SPECIFICATIONS AND STANDARDS
- 2.7 TRANSPORTATION COSTS INFORMATION

PART 3 - BID PREPARATION INSTRUCTIONS

- 3.1 BID PREPARATION INSTRUCTIONS

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

- 4.1 EVALUATION PROCEDURES
- 4.2 BASIS OF SELECTION
- 4.3 CONTRACT FINANCIAL SECURITY
- 4.4 SECURITY DEPOSIT DEFINITION

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

- 5.1 CERTIFICATIONS REQUIRED WITH THE BID
- 5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION

PART 6 - RESULTING CONTRACT CLAUSES

- 6.1 SECURITY REQUIREMENT
- 6.2 REQUIREMENT
- 6.3 STANDARD CLAUSES AND CONDITIONS
- 6.4 TERM OF CONTRACT
- 6.5 AUTHORITIES
- 6.6 PAYMENT
- 6.7 INVOICING INSTRUCTIONS
- 6.8 CERTIFICATIONS
- 6.9 APPLICABLE LAWS
- 6.10 PRIORITY OF DOCUMENTS
- 6.11 MATERIALS: CONTRACTOR TOTAL SUPPLY
- 6.12 PLANT CLOSING
- 6.13 PLANT LOCATION
- 6.14 SUBCONTRACTOR(S)
- 6.15 ORIGIN OF WORK - DISCLOSURE OF INFORMATION

- 6.16 PRE-PRODUCTION
- 6.17 PRODUCTION MATERIAL REQUIREMENTS
- 6.18 PRODUCTION REQUIREMENTS
- 6.19 TECHNICAL REQUIREMENT FOR THE OPTIONS
- 6.20 CERTIFICATE OF COMPLIANCE, TEST REPORT AND COMPONENT SAMPLES DEFINITION
- 6.21 PATTERN
- 6.22 VIEWING SAMPLE Guidance Only
- 6.23 VIEWING SAMPLE – RETURN TO SENDER
- 6.24 SPECIFICATIONS AND STANDARDS
- 6.25 FINANCIAL SECURITY

LIST OF ANNEXES

ANNEX “A” REQUIREMENT

**ANNEX “B” G.S. 1045-342 SPECIFICATION SHIRT, T, CRESTED BLUE, MALE & FEMALE DATED
2017-06-19**

ANNEX “C” SIZE ROLL

PART 1 - GENERAL INFORMATION

1.1 Security Requirement

There is no security requirement associated with this bid solicitation.

1.2 Requirement

The "Requirement" is detailed under Annex A of the resulting contract clauses.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

The requirement is subject to the provision of the Canadian Free Trade Agreement (CFTA).

1.5 Canadian Content

The requirement is limited to Canadian goods and/or services.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2017/04/27) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days

Insert: 180 days

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

2.5 Viewing Sample

Viewing sample may be viewed (by appointment only) at the following offices:

Public Works & Government Services Canada
Supply Directorate
6th floor
1550 Ave D'Estimauville
Quebec, Que. G1J 0C7
TEL: 418-649-2714
FAX: 418-648-2209
Attention: Micheline Naud (micheline.naud@tpsgc-pwgsc.gc.ca)

Public Works & Government Services Canada
Place Bonaventure, South-East Portal
800 de La Gauchetière Street West, 7th Floor
Montreal, Quebec H5A 1L6
TEL: 514-496-3404
FAX: 514-496-3822
Attention: Viviane Rouhault (viviane.rouhault@tpsgc-pwgsc.gc.ca)

Public Works & Government Services Canada
Suite 480, 33 City Centre Drive
Mississauga, Ont. L5B 2N5
TEL: 905-615-2070
FAX 905-615-2023
Attention: **Rosy Gupta** (rosy.gupta@tpsgc-pwgsc.gc.ca)

Public Works & Government Services Canada
Suite 100, 167 Lombard Avenue
P.O. Box 1408
Winnipeg, Manitoba R3C 2Z1
TEL: 204-983-3774
FAX: 204-983-7796
Attention: Bev Laurin (bev.laurin@tpsgc-pwgsc.gc.ca)

Public Works & Government Services Canada
Telus Plaza North
10025 Jasper Avenue, 5th Floor
Edmonton, AB T5J 1S6
TEL: (780) 497-3517
FAX: (780) 497-3510
Attention: Nicole Boucher (wst-pa-edm@tpsgc-pwgsc.gc.ca)

Public Works & Government Services Canada
Pacific Region, SOSB, Industrial & Commercial Products
219 - 800 Burrard Street
Vancouver, B.C V6Z 0B9
TEL: 778-788-0237 (Amy Gerow) OR
TEL: 604-658-2799 (Betty Chan)
FAX: 604-775-7526
Attention: Amy Gerow (amy.gerow@tpsgc-pwgsc.gc.ca)
OR
Attention: Betty Chan (betty.chan@tpsgc-pwgsc.gc.ca)

2.6 Specifications and Standards

2.6.1 Canadian General Standards Board (CGSB) - Standards

A copy of the CGSB Standards referred to in the bid solicitation is available and may be purchased from:

Canadian General Standards Board
Place du Portage III, 6B1
11 Laurier Street
Gatineau, Québec
Telephone: (819) 956-0425 or 1-800-665-CGSB (Canada only)
Fax: (819) 956-5740
E-mail: ncr.cgsb-ongc@pwgsc-tpsgc.gc.ca

CGSB Website: <http://www.tpsgc-pwgsc.gc.ca/ongc-cgsb/index-eng.html>

2.7 Transportation Costs Information

The Bidder is requested to provide the following information concerning transportation costs for the delivery of the units to destination:

- (a) Shipping weight by unit; _____
- (b) Number of items by unit; _____
- (c) Cubic measurement by unit; _____
- (d) Number of units per shipment: _____
- (e) Name of shipping point; _____
- (f) Recommended method of shipment and carrier _____
- (g) Unit cost per Destination
- (h) Total cost \$ _____

The Bidder must include all transportation costs in their bid unit price at Annex A.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

- Section I: Technical Bid (3 hard copies)
- Section II: Financial Bid (1 hard copy)
- Section III: Certifications (1 hard copy)
- Section IV: Additional Information (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation;

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

3) Green Initiatives (for PWGSC information only)

Bidders are requested to provide details of their policies and practices in relation to the following initiatives:

- environmentally responsible manufacturing;
- environmentally responsible waste disposal;
- waste reduction;
- packaging;
- re-use strategies;- recycling.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work (reference pre-award sample, Part 4, Evaluation Procedures, 4.1.1.1 Mandatory Technical Criteria)

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

RCMP will issue payment via direct deposit or payment by cheque only

3.1.2 Exchange Rate Fluctuation

C3011T	2013/11/06	Exchange Rate Fluctuation
--------	------------	---------------------------

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

Section IV: Additional Information

3.1.3 Origin of Work

For each line item, bidders must identify the name(s) of the country or countries where the apparel goods are cut (or knit to shape) and sewn, regardless of whether the work is to be performed by the Bidder or one of its subcontractor(s).

The following information must be provided for each location where any of the goods are cut (or knit to shape) or sewn:

Line Item number _____

Country: _____

(Bidders must add additional lines if there is more than one manufacturer or one country per line item.)

Bidders must immediately inform Canada in writing of any and all changes affecting the information provided under this clause during the entire bid validity period.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

PRE-AWARD SAMPLE AND SUPPORTING DOCUMENTATION

A1) Pre-award sample

As part of the technical evaluation, to confirm a Bidder's capability of meeting the technical requirements, one (1) pre-award sample of the items listed below along with test reports and certificates of compliance will be required from low bidders after the bid closing date and must be submitted **within 42 calendar days at no charge to Canada**, upon a written request from the contracting authority. The pre-award samples must be properly identified with the size and the RCMP stock-item number.

- | | | |
|-------------------------------------|-------------|-----------------|
| 1. Shirt, T, Crested, Blue, Male, | Size Large | Stock #6068-300 |
| 2. Shirt, T, Crested, Blue, Female, | Size Medium | Stock #6067-250 |

- i) The Bidder must ensure that the required pre-award sample is manufactured in accordance with the technical requirement and is fully representative of the bid submitted. Rejection of the pre-award sample will result in the bid being declared non-responsive.

ii) The pre-award samples will be evaluated for quality of workmanship and conformance to specified materials and measurements. (Except for substitution as indicated below). Minor observations will not be a reason to reject the sample unless, in the opinion of the technical evaluator, they are considered to render the item unserviceable. However, only one deviation will result in the bid being declared non-responsive.

ii) In the event that a navy colour for the shell material and rib material (Annex B para 4.1.1 and para 4.1.2) is not available to the Bidder in a time frame to manufacture the pre-award samples, the Bidder may use black or other dark colour. Also, the Bidder must include a letter explaining the substitution submitted with the pre-award samples, together with a statement that, should the Bidder be awarded the contract, all materials will be strictly in accordance with the technical requirement.

A1.1) Viewing Sample

RCMP viewing samples will be provided to bidders who are requested to provide pre-award samples and are to be used for guidance for all factors not covered by the RCMP specification. The RCMP specification shall govern.

The viewing sample is not to be damaged or cut, but returned in the same condition as sent to the Bidder. The viewing sample must be returned to the RCMP with the pre-award samples. If the viewing sample is not returned with the pre-award sample(s), the Bidder will have **fourteen (14) calendar days** upon written notice from the Contracting Authority to return the viewing sample. Failure to return the viewing sample within that timeframe will result in the bid being declared non-responsive. If a bidder fails to submit a pre-award sample within the specified time frame or chooses not to submit the pre-award sample, the viewing sample must be returned directly to the RCMP within seven (7) calendar days of the written request by the Contracting Authority. Lost or damaged viewing samples must be reimbursed to the RCMP for the cost of an acceptable replacement.

A1.2) Patterns

A base pattern will be provided to bidder(s) who will be required to submit a pre-award sample. The pattern is the property of the RCMP and must be returned to PWGSC with the pre-award sample. If a bidder fails to submit a pre-award sample within the specified time frame or chooses not to submit the pre-award sample, the pattern must be returned directly to the RCMP within seven (7) calendar days of the written request by the Contracting Authority.

B) CERTIFICATES OF COMPLIANCE

The certificates of compliances (as defined hereunder) are required with the pre-award samples. The Certificates of compliance must be dated within 18 months of the solicitation posting date. The following Certificates are required:

- a) Thread, paragraph 4.1.4 of the specification (Annex B); and;
- b) Crest, paragraph 4.1.5 of the specification (Annex B)

B-1) CERTIFICATE OF COMPLIANCE-DEFINITION

i) A Certificate of Compliance is defined, for this document, as an original signed and dated certification to confirm that a specified component or requirement adheres to the specification. The certification must be prepared, signed and dated by an official representative of the component manufacturer using company letterhead making reference to the specification number and paragraph number. It must specifically address the component or requirement and compliance can be shown by referring to a part number, by providing the component values, by providing a manufacturing data sheet to show technical compliance or by a description stating compliance to the requirement. In-house testing is acceptable to show compliance. Copying the specification word for word is not acceptable.

ii) A separate certificate of compliance is required for each individual component or requirement. Multiple components supplied by the same component manufacturer may be submitted on one certificate of compliance as long as the paragraph numbers and components are clearly identified. With this document, the bidder certifies that the product for which the certificate of compliance is issued is the same product used in the bid submission, or in the pre-award samples or in the pre-production samples, or in the production units as applicable.

iii) The Bidder is to note that copies of invoices, purchase orders, packing slips and certificates of compliance for products or components that are not manufactured by the certifier are not suitable for use as a certificate of compliance.

C) TEST REPORTS:

The test report (as defined hereunder) are requested with the pre-award sample. Test reports must be dated within 12 months of the solicitation posting date and all tests must be performed on the same material within a two week period.

- a) Test report as per Table I (Annex B) for Shell Material – requirement 2 through 7 AND 12
- b) Test report as per Table II (Annex B) for Rib Material – requirement 2 through 7 AND 12
- c) Test reports for Table I (Annex B) – for requirement 8 through 11 may be submitted if using the approved colour.
- d) Test reports for Table II (Annex B) – for requirement 8 through 11 may be submitted if using the approved colour.

C-1) TEST REPORT DEFINITION:

Test report documents signed and dated by an independent, third-party accredited laboratory acceptable to the RCMP must include the test method, test conditions and test results performed to verify requirements as specified in this specification. Testing for each table must be performed in its entirety on the same garment and/or piece of material to adhere to all specified test methods and conditions.

D) GENERAL INFORMATION

- i. If a supporting documentation is not submitted with the pre-award sample, the Contracting Authority will inform the Bidder in writing and provide the Bidder with two (2) working days from the request to submit the supporting documentation.
- ii. Rejection of the pre-award sample, test reports or certificates of compliance will result in the bid being declared non-responsive.
- iii. The requirement for pre-award samples, test reports and certificates of compliance will not relieve the successful bidder from submitting samples as required by the contract terms or from strictly adhering to the technical requirement of this Request for Proposal and any resultant contract.
- iv. Failure to submit the required pre-award sample, test reports *and* certificates of compliance within the specified time frame will result in the bid being declared non-responsive. The sample and supporting documentation submitted by the Bidder will remain the property of Canada.
- v. The requirement for a pre-award sample and supporting documentation of the items may be waived if the Bidder has:
 - a) supplied the item to the Royal Canadian Mounted Police (RCMP) in accordance with Specification GS1045-342 within the last three (3) years from the closing date of this document.

Please specify:

Item supplied: _____

Your previous Contract/Standing Offer number: _____

- b) submitted a pre-award sample of the item on a previous requirement to specification GS1045-342 and where the pre-award sample was found to be compliant. It is mandatory that a copy of the evaluation report be provided upon request from the Contracting Authority.

If a) or b) above has been met, the Bidder represents and warrants that no significant changes have occurred in their manufacturing processes, their organization or their sub-contractors' organization since the last award or pre-award qualification that could affect the manufacturing of the referenced item.

The Bidder must submit the pre-award sample if a waiver is not given. The Bidder will be advised when the pre-award sample, test reports *and* certificates of compliance are required.

4.1.2 Financial Evaluation

4.1.2.1 Mandatory Financial Criteria

- a. The Bidder must submit firm unit prices in Canadian dollars, applicable taxes are excluded, DDP (destination as identified in Annex A) Incoterms 2000, transportation costs included, all applicable Customs Duties and Excise taxes included.
- b. The Bidder must submit firm unit pricing for all items including options and "as and when requested" quantities. (specials and regulars sizes)

4.1.2.2 SACC MANUAL CLAUSE

A9033T 2012/07/16 Financial Capability

4.2 Basis of Selection

A bid must comply with all requirements of the bid solicitation and meet all mandatory technical and financial evaluation criteria to be declared responsive.

Evaluation will be established using the firm quantities for all items, 100% of the option quantities and 100% of the "as and when requested" quantities (regular and special sizes). For the financial evaluation of the "as & when requested" regular size only, the unit price that will be used will be determined by calculating the average of the unit prices submitted for each year.

The responsive bid with the lowest evaluated aggregate price will be recommended for award of a contract (1 contract only).

4.3 Contract Financial Security

1. If this bid is accepted, the Bidder may be required to provide contract financial security, after the bid closing date and within 10 calendar days from receipt of a written request from the Contracting Authority.
 - (a) a security deposit as defined in clause "Security Deposit Definition" in the amount of up to ten percent (10%) of the contract price.
2. Security deposits in the form of government guaranteed bonds with coupons attached will be accepted only if all coupons that are unmaturing, at the time the security deposit is provided, are attached to the bonds. The Contractor must provide written instructions concerning the action to be taken with respect to coupons that will mature while the bonds are pledged as security, when such coupons are in excess of the security deposit requirement.
3. If Canada does not receive the required financial security within the specified period, Canada may, as its discretion, accept another offer, issue a new bid solicitation, award a contract or reject all the bids.

4.4 Security Deposit Definition

1. "security deposit" means
 - (a) a bill of exchange that is payable to the Receiver General for Canada, and certified by an approved financial institution or drawn by an approved financial institution on itself; or
 - (b) a Government guaranteed bond; or
 - (c) an irrevocable standby letter of credit, or
 - (d) such other security as may be considered appropriate by the Contracting Authority and approved by Treasury Board;
2. "approved financial institution" means
 - (a) any corporation or institution that is a member of the Canadian Payments Association;
 - (b) a corporation that accepts deposits that are insured by the Canada Deposit Insurance Corporation or the "Régie de l'assurance-dépôts du Québec" to the maximum permitted by law;
 - (c) a credit union as defined in paragraph 137(6) the *Income Tax Act*;
 - (d) a corporation that accepts deposits from the public, if repayment of the deposits is guaranteed by Canadian province or territory; or
 - (e) the Canada Post Corporation.

3. "government guaranteed bond" means a bond of the Government of Canada or a bond unconditionally guaranteed as to principal and interest by the Government of Canada that is:
- (a) payable to bearer;
 - (b) accompanied by a duly executed instrument of transfer of the bond to the Receiver General for Canada in accordance with the *Domestic Bonds of Canada Regulations*;
 - (c) registered in the name of the Receiver General for Canada.
4. "irrevocable standby letter of credit"
- (a) means any arrangement, however named or described, whereby a financial institution (the "Issuer"), acting at the request and on the instructions of a customer (the "Applicant"), or on its behalf,
 - (i) will make a payment to or to the order of Canada, as the beneficiary;
 - (ii) will accept and pay bills of exchange drawn by Canada;
 - (iii) authorizes another financial institution to effect such payment, or accept and pay such bills of exchange; or
 - (iv) authorizes another financial institution to negotiate, against written demand(s) for payment, provided that the conditions of the letter of credit are complied with.
 - (b) must state the face amount which may be drawn against it;
 - (c) must state its expiry date;
 - (d) must provide for sight payment to the Receiver General for Canada by way of the financial institution's draft against presentation of a written demand for payment signed by the authorized departmental representative identified in the letter of credit by his/her office;
 - (e) must provide that more than one written demand for payment may be presented subject to the sum of those demands not exceeding the face amount of the letter of credit;
 - (f) must provide that it is subject to the International Chamber of Commerce (ICC) Uniform Customs and Practice (UCP) for Documentary Credits, 2007 Revision, ICC Publication No. 600. Pursuant to the ICC UCP, a credit is irrevocable even if there is no indication to that effect; and
 - (g) must be issued (Issuer) or confirmed (Confirmer), in either official language, by a financial institution that is a member of the Canadian Payments Association and is on the letterhead of the Issuer or Confirmer. The format is left to the discretion of the Issuer or Confirmer.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the Forms for the Integrity Regime website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the Ineligibility and Suspension Policy (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the Employment and Social Development Canada (ESDC) - Labour's website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

5.2.3 Additional Certifications Precedent to Contract Award

5.2.3.1 Canadian Content Certification

5.2.3.1.1 SACC Manual clause A3050T (2014/11/27) Canadian Content Definition

Rules of Origin – Apparel

With reference to the Canadian Content Certification clause, apparel goods are considered to be Canadian goods according to the North American Free Trade Agreement Rules of Origin as follows:

Apparel goods classified in Chapters 61 and 62 of the Harmonized System that are both cut (or knit to shape) and sewn in Canada will be considered Canadian goods.

Canadian Content Certification

This procurement is limited to Canadian goods.

The Bidder certifies that:

() the good(s) offered are Canadian goods as defined in paragraph 1 of clause A3050T.

Plant Location

Items will be manufactured at: _____

5.2.3.2 Sample(s) and Production Certification

The Bidder certifies that:

() the manufacturer that produced the pre-award samples will remain unchanged for the pre-production sample and full production of the contract quantity, including options quantities and “as and when requested” quantities (special and regular sizes)

() The components that are used in the pre-production samples will remain unchanged for full production of the contract quantity, including option quantities and “as and when requested” quantities (special and regular sizes)

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under "Requirement" at Annex A.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

2030 (2016/04/04), General Conditions - Goods (Higher Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Delivery Requested (desirable) - Firm Quantity

The RCMP is requesting that the firm quantity be delivered complete by March 31, 2018 and first shipment be made within **45 calendar days** from the date of the written notice of approval of the production material requirements at Article 6.17.

Delivery – Firm Quantity – Phase

The first delivery must be made within _____ from the date of the written notice of approval of the production material requirements at Article 6.17. The quantity delivered must be _____ each. The balance must be delivered at the rate of _____ each weekly after the first delivery until completion of the Contract.

Delivery – Option Quantity

The delivery of the option quantity must commence within _____ calendar days from the date of the written notice of approval of the production samples and tests reports for the option and after final delivery of the contract quantity. The quantity delivered must be _____ each. The balance must be delivered at the rate of _____ each weekly after the first delivery until completion of the Contract.

6.4.1.1 Shipping Instructions - Delivery at Destination

1. Goods must be consigned to the destination specified in the Contract and delivered:

- (a) Delivered Duty Paid (DDP) (destination identified in Annex "A") Incoterms 2000 for shipments from commercial contractor.

6.4.1.2 Packaging, Marking, Rejected Goods, Overrun and Underrun

Packaging

Packing must be in accordance with standard commercial practice to ensure safe delivery at destination. Four units to be placed in plastic bags. For sizes XS to MED, 60 units to be placed in shipping container 23"L x 15"W x 12"D. For sizes L to XXXL, 48 units to be placed in shipping container 23"L x 15"W x 12"D.

Marking

- (a) Marking and labelling to be in accordance with the Specification.
- (b) Size, quantity and RCMP Stock Item Number to be indicated on single unit package, when specified.
- (c) Sizes, quantities and RCMP Stock Item Numbers to be indicated on carton.
- (d) Proper shipping documents must accompany each shipment. Packing slips must include the contract number, item description, size, RCMP stock item number and quantity per size being shipped.
- (e) Manufacturer's markings/advertisements will not appear on this item except on the inside label as per the specification/purchase description. Failure to comply with this article may result in rejection of goods upon inspection.

Rejected Goods

If any goods are rejected and are sold to commercial outlets, all RCMP markings and insignia must be removed before being turned over to the purchaser.

Overrun/Underrun

The quantities stated herein represent the quantities to be delivered in satisfaction of this requirement/contract. No overruns or underruns will be permitted. However, should the contractor experience an overrun, they must provide the details in writing to the Contracting Authority only after contracted quantities have been accepted by the RCMP. At their discretion, the Government may consider all or part of the overruns at a discount from the firm price on the original contract. Any unauthorized overruns will be returned to the contractor at their expense.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Manon Swanson
Public Works and Government Services Canada
Acquisitions Branch
Commercial and Consumer Products Directorate (CCPD)
Clothing & Textiles Division
Place du Portage, Phase III, 6A2
11 Laurier Street
Gatineau, Quebec K1A 0S5
Telephone: 819-420-2945 Facsimile: 819-956-5454
E-mail address: manon.swanson@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Technical Authority

The Technical Authority for this Contract is:

RCMP - Uniform & Equipment Program
Design & Technical Authority Section
440 Coventry Road (Warehouse Bldg.)
Ottawa, Ontario
K1A 0R2

The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

The person responsible for:

General enquiries

Name: _____
Telephone No.: _____
Facsimile No.: _____ E-mail address: _____

Delivery follow-up

Name: _____
Telephone No.: _____
Facsimile No.: _____ E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment – Firm Unit Price(s)

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm unit prices, as specified at Annex A for a cost of \$_____ (amount to be inserted at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 SACC Manual Clauses

H1001C 2008/05/12 Multiple Payments

6.6.3 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Direct Deposit (Domestic and International);

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - (a) the original and one (1) copy must be forwarded to the following address for certification and payment

Royal Canadian Mounted Police
Uniform & Equipment Program, 2nd floor
Attn: Planning & Accounting Section
440 Coventry Road (Warehouse Bldg.)
Ottawa, Ontario
K1A 0R2
Email: _____ (to be inserted at contract award)
 - (b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.
 - (c) One (1) copy must be forwarded to the consignee.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.8.2 SACC Manual Clauses

A3060C 2008/05/12 Canadian Content Certification

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the Articles of Agreement;
- b) the general conditions 2030 (2016/04/04), General Conditions - Goods (Higher Complexity);
- c) Annex A - Requirement;
- d) Annex B - Specifications GS.1045-342, dated 2017-06-19
- e) Patterns;
- f) Viewing Sample;
- g) the Contractor's bid dated _____

6.11 Materials: Contractor Total Supply

The Contractor will be responsible for obtaining all materials required in the manufacture of the items specified. The delivery stated herein allows the necessary time to obtain such materials.

6.12 Plant Closing

The Contractor's plant closing for Christmas and summer holidays are as follows. During this time there will be no shipments.

2017-2018

Christmas Holiday	FROM _____	TO _____
Summer Holiday	FROM _____	TO _____

2018-2019

Christmas Holiday	FROM _____	TO _____
Summer Holiday	FROM _____	TO _____

2019-2020

Christmas Holiday	FROM _____	TO _____
Summer Holiday	FROM _____	TO _____

2020-2021

Christmas Holiday	FROM _____	TO _____
Summer Holiday	FROM _____	TO _____

6.13 Plant Location

Items will be manufactured at: _____

6.14 Subcontractor(s)

The following subcontractor(s) will be utilized in the performance of the contract.

Name of Company: _____

Location: _____

Value of subcontract: \$ _____

Nature of subcontracting work performed: _____

Subcontractors, other than those listed above, may not be utilized without the written permission of Canada.

6.15 Origin of Work - Disclosure of Information

1. For each line item, the Contractor must specify the name(s) of all countries where the apparel goods are cut (or knit to shape) or sewn, regardless of whether the work is to be performed by the Contractor or one of its subcontractor(s).
2. The Contractor agrees that Canada may publicly disclose the information provided with respect the countries of origin.
3. The Contractor must immediately inform Canada in writing of any and all changes affecting the information provided under this clause during the entire contract period.

6.16 Pre-Production

A) Pre-Production Samples

1. Unless a waiver is granted by the RCMP Technical Authority, the Contractor must provide a pre-production sample of the items listed below for evaluation prior to full production. The waiving of the PPS will be at the sole discretion of the Technical Authority. The Technical Authority will provide notification of the waiver in writing to the Contractor and Contracting Authority. The pre-production samples must be submitted to the RCMP Technical Authority for acceptance **within 42 calendar days** from date of contract award. The Contractor must deliver the required pre-production samples transportation charges prepaid and without charges to Canada.

1. Shirt, T, Crested, Blue, Male,	Size Large	Stock #6068-300
2. Shirt, T, Crested, Blue, Female,	Size Medium,	Stock #6067-250
2. If the pre-production sample is rejected, the Contractor must submit (a) second pre-production sample **within 21 calendar days** of notification of rejection from the Technical Authority.
3. If the pre-production sample is accepted by either full acceptance or conditional acceptance, the Contractor must proceed with production as per the Contract requirements.
4. Rejection by the Technical Authority of the second pre-production sample submitted by the Contractor for failing to meet the contract requirements will be grounds for termination of the Contract for default.
5. The Contractor must carry out all required inspection and tests to verify conformance to the technical requirements of the Contract.
6. The pre-production sample submitted by the Contractor will remain the property of Canada.
7. The Technical Authority will notify the Contractor, in writing, of the full acceptance, conditional acceptance, or rejection of the pre-production sample. A copy of this notification will also be provided by the Technical Authority to the Contracting Authority. The notice of the full acceptance or conditional acceptance does not relieve the Contractor from complying with all requirements and conditions of the Contract.

8. The Contractor must not commence or continue with production of the items and must not make any deliveries until the Contractor has received a written notification from the Technical Authority that the pre-production sample is fully acceptable or conditionally acceptable. Any production of items before pre-production sample acceptance will be at the sole risk of the Contractor. If the pre-production sample is accepted by either full acceptance or conditional acceptance, the Contractor must proceed with production as per the Contract requirements.

B) Pre-Production Supporting Documentation

B-1 Supporting Documentation Applicable to a Pre-qualified Supplier

(To be deleted at contract award if the Contractor is not pre-qualified.)

B-1a Certificate(s) of compliance

The Certificates of compliance (as defined at 6.20) are required and must be dated within 12 months of the contract award date. The following Certificates are required:

- a. Thread, paragraph 4.1.4 of the specification (Annex B)
- b. Crest, paragraph 4.1.5 of the specification (Annex B)

B-1b Test reports

The test reports (as defined at 6.20) are required and must be dated **within 12 months** of the contract award date and all tests must be performed on the same material within a two week period.

- a. Test report as per Table I for Shell Material – requirement 1 through 12
- b. Test report as per Table II for Rib material – requirement 1 through 12

The Contractor must not commence or continue with production of the items and must not make any deliveries until the Contractor has received a written notification from the Technical Authority that the Test Report(s) and Certificate(s) of Compliance are acceptable. Any production of items before acceptance of the Test Report(s) and Certificate(s) of Compliance will be at the sole risk of the Contractor.

Rejection by the Technical Authority of the Test Report(s) or Certificate(s) of Compliance submitted by the Contractor for failing to meet the contract requirements will be grounds for termination of the Contract for default.

B-2 Supporting Documentation Applicable to a Bidders who submitted PAS

(To be deleted at contract award if the Contractor is pre-qualified.)

B-2a Test reports:

The test reports (as defined at 6.20) are required and must be dated **within 12 months** of the contract award date and all tests must be performed on the same material within a two week period.

- a. Test reports for Table I – requirement 8 through 11 if they were not submitted and approved at PAS.
- b. Test reports for Table II– requirement 8 through 11 if they were not submitted and approved at PAS.

6.17 Production Material Requirements

The RCMP has the right to request one or more production material samples along with test reports at its discretion at any time during the contracting/production stage. This requirement will be done in writing by the RCMP Technical Authority. The Contractor must provide the following prior to production:

6.17.1 Component Samples

- a. 1 metre sample of Shell Material as per Table 1 produced for the firm quantity
- b. 1 metre sample of Rib Material as per Table II produced for the firm quantity

6.17.2 Test Reports

- a. Test report as per Table I for Shell Material produced for the firm quantity – requirement 1 through 12.
- b. Test report as per Table II for Rib Material produced for the firm quantity – requirement 1 through 12.

Component Samples of each production material along with test reports are required within 90 calendar days from date of notification for approval prior to full production.

Failure to submit the required component samples of each production material and test reports or any failures to meet the contract requirements will be grounds for termination of the Contract for default.

6.18 Production Requirements

The RCMP has the right to request one or more production samples along with test reports, certificates of compliance and/or component samples at its discretion at any time during the contracting/production stage. This requirement will be done in writing by the RCMP Technical Authority.

6.19 Technical requirement for the options

1. The Contractor must provide Certificates of Compliances, test reports and component samples for each option exercised independently under the terms of the contract. These documents must be representative of the components used for the option quantities. (Refer to Part 6, Article 6.20 Certificate of Compliance Definition)

a) The certificates of compliances: (C of C):

The certificate of compliance (C of C) is required for each of the following components:

- a. Thread, paragraph 4.1.4 of the specification (Annex B);
- b. Crest, paragraph 4.1.5 of the specification (Annex B).

b) Test reports:

The Contractor must provide test reports of the product, for evaluation prior of full production of the option quantity, showing test results for specific tests listed hereunder of physical properties detailed in the specification GS 1045-342. (Refer to Part 6, Article 6.20 test report definition)

- a. Test reports as per Table I for Shell Material produced for the option quantity– requirement 1 through 12
 - b. Test reports as per Table II for Rib Material produced for the option quantity– requirement 1 through 12.
- (The tests must be performed on production materials)

c) Component samples:

- a. 1 metre sample of Shell Material as per Table I produced for the option quantity.
- b. 1 metre sample of Rib Material as per Table II produced for the option quantity.

The test reports and Certificates of Compliance must be dated within three months of exercising the option and must be submitted within 75 calendar days from receipt of the contract amendment.

The Contractor must not commence production of the option and must not make any deliveries, until the Contractor has received a written notification from the Technical Authority that the Certificates of Compliance, test reports and component samples are fully acceptable or conditionally acceptable. Any production of the option before acceptance will be at the sole risk of the Contractor. If the Certificates of Compliance, test reports and component samples are accepted by either full acceptance or conditional acceptance, the Contractor must proceed with production as per the Contract requirements.

Rejection by the Technical Authority of the Certificates of Compliances, test reports or component samples submitted by the Contractor for failing to meet the contract requirements will be grounds for termination of the Contract for default.

6.20 Certificate of compliance, test report and component sample definition

a) Certificate of compliance:

A Certificate of Compliance is defined, for this document, as an original signed and dated certification to confirm that a specified component or requirement adheres to the specification. The certification must be prepared, signed and dated by an official representative of the component manufacturer using company letterhead making reference to the specification number and paragraph number. It must specifically address the component or requirement and compliance can be shown by referring to a part number, by providing the component values, by providing a manufacturing data sheet to show technical compliance or by a description stating compliance to the requirement. In-house testing is acceptable to show compliance. Copying the specification word for word is not acceptable.

A separate certificate of compliance is required for each individual component or requirement. Multiple components supplied by the same component manufacturer may be submitted on one certificate of compliance as long as the paragraph numbers and components are clearly identified. With this document, the Contractor certifies that the product for which the certificate of compliance is issued is the same product used in the bid submission, or in the pre-award samples or in the pre-production samples, or in the production units as applicable.

The Contractor is to note that copies of invoices, purchase orders, packing slips and certificates of compliance for products or components that are not manufactured by the certifier are not suitable for use as a certificate of compliance.

b) Test Report:

Test report documents signed and dated by an independent, third-party accredited laboratory acceptable to the RCMP must include the test method, test conditions and test results performed to verify requirements as specified in this specification. Testing for each table must be performed in its entirety on the same garment and/or piece of material. To adhere to all specified test method and conditions

c) Component sample:

A component sample is a piece of part used in the overall construction of the garment. The component requirements is indicated in the specification and the sample submitted shall adhere to the specification requirements.

6.21 Patterns

The full set of patterns either in individual sizes or as a graded nest will be provided to the Contractor following contract award) The base pattern shall be used for the development of the Pre-production samples. The contractor shall specify their preference of paper or electronic pattern. The patterns are the property of the RCMP and must be returned directly to the RCMP upon completion of the contract.

6.22 Viewing Sample - Guidance Only

The viewing sample is to be used for guidance for all factors not covered by the RCMP specification. The RCMP specification and pattern shall govern.

6.23 Viewing Sample - Return to Sender

The viewing sample which may have been sent to the Contractor, is to be returned to the sender upon completion of Contract.

The viewing sample is not to be mutilated or cut, and must be returned in the same condition as sent to the Contractor.

6.24 Specification and Standards

6.24.1 Canadian General Standards Board (CGSB) – Standards

A copy of the CGSB Standards referred to in the Contract is available and may be purchased from:

Canadian General Standards Board
Place du Portage III, 6B1
11 Laurier Street
Gatineau, Québec
Telephone: (819) 956-0425 or 1-800-665-CGSB (Canada only)
Fax: (819) 956-5740
E-mail: ncr.cgsb-ongc@pwgsc-tpsgc.gc.ca
CGSB Website: <http://www.tpsgc-pwgsc.gc.ca/ongc-cgsb/index-eng.html>

6.25 Financial Security

1. Canada may convert the security deposit to the use of Canada if any circumstance exists which would entitle Canada to terminate the Contract for default, but any such conversion will not constitute termination of the Contract.
2. Where Canada so converts the security deposit:
 - (a) the proceeds will be used by Canada to complete the Work according to the conditions of the Contract, to the nearest extent that it is feasible to do so and any balance left will be returned to the Contractor on completion of the warranty period; and
 - (b) If Canada enters into a Contract to have the Work completed, the Contractor will:
 - (i) be considered to have irrevocably abandoned the Work; and
 - (ii) remain liable for the excess cost of completing the Work if the amount of the security deposit is not sufficient for such purpose. "Excess cost" means any amount over and above the amount of the Contract Price remaining unpaid together with the amount of the security deposit.
3. If Canada does not convert the security deposit to the use of Canada before completion of the contract period, Canada will return the security deposit to the Contractor within a reasonable time after such date.
4. If Canada converts the security deposit for reasons other than bankruptcy, the financial security must be reestablished to the level of the amount stated above so that this amount is continued and available until completion of the contract period.

**ANNEX «A»
REQUIREMENT**

1. TECHNICAL REQUIREMENT

The Contractor is required to provide Canada for the Royal Canadian Mounted Police (RCMP) with Shirt, T, Crested, Blue in accordance with the specifications in Annex B entitled GS1045-342 dated June 19, 2017, Patterns and Viewing Samples.

2. DESTINATION AND INVOICING ADDRESS

DESTINATION ADRESS	INVOICING ADRESS
Royal Canadian Mounted Police Uniform & Equipment Program 440 Coventry Road, East Door Ottawa, Ontario K1K 2C4	Royal Canadian Mounted Police Uniform & Equipment Program, 2nd Floor Attn.: Planning & Accounting Section 440 Coventry Road (Warehouse Bldg.) Ottawa, Ontario K1A 0R2

3. DELIVERABLES

CONTRACT QUANTITY

3.1 Firm Quantity

Item	Description	Firm Quantity	Unit of Issue	Firm Unit Price, DDP, Transportation costs included, Applicable taxes extra
1	6068 Shirt, T, Crested, Blue, Male	44,500	Ea	\$ _____
2	6067 Shirt, T, Crested, Blue, Female	1,500	Ea	\$ _____

Refer to Annex C for the Size Roll

Priority of Sizes: Male – M, XL, XXL

3.2 "As and When Requested" Quantity

3.2.1 Regular sizes

Item	Description	Estimated Quantity (total for 4 years)	Unit of Issue	Firm Unit Price, DDP, Transportation costs included, Applicable taxes extra
3	Shirt, T, Crested, Blue, Male and Female (regular size)	5000	ea	Year 1 \$ _____ Year 2 \$ _____ Year 3 \$ _____ Year 4 \$ _____

Year 1: ordered within 12 months from contract award

Year 2: ordered within 13-24 months from contract award

Year 3: ordered within 25-36 months from contract award

Year 4: ordered within 37-48 months from contract award

3.2.2 - Special sizes

Item	Description	Estimated Quantity for (total for 4 year)	Unit of Issue	Firm Unit Price, DDP, Transportation costs included, Applicable taxes extra
4	Shirt, T, Crested, Blue, Male Special 6066-250	30	ea	\$ _____
5	Shirt, T, Crested, Blue, female 6066-500	30	ea	\$ _____

3.3. OPTION 1 - within 24 months from the contract award date by sending a written notice to the Contractor.

Item	Description	Estimated Quantity	Unit of Issue	Firm Unit Price, DDP, Transportation costs included, Applicable taxes extra
6	Shirt, T, Crested, Blue, Male and Female (regular size)	10,000	each	\$ _____

OPTION 2 - within 36 months from the contract award date by sending a written notice to the Contractor

Item	Description	Estimated Quantity	Unit of Issue	Firm Unit Price, DDP, Transportation costs included, Applicable taxes extra
7	Shirt, T, Crested, Blue, Male and Female (regular size)	10,000	each	\$ _____

OPTION 3 - within 48 months from the contract award date by sending a written notice to the Contractor

Item	Description	Estimated Quantity	Unit of Issue	Firm Unit Price, DDP, Transportation costs included, Applicable taxes extra
8	Shirt, T, Crested, Blue, Male and Female (regular size)	10,000	each	\$ _____

4.0 "AS AND WHEN REQUESTED" QUANTITIES - Identified as Items 3, 4 and 5

Under this Contract, the Contractor is required to provide certain goods to Canada on an "as and when requested" basis. Except as expressly provided in this Contract, Canada is not obliged to request any such goods under this Contract and this Contract does not represent a commitment to purchase such goods exclusively from the Contractor. The quantity of "as and when requested" goods specified at items 3, 4 and 5 is only an approximation of requirements.

RCMP may issue orders for "as and when requested" quantities directly to the Contractor detailing the exact quantities of goods being ordered and the delivery date during the effective period and in accordance with the predetermined conditions.

Order for "as and when requested" quantities will be made on Form 942 or on a RCMP order form.

The period for placing "as and when requested" orders will be 48 months from contract award

Specials (MADE-TO-MEASURE)

Insofar as specials are concerned, the RCMP will provide a completed pattern adapted to the individual's special measurements and/or an individual measurement form adapted to the individual's special measurements. The contractor shall specify their preference prior to beginning production of the special order. The manufacturer is responsible to make the garment according to the finished garment measurements when using the measurement form. If the manufacturer requires additional measurements, the Technical Authority shall be notified prior to starting the specials. In addition to the label information as specified in corresponding specification, the following information is required; the members' name, Reg. number and order number. This information can be added to the same label or a separate label.

Specials are to be shipped separately and identified as "SPECIALS" on the packing slip and invoices.

Delivery of the "as and when requested"

The RCMP is requesting that delivery of the "as & when requested" quantity for regular sizes be made within **45 calendar days** after receipt of order document.

Delivery of regular sizes will be made within _____ calendar days after receipt of order document.

The RCMP is requesting that delivery of the "as & when requested" quantity for special sizes be made within **45 calendar days** after receipt of order document.

Delivery of special sizes will be made within _____ calendar days after receipt of order document.

Deliveries made against orders of the "as and when requested" quantities will be inspected by the Consignee at destination.

A size roll for "as and when requested regular sizes" will be provided when ordered.

Financial Limitation

The total cost to Canada resulting from orders of "as and when requested" quantities must not exceed the sum of \$ _____ (to be established at contract), applicable taxes extra, unless otherwise authorized in writing by the Contracting Authority. The Contractor must not be obligated to perform any work or services or supply any articles in response to orders which would cause the total cost to Canada to exceed the said sum, unless an increase is so authorized.

5. OPTION QUANTITIES - Identified as Items 6 to 8

The Contractor grants to Canada the irrevocable option to acquire the goods described under items 6,7 and 8 under the same terms and conditions and at the prices stated in the Contract.

The (3) options may only be exercised by the Contracting Authority for a minimum **of 5,000 up** to a maximum of **10,000 per option**, distributed amongst the items and the sizes and will be evidenced through a contract amendment.

The options may only be exercised by the Contracting Authority and will be evidenced through a contract amendment. One (1) amendment per option may be issued.

The Contracting Authority may exercise the option as follows:

Option 1: within 24 months from the contract award date by sending a written notice to the Contractor.
Option 2: within 36 months from the contract award date by sending a written notice to the Contractor.
Option 3: within 48 months from the contract award date by sending a written notice to the Contractor.

A size roll will be provided if and when the option is exercised.

Solicitation No. - N° de l'invitation
M7594-182812/A
Client Ref. No. - N° de réf. du client
M7594-182812

Amd. No. - N° de la modif.
File No. - N° du dossier
735. M7594-182812

Buyer ID - Id de l'acheteur
pr735
CCC No./N° CCC - FMS No./N° VME

Annex B
SPECIFICATION G.S.1045-342 – DATE 2017-06-19
SPECIFICATION
SHIRT, T, CRESTED BLUE, MALE & FEMALE
(SEE ATTACHED)

ANNEX”C”
SIZE ROLL

MATERIAL#	SIZE	QUANTITY
Male		
6068-050	X-SMALL	3500
6068-100	SMALL	4000
6068-200	MEDIUM	12000
6068-300	LARGE	12000
6068-400	X-LARGE	8500
6068-500	XX-LARGE	4000
6068-600	XXX-LARGE	500
Female		
6067-060	X-SMALL	1000
6067-150	SMALL	500
PRIORITIES:	Male - M, XL, XXL	



Royal Canadian Mounted Police
Gendarmerie royale du Canada

Doc. no: G.S. 1045-342
Date: 2017-06-19

Specification

Shirt, T, Crested Blue, Male & Female

This document has 19 pages including the drawings.

This document was created in English.

The document is available in English and French.

☒ English/Anglais
Français/French

The photograph on this page is for reference only.



Modifications

Date	Para. No's	Modifications
2011-02-25		Original Specification.
2012-01-10	Para. 4.1.5 Para. 4.3.8	Heat transfer crest added as an alternative to the silk screen crest.
2013-12-17	Para. 2.7 Para. 4.1.1, 4.1.2 Para. 4.1.4 Para. 4.3.4 Para. 4.3.5 Para. 4.3.9 Table I & II Appendix A Appendix C	Updated CGSB standard. Updated reference for requirements of Table I & Table II. Updated thread reference per industry standard and added Certificate of compliance requirement. Added precision to finished measurement. Clarified precision in finishing detail. Specified date of manufacture in numeric format. Updated requirements in Tables. Changed pattern reference number. Revised definitions for Certificates of compliance and evaluation criteria.
2015-09-16	Title Para. 1.1 Para. 3.3 Para. 4.3.9 Para. 5 Tables I & II Appendix A Appendix B Scale of Measurements Appendix C	Title change to include both male and female. Added list of items with MMR numbers to paragraph. Paragraph deleted. Modified marking and cleaning instructions. Delivery and Marking paragraphs deleted and subsequent paragraph renumbered. Tables I & II modified for fabric requirements. Added female patterns. Renamed Appendix B to paragraph 6. Added female size range. Removed Appendix C.
2015-11-05	Para. 4.1.5 Tables I & II Drawing # 4	Modified paragraph to correct pantone numbers. Corrected washing temperature to match care instructions. Corrected drawing for jewel colours and placement.
2017-06-19	Para. 2.8 Para. 4.1.5 Tables I & II Drawing #3	Pantone edition added Table added for Pantone colours Revised test standards Updated care symbol for drying

RCMP VIEWING SAMPLE

A viewing sample, when available, will be supplied to the successful bidder.

This will be used for the guidance of the manufacturer in all factors not covered by this specification or referred to therein. Variation from the specification may appear in the sample in which case the specification shall govern.

It may be obtained from:

Royal Canadian Mounted Police
ATTN: Uniform and Equipment Program
(440 Coventry Road, Warehouse Building)
1200 Vanier Parkway
Ottawa, Ontario
K1A 0R2

It will be sent “prepaid” and is to be returned “prepaid”.

The viewing sample shall be returned to the RCMP in the same condition as received by the manufacturer. Lost or damaged viewing samples shall be replaced by an identical item or the RCMP shall be reimbursed for the cost of an acceptable replacement.

SPECIFICATION

SHIRT, T, CRESTED BLUE, MALE & FEMALE

1. Definitions

- 1.1 This specification shall govern the manufacture and inspection of Shirt, T, Crested, Blue, Male & Female. The specific items covered under this specification with stock numbers are as follows:
 - i. 6068 – Shirt, T, Crested Blue, Male/ T-shirt bleu avec écusson pour homme
 - ii. 6066-500 – Shirt, T, Crested Blue, Male, Special/ T-shirt bleu avec écusson pour homme, tailles spéciales
 - iii. 6067 – Shirt, T, Crested Blue, Female/ T-shirt bleu avec écusson pour femme
 - iv. 6066-250 – Shirt, T, Crested Blue, Female, Special/ T-shirt bleu avec écusson pour femme, tailles spéciales
- 1.2 This specification, pattern, drawing, viewing sample, or other information issued in connection therewith, may only be used for specific enquiries, solicitations, or orders placed on behalf of the Royal Canadian Mounted Police.
- 1.3 This specification supersedes all previous specifications for RCMP Shirt, T, Crested, Blue, Male & Female.
- 1.4 This specification has been translated into French from this original English language document.

2. Applicable Specifications

- 2.1 The following publications are applicable to this specification and to the issues in effect on the date of the solicitation, unless otherwise specified.
- 2.2 CAN/CGSB 4.2, Textile Test Methods.
- 2.3 CAN/CGSB 4.131-93, Thread, Polyester, Polyester Covered.
- 2.4 CAN/CGSB-4.139-94, Thread, Polyester, Staple Spun.
- 2.5 CAN/CGSB 86.1-2003, Care Labeling of Textiles.

- 2.6 ISO 4915, International Standard for Textiles - “Stitch Types.”
- 2.7 ISO 4916:1991, International Standard for Textiles - “Seam Types.”
- 2.8 Pantone Colour Bridge Coated, first edition, second printing.

3. **General Requirements**

- 3.1 The article or material covered by this specification shall be free from imperfections or blemishes such as may affect its appearance or serviceability. In all particulars not covered by this specification or contract documents, production shall be equivalent in all respects to the pattern and viewing sample.
- 3.2 **Design** - The Shirt, T, Crested Blue, Male & Female shall be navy in colour constructed from a knit material. The overall design shall be a semi-fitted silhouette that incorporates a crew neckline with short sleeves. The RCMP crest shall be applied to the front. It shall be constructed in accordance with the scale of measurements, patterns and drawings which form part of this specification.

4. **Detail Requirements**

4.1 **Components**

- 4.1.1 **Shell Material** - The shell material shall be as specified in Table I. It shall be navy in colour to match the swatch available from Uniform and Equipment Program.
- 4.1.2 **Rib Material** - The ribbing used in the neck shall be as specified in Table II. It shall be navy in colour to match the shell material.
- 4.1.3 **Reinforcement Tape** - Shall be shell material as specified in para. 4.1.1, 1- 1.5 cm in width when applied.
- 4.1.4 **Thread** - The thread for all operations shall be navy in colour matching the shell material constructed from either polyester core, polyester wrap, Tex 27 meeting CAN/CGSB 4.131-93 or polyester staple spun, Tex 27 meeting CAN/CGSB 4.139-94.

- 4.1.5 **Crest** - The official crest of the RCMP shall be applied using a silk screen process or ink based heat transfer. It is expected to withstand a minimum of 50 home launderings according to the required care procedures without cracking, peeling, fading, stiffening and bubbling. When applied, the shell material shall not change in colour or appearance. The artwork for the crest shall be provided by RCMP Uniform and Equipment Program in full colour and shall be to scale.

Pantone Reference Colours	
Yellow	7405C
Red	7621C
Royal Blue	7694C
Light Blue	2905C
Green	3415C
Brown	4715C
Dark Brown	Black 4C
White	-

Note: If using a heat transfer method for crest, then Pantone #296C shall be used for the navy outline of the leaves.

- 4.2 **Size and Dimensions** - Shirt, T, Crested Blue, Male & Female to this specification shall be supplied in the sizes specified by the RCMP and to the dimensions given in the patterns, scales of measurements and drawings, forming part of this specification. The garment components shall be shaped, dimensioned and positioned in accordance with the pattern components and pattern requirements as outlined in Appendix “A” forming part of this specification.

4.3 **Construction**

- 4.3.1 **Cutting** - All component parts of the shirt body shall be cut from the same piece of material to ensure uniformity of shade and shall be cut in the direction of the wales following the grain line on the pattern piece. The material shall be acclimatized and allowed to relax prior to cutting. The shirt body may be cut with or without side seams as long as finished garment dimensions meet the requirements in the Scales of Measurements. Care shall be taken to cut the material without stretching or skewing to ensure a symmetrical appearance. Cutting on the fold lines is acceptable provided the crease not be visible in the finished garments.
- 4.3.2 **Stitching** - Using the specified thread, there shall be not less than 4 and no more than 5.5 stitches per cm. All stitching shall conform to the specified type outlined

in ISO 4915. The construction of the shirt body and sleeve shall be overlock type 512. The stitching at the hem and sleeve hem shall be cover stitch type 406. Stitching on the tape at the shoulder and neck shall be two rows chain stitch Type 401. The beginning and ending of all stitching shall be securely backstitched and tacked unless secured by other stitching. Where seaming, turning and stitching is required the edges shall be properly worked out before stitching. Care shall be taken to minimize unsightly gathering and puckering.

- 4.3.3 **Body** - The front and back panels shall be made from material as specified in para. 4.1.1. The front, back and sleeve seams shall be sewn together using overlock stitch type 512 with a minimum width of 5mm seam allowance. The front and back panels shall be sewn together at the shoulder seams and shall be stabilized on each shoulder and at the back of the neckline with a reinforcement tape as specified in para. 4.1.3 to prevent stretching. The reinforcement tape shall be applied after the shoulder seams and neckline have been constructed. The body shall be constructed as per pattern and conform in all respects to the pattern and drawings.
- 4.3.4 **Neckline** - The neckline shall be constructed from one ply of rib material, as specified in para. 4.1.2, folded lengthwise to have a 3 cm wide ribbing and serged to the neckline then cover stitched. The finished rib width shall be 2.5 cm \pm 0.2 cm. The neckline shall be constructed, dimensioned and positioned as per the patterns and viewing sample.
- 4.3.5 **Sleeves** - Both one piece short sleeves shall be made from material as specified in Para. 4.1.1. The hem shall be finished by turning in the raw edge and finishing using a cover stitch Type 406. The hem shall be done after side seam and under arm seam are completed or if the hem is done before closing sleeve seam, then a bar tack must be sewn through all layers at under arm sleeve hem. Care shall be taken to ensure that no more than 4 mm of raw edge is left uncovered. The sleeve shall be positioned and constructed as per patterns, drawings and viewing sample.
- 4.3.6 **Joining, Sleeve, Underarm and Side Seams** - The join shall be by means of a serged safety stitch Type 512. The sleeve shall be sewn to the armhole first and then the side seam and underarm seam shall be sewn in one continuous seam.
- 4.3.7 **Bottom Hem** - The bottom edge of the shirt front and back shall be hemmed by turning in the raw edge and finishing using a cover stitch Type 406. Care shall be taken to ensure that no more than 4mm of raw edge is left uncovered.

4.3.8 **Crest** - The official crest of the RCMP meeting the requirements in para. 4.1.5 shall be silk screened or ink based heat transfer on the left side of the shirt front. The crest shall be placed parallel to center front in an upright position as per the patterns provided. The surface of the crest must be smooth and not exhibit any bubbles, irregularities or contamination. After application the edges must be clean and well defined. The size and colours shall match the artwork file. The colours shall be as specified in para. 4.1.5. Drawing # 4 shall be used as a reference.

4.3.9 **Marking** - Each shirt shall have a polyurethane adhesive heat transfer label that is heat bonded with inks and centered inside the back neckline. The label shall withstand at least 50 washes and show no apparent change in appearance. The label background shall be similar in colour to the shell material and use white or grey lettering and care symbols. The label shall be completed in accordance with the following information in English and French.

1. Print information as written below.
2. Item name in English as written in para. 1.1, as applicable.
3. Item name in French as written in para. 1.1, as applicable.
4. Size of the article, combining the size designation referenced in the English and French contract documents. (Ex. Small/Petit, X-Large/T Grand)
5. Your manufacturer identification (Company name or number).
6. Date of manufacturer, in numeric format year/month (Ex. 2001/11)
7. RCMP stock number - reference contract documents. (Ex. 6000 000)
8. Care symbols as per drawing #3.

1	Royal Canadian Mounted Police Gendarmerie royale du Canada
2	
3	
4	Size
5	
6	
7	RCMP-GRC #
8	

Note: The manufacturer's identification shall not appear anywhere on the garment except on the garment label as indicated.

5. **Quality Assurance Provisions**

5.1 **Responsibility for Inspection** - Unless otherwise stipulated in the contract, it is the prime contractor's responsibility to satisfy the RCMP, Uniform and Equipment

Program, that the material and services being supplied conform to this specification. This may be accomplished by performing the tests specified in this specification or by demonstrating to the satisfaction of the RCMP, Uniform and Equipment Program that conformity to this specification of manufacturing processes is assured. The contractor may use any commercial testing establishment acceptable to the RCMP, Uniform and Equipment Program.

- 5.2 The RCMP, Uniform and Equipment Program reserves the right to perform any inspection considered necessary to ensure the material and services conform to the specified requirements. For the purpose of inspection, a portion of each delivery not exceeding two percent or two out of any number delivered under 100 may be put to tests that could destroy the articles. If found to be inferior or not in accordance with this specification, all articles so destroyed shall be replaced by others of proper quality and pattern at the expense of the contractor. The entire delivery may also be rejected if it is found that articles previously rejected due to non-repairable defects are redelivered for inspection.
- 5.3 The contractor will be promptly notified when any articles are not accepted and such articles will be returned at the contractor's risk and expense.

6. **Methods of Measuring** (Refer to the Scale of Measurements and Drawing No. 1).
- 6.1 **Chest Circumference (total circumference)** (A) - When placed flat, the chest shall be the distance across the shirt, measured at the lowest point of the armholes. The result shall be doubled to measure total circumference.
- 6.2 **Hem Circumference (total circumference)** (B) - When placed flat, the hem shall be the distance across the shirt, measured in a straight line just above the stitching. The result shall be doubled to measure total circumference.
- 6.3 **Back Length excluding ribbing** (C) - The length shall be the distance measured from the base of the neckline at centre back below the ribbing to the hem.
- 6.4 **Front Length excluding ribbing** (D) - The length shall be the distance measured from the base of the neckline at centre front below the ribbing to the hem.
- 6.5 **Side Seam Length** (E) - The side seam length shall be the distance measured from the lowest point of the armhole to the hem.
- 6.6 **Sleeve Length Overarm** (F) - The overarm sleeve length shall be the distance from the armhole at the shoulder seam to the bottom edge of the sleeve hem.
- 6.7 **Sleeve Length Underarm** (G) - The underarm sleeve length shall be the distance along the sleeve seam from the armhole to the bottom edge of the sleeve hem.
- 6.8 **Sleeve Hem Circumference (total circumference)** (H) - When placed flat, the sleeve hem shall be the distance measured at the bottom edge of the sleeve. The result shall be doubled to measure total circumference.
- 6.9 **Shoulder Length** (J) - The length shall be the distance measured along the shoulder seam from neckline below ribbing to sleeve seam.

SCALE OF MEASUREMENTS - SHIRT, T, CRESTED BLUE, MALE

Size Designation			Body Measurements			Finished Garment Measurements							
Height	Size	Chest		Chest Circumference	Hem Circumference	Back Length excluding ribbing	Front Length excluding ribbing	Side Seam Length	Sleeve Length		Sleeve Hem Circumference	Shoulder Length	
		Inches	Cm						Short Sleeve Overarm	Short Sleeve Underarm			
Regular	XXS	31" - 33"	78.75 - 83.75	92	92	65.75	59.5	42.25	20	13.25	34	13.25	
	XS	34" - 36"	86.25 - 91.5	99.5	99.5	67.5	61.25	43.75	20.5	13.5	35.5	14	
	S	37" - 39"	94 - 99	107	107	69	62.75	45.25	21	13.75	36.5	14.5	
	M	40" - 42"	101.5 - 106.75	114.5	114.5	71.5	65.5	47.75	21.5	14.25	38	15.25	
	L	43" - 45"	109.25 - 114.25	122	122	74	67.75	50	22	14.5	39.5	16	
	XL	46" - 48"	116.75 - 122	129.5	129.5	74.75	68.5	50.75	22.25	14.75	40.5	16.5	
	2XL	49" - 51"	124.5 - 129.5	137	137	75.5	69.5	51.5	22.75	15	42	17.25	
	3XL	52" - 54"	132 - 137.25	144.5	144.5	76.5	70.25	52.25	23.25	15.25	43.5	17.75	
	4XL	55" - 57"	139.75 - 144.75	152	152	77.25	71	53	23.75	15.5	44.5	18.5	
	5XL	58" - 60"	147.25 - 152.5	159.5	159.5	78	72	53.75	24.25	15.75	46	19.25	
Tall	XXS	31" - 33"	78.75 - 83.75	92	92	70.75	64.5	47.25	21.5	14.5	34	13.25	
	XS	34" - 36"	86.25 - 91.5	99.5	99.5	72.5	66.25	48.75	22	14.75	35.5	14	
	S	37" - 39"	94 - 99	107	107	74	67.75	50.25	22.5	15	36.5	14.5	
	M	40" - 42"	101.5 - 106.75	114.5	114.5	76.5	70.5	52.75	23	15.5	38	15.25	
	L	43" - 45"	109.25 - 114.25	122	122	79	72.75	55	23.5	15.75	39.5	16	
	XL	46" - 48"	116.75 - 122	129.5	129.5	79.75	73.5	55.75	23.75	16	40.5	16.5	
	2XL	49" - 51"	124.5 - 129.5	137	137	80.5	74.5	56.5	24.25	16.25	42	17.25	
	3XL	52" - 54"	132 - 137.25	144.5	144.5	81.5	75.25	57.25	24.75	16.5	43.5	17.75	
	4XL	55" - 57"	139.75 - 144.75	152	152	82.25	76	58	25.25	16.75	44.5	18.5	
	5XL	58" - 60"	147.25 - 152.5	159.5	159.5	83	77	58.75	25.75	17	46	19.25	
Tolerance ±				1.5 cm	1.5 cm	1.5 cm	1.5 cm	1 cm	1 cm	1 cm	1 cm	1 cm	
Measurement Location				A	B	C	D	E	F	G	H	J	

Note: All measurements in centimeters unless otherwise indicated.

SCALE OF MEASUREMENTS - SHIRT, T, CRESTED BLUE, FEMALE

Size Designation			Body Measurements		Finished Garment Measurements							
Height	Size	Chest		Chest Circumference	Hem Circumference	Back Length excluding ribbing	Front Length excluding ribbing	Side Seam Length	Sleeve Length		Sleeve Hem Circumference	Shoulder Length
		Inches	Cm						Short Sleeve Overarm	Short Sleeve Underarm		
Regular	XXS	31	79	86	92	63.1	56.8	43.5	20.6	11.75	28.8	9
	XS	33	84	91	97	63.9	57.6	44	20.9	12	29.6	9.5
	S	35	89	96	102	64.7	58.4	44.5	21.2	12.25	30.4	10
	M	37	94	101	107	65.5	59.2	45	21.5	12.5	31.2	10.5
	L	39	99	106	112	66.3	60	45.5	21.8	12.75	32	11
	XL	41	104	111	117	67.1	60.8	46	22.1	13	32.8	11.5
	2XL	43	109	116	122	67.9	61.6	46.5	22.4	13.25	33.6	12
	3XL	45	114	121	127	68.7	62.4	47	22.7	13.5	34.4	12.5
	4XL	47	119	126	132	69.5	63.2	47.5	23	13.75	35.2	13
	5XL	49	124	131	137	70.3	64	48	23.3	14	36	13.5
Tall	XXS	31	79	86	92	68.1	61.8	48.5	21.6	12.75	28.8	9
	XS	33	84	91	97	68.9	62.6	49	21.9	13	29.6	9.5
	S	35	89	96	102	69.7	63.4	49.5	22.2	13.25	30.4	10
	M	37	94	101	107	70.5	64.2	50	22.5	13.5	31.2	10.5
	L	39	99	106	112	71.3	65	50.5	22.8	13.75	32	11
	XL	41	104	111	117	72.1	65.8	51	23.1	14	32.8	11.5
	2XL	43	109	116	122	72.9	66.6	51.5	23.4	14.25	33.6	12
	3XL	45	114	121	127	73.7	67.4	52	23.7	14.5	34.4	12.5
	4XL	47	119	126	132	74.5	68.2	52.5	24	14.75	35.2	13
	5XL	49	124	131	137	75.3	69	53	24.3	15	36	13.5
Tolerance ±				1.5 cm	1.5 cm	1.5 cm	1.5 cm	1 cm	1 cm	1 cm	1 cm	1 cm
Measurement Location				A	B	C	D	E	F	G	H	J

Note: All measurements in centimeters unless otherwise indicated.

TABLE I
Properties of the Shell Material

	SHELL MATERIAL	SPECIFICATION	TEST METHODS
1	Colour	Navy To match colour swatch provided by Uniform and Equipment Program	
2	Fiber Content	50% Polyester/ 50% Cotton \pm 3%	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 14-2005
3	Knit Construction	Jersey	
4	Wales per inch	33 ± 5	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 7-M88(2001)
5	Courses per inch	40 ± 5	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 7-M88(2001)
6	Mass	$172 \text{ g/m}^2 \pm 8 \text{ g/m}^2$ ($164 \text{ g/m}^2 - 180 \text{ g/m}^2$)	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 5.1-M90 (2013)
7	Dimensional Change to Domestic Washing <i>After 5 cycles</i>	Warp 5.0% (max.) Weft 5.0% (max.)	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 58-2004, VI, E (Normal/ cotton setting)
8	Colour fastness to Light	Equal to or better than Blue Wool Reference L3	<ul style="list-style-type: none"> ISO 105-B02:2014(E) Exposure Cycle B, Method 3
9	Colour fastness to Crocking Wet & Dry	Dry - Grey Scale 4 or better Wet - Grey Scale 3 or better	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 22-2004(R2013)
10	Colour fastness to Washing	Colour change Grey Scale 4 or better Staining cotton - Grey Scale 4 or better Staining polyester – Grey Scale 3 or better	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 19.1-2004 (R2013) Test #5
11	Colour fastness to Perspiration	Colour change Grey Scale 4 or better Staining (Acid & Alkaline) - Grey scale -3-4 or better	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 23-M90(R2013)
12	Pilling	No less than 3.5 after 30 minutes	<ul style="list-style-type: none"> CAN/CGSB-4.2 No. 51.2-M87

TABLE II
Properties of the Rib Material

	RIB MATERIAL	SPECIFICATION	TEST METHODS
1	Colour	Navy To match colour swatch provided by Uniform and Equipment Program	
2	Fiber Content	50% Polyester/ 50% Cotton $\pm 3\%$	• CAN/CGSB-4.2 No. 14-2005
3	Knit Construction	1x1 Rib	
4	Wales per inch	28 ± 5	• CAN/CGSB-4.2 No. 7-M88(2001)
5	Courses per inch	38 ± 5	• CAN/CGSB-4.2 No. 7-M88(2001)
6	Mass	$245 \text{ g/m}^2 \pm 15 \text{ g/m}^2$ ($230 \text{ g/m}^2 - 260 \text{ g/m}^2$)	• CAN/CGSB-4.2 No. 5.1-M90 (2013)
7	Dimensional Change to Domestic Washing <i>After 5 cycles</i>	Warp 5% (max.) Weft 5% (max.)	• CAN/CGSB-4.2 No. 58-2004, VI, E (Normal/cotton setting)
8	Colour fastness to Light	Equal to or better than Blue Wool Reference L3	• ISO 105-B02:2014(E) Exposure Cycle B, Method 3
9	Colour fastness to Crocking Wet & Dry	Dry - Grey Scale 4 or better Wet - Grey Scale 3 or better	• CAN/CGSB-4.2 No. 22-2004 (R2013)
10	Colour fastness to Washing	Colour change Grey Scale 4 or better Staining cotton - Grey Scale 4 or better Staining polyester – Grey Scale 3 or better	• CAN/CGSB-4.2 No. 19.1-2004 (R2013) Test #5
11	Colour fastness to Perspiration	Colour change Grey Scale 4 or better Staining (Acid & Alkaline) - Grey scale - 3-4 or better	• CAN/CGSB-4.2 No. 23-M90(R2013)
12	Pilling	No less than 3 after 30 minutes	• CAN/CGSB-4.2 No. 51.2-M87

APPENDIX A

Sealed Pattern Identifier

Pattern Titles: Shirt T Crested Blue Male
 Shirt T Crested Blue Female

Patterns - Patterns are available from the RCMP, Uniform and Equipment Program. Firms requested to produce Pre-Contract Award Samples will be provided with the base pattern only. The full set of patterns either in individual sizes or as a graded nest will be provided to the successful bidder after the contract is awarded. The bidder has the option of receiving the files electronically in a .DXF format or on paper.

The patterns include seam allowances, drill holes and/or placement templates. All pieces must be cut in the direction indicated on the grain line of the pattern pieces. The scale of measurements indicate the finished garment measurements however the patterns are larger to accommodate shrinkage. The manufacturer is responsible for adjusting the pattern accordingly, based on the materials purchased, to meet the scale of measurements. Manufacturers may make changes required to suit their production process, however, the design and grade shall not be affected or changed.

All patterns are the property of the RCMP and must be returned upon completion of the contract.

Pattern Pieces: 4 pattern components per file.

Legend:

Shell Material = Para. 4.1

Ribbing = Para. 4.1.2

Cut 1 Single = Cut 1

Cut 1 Paired = Cut 2


(RSU) = Right Side Up

Pattern Components	Nomenclature	Quantity to be cut	Material
# 1 of 4	Back	1 Single	Shell Material (RSU)
# 2 of 4	Front	1 Single	Shell Material (RSU)
# 3 of 4	Sleeve	1 Paired	Shell Material
# 4 of 4	Neckband	1 Single	Ribbing (RSU)


SHIRT, T, CRESTED BLUE

G.S.1045-342

Drawing # 1
Measurement Locations



Front View




Rear View


All Measurements in Centimeters
NOT TO SCALE

SHIRT, T, CRESTED BLUE
Drawing # 2

G.S.1045-342



Front View





Rear View

All Measurements in Centimeters
NOT TO SCALE

SHIRT, T, CRESTED BLUE

G.S.1045-342

Drawing # 3



Shoulder & Back Neckline Seams



← Navy label with white or light grey lettering

Example Label

All Measurements in Centimeters
NOT TO SCALE



Crest on Background Material

Tolerance ± 2 mm

All Measurements in Centimeters

NOT TO SCALE

Original Artwork Available from RCMP Uniform and Equipment Program