



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des soumissions -  
TPSGC**

**11 Laurier St./ 11, rue Laurier**

**Place du Portage, Phase III**

**Core 0B2 / Noyau 0B2**

**Gatineau, Québec K1A 0S5**

**Bid Fax: (819) 997-9776**

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

**Clothing and Textiles Division / Division des vêtements  
et des textiles**

**11 Laurier St./ 11, rue Laurier**

**6A2, Place du Portage**

**Gatineau, Québec K1A 0S5**

<b>Title - Sujet</b> (SOF) Distinctive Service Uniforms	
<b>Solicitation No. - N° de l'invitation</b> W6399-18KA05/A	<b>Amendment No. - N° modif.</b> 006
<b>Client Reference No. - N° de référence du client</b> W6399-18KA05	<b>Date</b> 2017-11-22
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$PR-760-73503	
<b>File No. - N° de dossier</b> pr760.W6399-18KA05	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-11-30</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Richard, Josette	<b>Buyer Id - Id de l'acheteur</b> pr760
<b>Telephone No. - N° de téléphone</b> (613) 462-4128 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## AMENDMENT 006

This amendment is raised to answer questions from potential bidders.

### QUESTION 14:

We have found some discrepancies in specifications Annex B1 and B2, would you please clarify the following:

#### a) ANNEX B1 COAT

**Reference:** Para. 3.7 (h) Sleeve Hem, the loop and Hook fastener required to use **1" wide**

**Discrepancy:** Figure 2 (B), it indicates **1-1/2" wide**.

#### ANSWER:

The loop and hook fastener are to be 1-1/2 in wide. Please amend the specification as follows:

**Delete:** "1.5 cm (1 in) wide by 18 cm (7 in) long loop patch on outside".

**Insert:** "3.8 cm (1.5 in) wide by 18 cm (7 in) long loop patch on outside".

#### b) ANNEX B2 TROUSERS

**Reference:** Para. 3.7 (a) vi-b-3, front fly, it mentions right fly opening with the top stop of the slide fastener **1.5"** below the top edge of the waistband.

**Discrepancy:** refer to Figure 2(A) illustrates that it should be set **¾"** from the top.

#### ANSWER:

The finished distance should be 3/4-inches from the top. Please amend the specification as follows:

**Delete:** "Right half of the slide fastener and the back edge of the curtain seamed, turned and stitched 1.6 mm (0.0625 in) gauge to the right fly opening with the top stop of the slide fastener 3.8 cm (1.5 in) below the top edge of the waistband".

**Insert:** "Right half of the slide fastener and the back edge of the curtain seamed, turned and stitched 1.6 mm (0.0625 in) gauge to the right fly opening with the top stop of the slide fastener 1.9 cm (0.75 in) below the top edge of the waistband".

#### c) ANNEX B2 TROUSERS

**Reference:** Para. 3.7 (c) ii-h-2, Back hip pocket flap, it mentioned that stitched **a double row** of stitching.

**Discrepancy:** Refer to Figure 4 (f) illustrates only **one roll of ¼"** topstitching around the back pocket flap.

#### ANSWER:

One row of 1/4" topstitching is required. Please amend specification as follows:

**Delete:** "With right sides together, the plies seamed along the outside edge, turned and stitched with a double row of stitching".

**Insert:** "With right sides together, the plies seamed along the outside edge, turned and stitched with a single row of stitching".

---

**d) ANNEX B2 TROUSERS**

**Reference:** Figure 2C Cargo Pockets, the illustration shows the length of back edge, from top of the flap to the bottom is **8"**.

**Discrepancy:** another illustration shows the whole pocket with flap is **10"**.

**ANSWER:**

From the top of the flap: the front edge of the pocket should measure 8-1/2-inches to the top mitre edge and the back edge should measure 9-1/2-inches to the bottom. A revised Figure 2C will be provided at contract award, if required.

---

**e) ANNEX B1 (Coat) and B2 (Trousers)**

**Reference:** Button straps, both specifications (B1 & B2) described with different finished width **3/8" and 5/8"**, which is too wide for button slots.

**Discrepancy:** Refer to button specifications #2811 (45L) & #8790166(30L), the strap indicated the width is **5/16"** wide.

**ANSWER:**

The button straps are to be 5/16 in wide. Please amend specifications as follows:

**Delete:** "Finished width of 15.9 mm (0.625 in)".

**Insert:** "Finished width of 7.9 mm (0.3125 in)".

**All other terms and conditions remain unchanged.**