



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government Services Canada/Réception des soumissions Travaux publics et Services gouvernementaux Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1
Bid Fax: (306) 975-5397

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Réception des soumissions Travaux publics et Services gouvernementaux Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1

| | | |
|---|--|--|
| Title - Sujet Fitness Equipment | | |
| Solicitation No. - N° de l'invitation M5000-184289/A | Date 2017-12-14 | |
| Client Reference No. - N° de référence du client M5000-184289 | | |
| GETS Reference No. - N° de référence de SEAG PW-\$STN-205-5030 | | |
| File No. - N° de dossier STN-7-40041 (205) | CCC No./N° CCC - FMS No./N° VME | |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-01-24 | | Time Zone Fuseau horaire Central Standard Time CST |
| F.O.B. - F.A.B. | | |
| Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/> | | |
| Address Enquiries to - Adresser toutes questions à: Baessler, Nancy | | Buyer Id - Id de l'acheteur stn205 |
| Telephone No. - N° de téléphone (306) 241-2826 () | | FAX No. - N° de FAX (306) 975-5397 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: per attached delivery location list (Annex B) Airdrie RCMP Detachment 2 Highland Parkway NE Unit 100 Airdrie Alberta T4A0R1 Canada | | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|---|--|
| Delivery Required - Livraison exigée See Herein | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

TABLE OF CONTENTS

| | |
|---|-----------|
| PART 1 - GENERAL INFORMATION | 3 |
| 1.1 SECURITY REQUIREMENTS | 3 |
| 1.2 REQUIREMENT | 3 |
| 1.3 DEBRIEFINGS | 3 |
| 1.4 TRADE AGREEMENTS | 3 |
| PART 2 - BIDDER INSTRUCTIONS | 4 |
| 2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS..... | 4 |
| 2.2 SUBMISSION OF BIDS..... | 4 |
| 2.3 ENQUIRIES - BID SOLICITATION..... | 4 |
| 2.4 APPLICABLE LAWS..... | 4 |
| PART 3 - BID PREPARATION INSTRUCTIONS..... | 5 |
| 3.1 BID PREPARATION INSTRUCTIONS | 5 |
| PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION | 6 |
| 4.1 EVALUATION PROCEDURES..... | 6 |
| PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION | 7 |
| 5.1 CERTIFICATIONS REQUIRED WITH THE BID | 7 |
| 5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION | 7 |
| PART 6 - RESULTING CONTRACT CLAUSES | 8 |
| 6.1 SECURITY REQUIREMENTS | 8 |
| 6.2 REQUIREMENT | 8 |
| 6.3 STANDARD CLAUSES AND CONDITIONS..... | 8 |
| 6.4 TERM OF CONTRACT | 8 |
| 6.5 AUTHORITIES | 9 |
| 6.6 PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS | 10 |
| 6.7 PAYMENT | 10 |
| 6.8 INVOICING INSTRUCTIONS | 10 |
| 6.9 CERTIFICATIONS AND ADDITIONAL INFORMATION..... | 11 |
| 6.10 APPLICABLE LAWS..... | 11 |
| 6.11 PRIORITY OF DOCUMENTS | 11 |
| 6.12 SACC MANUAL CLAUSES | 11 |
| ANNEX "A" | 12 |
| REQUIREMENT | 12 |
| ANNEX "B"..... | 17 |
| BASIS OF PAYMENT | 17 |
| ANNEX "C" | 21 |
| EQUIPMENT DISTRIBUTION LIST AND SITE ADDRESSES | 21 |
| ANNEX "D" | 38 |
| SECURITY REQUIREMENT CHECKLIST | 38 |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

ANNEX "E" 42

MANDATORY TECHNICAL EVALUATION CRITERIA 42

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

1. Before award of a contract, the following conditions must be met:
 - (a) the Bidder must hold a valid organization security clearance as indicated in Part 6 - Resulting Contract Clauses;
 - (b) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work sites must meet the security requirements as indicated in Part 6 - Resulting Contract Clauses;
 - (c) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
2. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful Bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
3. For additional information on security requirements, Bidders should refer to the [Contract Security Program](http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html) of Public Works and Government Services Canada (<http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html>) website.

1.2 Requirement

The requirement is detailed under Annex A of the resulting contract clauses.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), and the Canadian Free Trade Agreement (CFTA).

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2017-04-27) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 180 days

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by facsimile to PWGSC will not be accepted.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (one hard copy)

Section II: Financial Bid (one hard copy)

Section III: Certifications (one hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](#) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.2 Exchange Rate Fluctuation

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

As per Annex E – Mandatory Technical Criteria

4.1.2 Financial Evaluation

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price

4.2 Basis of Selection - Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

As per Annex B – Basis of Payment, Total Cost of All Items

Total Cost of Goods

1c+2c+3c+4c+5c+6c+7c+8c+9c+10c+11c+12c+13c+14c+15c+16c+17c+18c+19c+20c+21c

+

Total Cost of Optional Goods

1c+2c+3c+4c+5c+6c+7c+8c+9c+10c+11c+12c+13c+14c+15c+16c+17c+18c+19c+20c+21c

= Lowest Evaluated Price

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 The following security requirements (SRCL and related clauses provided by the Contract Security Program) apply and form part of the Contract.

The Contractor must:

a) provide personal data including the full name, date of birth, present address and other data as requested by the RCMP representative, for each person working on this project if requested. This information will be used for security clearance purposes. Fingerprinting may be required. This information is required to be provided within three (3) days of request.

b) ensure all persons working onsite hold a valid Facility Access with Escort Security Clearance issued by RCMP Departmental Security.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" of Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](#) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.3.2 Supplemental General Conditions

[4011](#) (2012-07-16) Goods – Medium Complexity, apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from date of Contract to 2019-03-31 inclusive.

6.4.2 Optional Good and/or Services

The Contractor grants to Canada the irrevocable option to acquire the goods, services or both described at Annex A and B of the Contract under the same conditions and at the prices and/or rates stated in the contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

The Contract Authority may exercise the option at any time before the expiry of the Contract by sending a written notice to the Contractor.

6.4.3 Delivery Date

All the deliverables must be received on or before **2018-03-29**.

6.4.4 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "C" of the Contract.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Nancy Baessler
Title: Procurement Specialist
Public Works and Government Services Canada
Acquisitions Branch
Directorate: Western Region
Address: 110 – 101 22nd Street E
Saskatoon, SK S7K 0E1
Telephone: 306 241 2826
E-mail address: nancy.baessler@pwgsc-psgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is:

To be determined.

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

6.6 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a [Public Service Superannuation Act](#) (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with [Contracting Policy Notice: 2012-2](#) of the Treasury Board Secretariat of Canada

6.7 Payment

6.7.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price, as specified in Annex B for a cost of \$_____ (insert the amount at contract award). Customs duties are excluded and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.7.2 Limitation of Price

SACC Manual clause [C6000C](#) (2017-08-17) Limitation of Price

6.7.3 Single Payment

SACC Manual clause [H1000C](#) (2008-05-12), Single Payment

6.7.4 SACC Manual Clauses

SACC Manual clause [C2000C](#), (2007-11-30) Taxes – Foreign-based Contractor

6.8 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

6.9 Certifications and Additional Information

6.9.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.10 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

6.11 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the supplemental general conditions 4011 (2017-07-16), Goods – Medium Complexity;
- (c) the general conditions 2010A (2016-04-04), Goods – Medium Complexity;
- (d) Annex A, Requirement;
- (e) Annex B, Basis of Payment;
Annex C, Equipment Distribution List and Site Addresses;
Annex D, Security Requirements Check Lists
- (f) the Contractor's bid dated _____

6.12 SACC Manual Clauses

B7500C (2006-06-16), Excess Goods
G1005C (2016-01-28), Insurance – No Specific Requirement

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

ANNEX "A"

REQUIREMENT

Fitness Equipment List and Specifications MINIMUM SPECIFICATIONS to include the following:

| Item # | Equipment and Specifications | Qty |
|--------|---|-----|
| | <p>General Requirements for all equipment:</p> <p>All equipment must include:</p> <ul style="list-style-type: none">- Delivery to the detachment and installation- One full page of specs per piece of equipment | |
| | CARDIO EQUIPMENT | |
| | <p>Cardio equipment must be, as a minimum, warrantied on site as follows for treadmills, ellipticals:</p> <ol style="list-style-type: none">1. 7 years on frame and motor2. 2 years on all parts, including mechanical and electrical components;3. 1 year on labour including computer display <p>Cardio equipment must be, as a minimum, warrantied on site as follows for bikes:</p> <ol style="list-style-type: none">1. 7 years on frame2. 2 years on parts3. 1 year on labour4. 6 months on wear items <p>Cardio equipment must be, as a minimum, warrantied on site as follows for rower:</p> <ol style="list-style-type: none">1. 2 years on frame2. 2 years on monitor and moving parts3. 1 year on labour, including computer display <p>Cardio equipment must be, as a minimum warrantied on site as follows for the Jacobs Ladder:</p> <ol style="list-style-type: none">1. 1 year on labour2. 4 years on parts | |
| 1 | Commercial Treadmill: <ol style="list-style-type: none">1. Full Commercial (no restrictions on daily hours of use)2. Motor: 4 HP continuous duty, AC3. Electrical: must be 120 volt, 20 amp dedicated4. Speed: minimum 0.5 to maximum 12mph5. Incline: minimum 0 to maximum 15% grade in 0.5% increments6. Running Surface: minimum 20 inches by 60 inches7. Programs: minimum of 10 preset programs, in addition to QuickStart mode | 9 |
| 2 | Elliptical/Cross Trainer with Arms: <ol style="list-style-type: none">1. Full commercial (no restrictions on daily hours of use) | 4 |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | |
|---|--|----|
| | <ul style="list-style-type: none"> 2. Power: Self powered 3. Incline Ramp (optional): 20 settings, adjustable to minimum range of 13 degrees 4. Resistance: 20 resistance levels 5. Programs: minimum of 6 programs, in addition to Quickstart mode 6. Heart Rate Monitor: by touch sensors and/or wireless telemetry 7. Dual action moving arms 8. Maximum User Weight: minimum 350 lbs 9. Display: minimum of calories, distance, heart rate, incline, resistance, pace/speed strides per minute, elapsed time 10. Accessory holders for water | |
| 3 | <p>Spinning Bike:</p> <ul style="list-style-type: none"> 1. Full Commercial (no restrictions on daily hours of use) 2. Drive Train- maintenance free belt drive 3. Flywheel: minimum 38 lb flywheel located at rear or under seat 4. Resistance: adjustable resistance 5. Handlebars: multi-position and easy to use adjustments 6. Seat: move forward and backward, as well as vertically 7. Transport wheels for easy storage and relocation 8. Standard toe clip and strap pedals 9. Leveling feet for stability and floor protection 10. Minimum of one bottle cage, holding up to one litre size bottle 11. Stretch pads providing a non-slip surface 12. Maximum User Weight: minimum 300 lbs | 10 |
| 4 | <p>Rower:</p> <ul style="list-style-type: none"> 1. Full Commercial (no restrictions on daily hours of use) 2. Computer Monitor: programmable performance monitor 3. Flywheel: designed to minimize noise 4. Damper: controls to adjust feel of pull 5. Rail: aluminum with stainless steel track for seat 6. Maximum User Weight: minimum 350 lbs 7. Foot Rests: flexible with adjustments for length and width of shoe 8. Transport wheels for easy mobility | 9 |
| 5 | <p>Jacobs Ladder</p> <ul style="list-style-type: none"> 1. Full Commercial (no restrictions on daily use) 2. Power: self powered 3. Angle: 40 degree climbing angle 4. Height Adjustment: to accommodate all sizes 5. Climbing Rungs: of solid maple 6. Frame: welded tubular steel 7. Display: elapsed time, calories, heart rate, feet climbed and rate of climb in feet/minute | 3 |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| Item # | Equipment and Specifications | Qty |
|--------|---|-----|
| | <p>General Requirements for all equipment:</p> <p>All equipment must include:</p> <ul style="list-style-type: none"> - Delivery to the detachment and installation - One full page of specs per piece of equipment | |
| | Strength Training Equipment | |
| | <p>Where applicable the following specifications apply to strength training equipment:</p> <ol style="list-style-type: none"> 1. Industrial/Commercial Grade 2. Frames made with minimum 12 gauge steel, must be powder coated in an industry standard color (ex white or grey), solid one piece frame construction comprised of heavy duty 2x2" tubing (preferably heavy duty 3x3" tubing) 3. Bolts are a minimum Grade 5 Zinc 4. Padded/upholstered seats, back rests, arms rests in an industry standard color, (ex black), extra protected wear guards in high use areas 5. Seats, leg rests, and or handles all adjust easily 6. Pulleys are to be minimum fibreglass reinforced nylon fitted with pre-lubricated bearings. 7. Minimum 3/16" aircraft quality nylon coated cable or Kevlar and polyamide belt 8. Cam systems to match the relative strength curve 9. Molded feet for floor protection 10. All pulleys are to be minimum fibreglass reinforced nylon fitted with prelubricated bearings 11. Pull pins must be solid steel and spring loaded <p>All strength training equipment must be, as a minimum, warrantied on site as follows:</p> <ol style="list-style-type: none"> 1. Minimum 10 years on frame (excluding paint finish) 2. 2 years on component parts (bearings, spring pins) 3. 1 year on pads, grips, and unspecified parts | |
| 1 | Compact Functional Trainer <ol style="list-style-type: none"> 1. Minimum two, 220lb weight stacks 2. Chinning bar 3. Accessory kit including various handles, straps, bars, etc 4. Minimal footprint design for optimal room placements 5. Selectorized pins tethered to weight stack | 11 |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | |
|---|---|-------------------------------|
| | <p>6. Instructional placards</p> <p>7. Size: maximum 71.5" (w)x 66" (length or depth) x 93" (h)</p> | |
| 2 | <p>Half Rack/Multi Rack</p> <p>1. 2" interval adjustment levels</p> <p>2. Safety bars minimum of 17" constructed from 2" x 3" 11 gauge steel</p> <p>3. Built in plate storage</p> <p>4. Minimum of 16 adjustment levels</p> | 8 |
| 3 | <p>Angled Leg Press</p> <p>1. 45 degree incline angle</p> <p>2. Linear bearings for smooth action</p> <p>3. Adjustable seat back</p> <p>4. Oversized foot plate</p> <p>5. Oversized bearings are self-aligning, sealed and run on hardened shafts</p> <p>6. Built in plate storage</p> | 2 |
| 4 | <p>Multi Use Bench</p> <p>1. Must be adjustable to a flat, incline, or a straight position</p> <p>2. Must have an adjustable back rest to a minimum of five positions</p> <p>3. Pull pins must be solid steel and spring loaded</p> <p>4. 11 gauge steel frame</p> <p>5. Electrostatic powder coat finish on all the frame</p> | 3 |
| 5 | <p>Rubberized Dumbbells</p> <p>1. SDS design construction</p> <p>2. Cannot spin or come loose</p> <p>3. One piece solid cast steel head design encased in rubber</p> <p>4. Rubber should not crack or fade</p> <p>5. Available from 5 to 100lbs in 5 lb increments</p> | 10 sets in varying increments |
| 6 | <p>Dumbbell Rack</p> <p>1. Electrostatic, powder coated finish</p> <p>2. Bolts are a minimum of Grade 5 zinc</p> <p>3. Minimum 11 gauge, tubular steel frame</p> <p>4. 2 and 3 tier options</p> <p>5. Must be able to accommodate specified rubberized dumbbells and standard sized dumbbells</p> | 9 |
| 7 | <p>Olympic Bar</p> <p>1. Seven foot bar</p> <p>2. Knurled Gripping system</p> <p>3. Maintenance free bearings</p> <p>4. Bar diameter 28-32 mm</p> | 9 |
| 8 | <p>Olympic Plates</p> <p>1. Must be Olympic weights</p> <p>2. Must be round</p> <p>3. Must have an ergonomic grip</p> | 76 in varying weights |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | |
|---|--|-----------------------|
| | 4. Olympic size hole to fit Olympic size bar 5. Olympic size in weights of 2.5 lb, 5, 10, 25, 35 and 45 lb 6. Plates clearly marked with specific weight increments 7. Include handle holds or places for fingers to fit for ease of carrying , removing from Olympic bars and safety | |
| 9 | Olympic Bumper Plates 1. One piece solid cast steel, encased in rubber 2. Rubber should be minimum 6mm and odorless 3. Rubber should not crack or fade 4. Olympic sizes, available from 2.5-45 lbs 5. Individual and Olympic sets 6. Color: black | 54 in varying weights |

| Item # | Equipment and Specifications | Qty |
|-----------------------------|--|---|
| Training Accessories | | |
| 1 | Soft Plyometric Boxes 1. Must have slip resistant stepping surface 2. Must have wide base for stability 3. Must be made of high density foam and covered in vinyl 4. Each box must have Velcro strips for stability 5. Must be stackable 6. Sets to include 6-24 inch heights | 9 sets |
| 2 | Mats 1. Must be 2 feet wide by 5 feet long and 1 inch thick 2. Must be black 3. Must have one handle to allow for hanging on wall 4. Must be covered with a vinyl of a minimum of 20 oz | 22 |
| 3 | Medicine Balls 1. Durable and cushioned cover 2. No bounce 3. 2-34 lb | 8 total |
| 4 | Pull Up Bands 1. Strong and seamless latex rubber bands 2. Must be available in light, medium, and heavy resistances | 30 total 10-light 10-med 10- heavy |
| 5 | Battling Ropes 1. 1.5" diameter 2. 30'-50' in length 3. Durable and non shed | 4 |
| 6 | Kettlebells 1. Solid cast steel construction 2. Available in full range of weights- 15-60 lbs | 11 total 3 x 15 lbs 2 x 25 lbs 2 x 35lbs 2 x 45 lbs 1 x 60 lbs |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

ANNEX "B" - BASIS OF PAYMENT

Goods to be delivered on or before March 29, 2018

| ITEM | Quantity (a) | Unit Cost (b) | Total Cost (c) a x b = c |
|---------------------------------------|--|---------------|-----------------------------|
| 1. Commercial Treadmill: | 9 | | |
| 2. Elliptical/Cross Trainer with Arms | 4 | | |
| 3. Spinning Bike | 10 | | |
| 4. Rower | 9 | | |
| 5. Jacobs Ladder | 3 | | |
| 6. Compact Functional Trainer | 11 | | |
| 7. Half Rack/Multi Rack | 8 | | |
| 8. Angled Led Press | 2 | | |
| 9. Multi Use Bench | 3 | | |
| 10. Rubberized Dumbbells | 10 sets (varying increments) | | |
| 11. Dumbbell Rack | 9 | | |
| 12. Olympic Bar | 9 | | |
| 13. Olympic Plates | 76 (varying weights) | | |
| 14. Olympic Bumper Plates | 54 (varying weights) | | |
| 15. Soft Plyometric Boxes | 9 sets | | |
| 16. Mats | 22 | | |
| 17. Medicine Balls | 8 | | |
| 18. Pull Up Bands | 30 total (10 light 10 med 10 heavy) | | |
| 19. Battling Ropes | 4 | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|---|--|--|--|
| 20. Kettlebells | 11 total 3 x 15 lbs 2 x 25 lbs 2 x 35 lbs 2 x 45 lbs 1 x 60 lbs | | |
| 21. Shipping | As per Annex C to various locations throughout Alberta | | |
| Total Cost - Goods $1c+2c+3c+4c+5c+6c+7c+8c+9c+10c+11c+12c+13c+14c+15c+16c+17c+18c+19c+20c+21c$ | | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

Optional Goods to be delivered on or before March 29, 2019

| ITEM | Quantity (a) | Unit Cost (b) | Total Cost (c) a x b = c |
|--|--|---------------|-----------------------------|
| 1. Commercial Treadmill: | 9 | | |
| 2. Elliptical/Cross Trainer with Arms | 4 | | |
| 3. Spinning Bike | 10 | | |
| 4. Rower | 9 | | |
| 5. Jacobs Ladder | 3 | | |
| 6. Compact Functional Trainer | 11 | | |
| 7. Half Rack/Multi Rack | 8 | | |
| 8. Angled Led Press | 2 | | |
| 9. Multi Use Bench | 3 | | |
| 10. Rubberized Dumbbells | 10 sets (varying increments) | | |
| 11. Dumbbell Rack | 9 | | |
| 12. Olympic Bar | 9 | | |
| 13. Olympic Plates | 76 (varying weights) | | |
| 14. Olympic Bumper Plates | 54 (varying weights) | | |
| 15. Soft Plyometric Boxes | 9 sets | | |
| 16. Mats | 22 | | |
| 17. Medicine Balls | 8 | | |
| 18. Pull Up Bands | 30 total (10 light 10 med 10 heavy) | | |
| 19. Battling Ropes | 4 | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|--|--|--|--|
| 20. Kettlebells | 11 total 3 x 15 lbs 2 x 25 lbs 2 x 35 lbs 2 x 45 lbs 1 x 60 lbs | | |
| 21. Shipping | As per Annex C to various locations throughout Alberta | | |
| Total Cost of Optional Goods $1c+2c+3c+4c+5c+6c+7c+8c+9c+10c+11c+12c+13c+14c+15c+16c+$ $17c+18c+19c+20c+21c$ | | | |

Delivery to be FOB to locations indicated in Annex C – various locations throughout Alberta

All prices/rates are GST extra.

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

ANNEX "C"

EQUIPMENT DISTRIBUTION LIST AND SITE ADDRESSES

ANNEX C

EQUIPMENT DISTRIBUTION LIST AND SITE ADDRESSES

| LOCATION | PERSON TO CONTACT | EQUIPMENT | QTY | LOADING DOCK | ELEVATOR ACCESS | CEILING HEIGHT | SMALLEST DOORWAY |
|---|--|---|-----|------------------------------------|-----------------|----------------|------------------|
| AIRDRIE*** Airdrie RCMP Detachment 2 Highland Parkway NE Unit 100 Airdrie, AB T4A 0R1 | Kim PASLOSKE Kim.pasloske@rcmp-grc.gc.ca | Treadmill | 1 | Bay door; gym on the main floor | n/a | adequate | adequate |
| | | Bench | 1 | | | | |
| | | Spin Bike | 1 | | | | |
| | | Jacobs Ladder | 1 | | | | |
| | | Dumbbells | | | | | |
| | | 2 x 90 lbs = 180lbs | | | 1 set | | |
| | | 2 x 95 lbs = 190lbs | | | 1 set | | |
| | | 2 x 100 lbs = 200lbs | | | 1 set | | |
| | | Olympic Bars | 1 | | | | |
| | | Olympic Plates Round 4 x 45 plate = 180lbs | 4 | | | | |

| | | | | |
|--|---|----------------------|---|------------------|
| | | Leg Press | 1 | |
| | | Battle Ropes | 1 | |
| | | Bosu Ball | 1 | |
| | | Pull Up Bands | 2 | |
| ASSUMPTION Chateh RCMP Detachment 12230 Chateh, AB | Josh Magnusson joshua.magnusson@rcmp-grc.gc.ca 780-321-3835 | Leg Press | 1 | |
| | | Spin Bike | 1 | |
| | | Plyo Boxes | 1 set | |
| | | Med balls | 4 2x 20 lbs 2x 30 lbs | |
| | | Olympic bar | 1 | |
| BANFF** Banff RCMP Detachment 335 Lynx Street Banff, AB T1L 1K3 | Mike Buxton-Carr Mike.buxton-carr@rcmp-grc.gc.ca 403-763-6600#holm | | There is a bay door; gym on the second floor | stairs |
| | | kettlebells | 3 | 15lb, 45lb, 60lb |
| | | Olympic Bumper Plate | 10 4x 45 lb 2x35 lb 2x25 lb 2x10 lb | |
| | | Pull up Bands | 2 | |
| | | Medicine Balls | 4 10, 16, 20, 30 lb | |
| | | TRX | 1 | |
| BASHAW Bashaw RCMP Detachment | Fraser ANDERSON Fraser.anderson@rcmp-grc.gc.ca | Squat Rack | 1 | |

| | | | | | | |
|--|--|--|-------|------------------------|---|--|
| 5017 52 St Bashaw, AB T0B 0H0 | 780-372-3793 | | | | | |
| | | Functional Trainer | 1 | | | |
| | | Plyo Boxes | 1 set | | | |
| | | Olympic Plates 2x25 lbs 2x10 lbs | 4 | | | |
| BASSANO Bassano RCMP Detachment Box 337 639 11 Street Bassano, AB T0J 0B0 | Greg Bamber Gregory.bamber@rcmp-grc.gc.ca 403-641-3684 | Rower | 2 | No; gym in basement | stairs | adequate |
| | | Squat Rack | 1 | | Confirmed d 97" ceiling | Ht of door is 84"; but once in the room the ceiling is adequate |
| BEAVERLODGE Beaverlodge RCMP Detachment Box 1140 402 10 Street Beaverlodge, AB T0H 0C0 | Jennifer Bales Jennifer.bales@rcmp-grc.gc.ca 780-354-2955 | Pull up Bands | 2 | | | 209 cm x 89 cm |
| | | Functional Trainer | 1 | | Confirmed d it will fit at 93" ht | |

| | | | | | | | |
|--|--|---|------------------------|------------------------|----------|------------------------------|--|
| | | Spin Bike | 1 | | | (clearanc e is 95") | |
| CONSORT | Cory Schultz Cory.schultz@rcmp-grc.gc.ca | Olympic Bumper Plates | No; gym in basement | stairs | adequate | adequate | |
| Consort RCMP Detachment Box 458 4612 50 Ave Consort, AB T0C 1B0 | 403-577-3001 | 4 x 4.5 plate = 180lbs 2 x 3.5 plate = 70lbs 2 x 2.5 plate = 50lbs 2 x 1.0 plate = 20lbs | 4 2 2 2 | | | | |
| | | Plyo Boxes 1 full set | 1 set | | | | |
| CROWNSNEST PASS | Greg WIEBE Gregory.a.wiebe@rcmp-grc.gc.ca | Rower | 1 | | | | |
| CrowsNest Pass RCMP- GRC 2122 127 St Blairmore, AB T0K 0E0 | 403-562-2867 | | | | | | |
| DIDSBURY | Chad FOURNIER Chad.fournier@rcmp-grc.gc.ca | Rower | 1 | No; gym in basement | stairs | 33.5" x 83.25" | |
| Didsbury RCMP Detachment Box 1270 2425 19 Street Didsbury, AB T0M 0W0 | 403-335-3382 | | | | | | |
| | | Spin Bike | 1 | | | | |
| | | Squat Rack | 1 | | | Confirme d 97" ceiling | |
| | | Dumbbells | 65-100 lbs | | | | |

| | | | | |
|---|--|--|--|--|
| | | 2 x 65 = 130lbs 2 x 70 = 140lbs 2 x 75 = 150lbs 2 x 80 = 160lbs 2 x 85 = 170lbs 2 x 90 = 180lbs 2 x 95 = 190lbs 2 x 100 = 200lbs | 1 set 1 set 1 set 1 set 1 set 1 set 1 set 1 set | |
| | Bumper Plates | | 10 4x45 2x35 2x25 2x10 | |
| | Plyo Boxes | 1 set | | |
| | Olympic Bar | 1 | | |
| Elk Point Elk Point RCMP Detachment | Terry Hyggen Terry.hyggen@rcmp-grc.gc.ca | Treadmill | 1 | |
| | Rower | 1 | | |
| | Functional Trainer | 1 | | |
| | Squat Rack | 1 | | |
| | Dumbbells 35-100lbs | 1 set 2x35 lbs 1 set 2x40lbs 1 set 2x45 lbs 1 set 2x50 lbs 1 set 2x55 lbs 1 set 2x60 lbs 1 set 2x65 lbs 1 set 2x70 lbs 1 set 2x75 lbs 1 set 2x80 lbs 1 set 2x85 lbs | | |

| | | | |
|---|---|--|---|
| | | 2 x 70 = 140lbs 2 x 75 = 150lbs 2 x 80 = 160lbs 2 x 85 = 170lbs 2 x 90 = 180lbs 2 x 95 = 190lbs 2 x 100 = 200lbs | 1 set 1 set 1 set 1 set 1 set 1 set 1 set |
| | Dumbbell Rack | 2 | |
| | Olympic Bars | 2 | |
| | Olympic Plates Round 4 x 45 plates = 180lbs 2 x 35 plates = 70lbs 2 x 25 plates = 50lbs 2 x 10 plates = 20lbs 2 x 5 plates = 10lbs | 4 2 2 2 2 | |
| | Plyo Box Full set | 1 set | |
| FORT VERMILLION Fort Vermillion RCMP Detachment 4302 45 Street Box 94 Fort Vermillion, AB T0H 1N0 | John Pho John.pho@rcmp-rgc.gc.ca 780-927-3954 | Olympic Bars 1 No; gym on main floor | n/a adequate adequate |
| | Olympic Bumper Plates 2 x 45 plates = 90lbs 2 x 25 plates = 50lbs | 2 2 | |
| | Plyo Boxes | | |

| | | | | | | |
|---|---|--|-------|---------------------|--------|---|
| | | Full set | 1 set | | | |
| | Battling Rope | 1 | | | | |
| | Spin Bike | 1 | | | | |
| FOX LAKE Fox Lake RCMP Detachment Box 232 229 Main Road Fox Lake, AB T0H 1R0 | John Pho John.pho@rcmp-grc.gc.ca 780-659-2081 | Functional Trainer | 1 | No; gym in basement | stairs | Ht is 92" in bsmt, but its open ceiling and space bw joists |
| | | Bench (flat) | 1 | | | |
| | | Olympic Plates Round 2 x 4.5 plates = 90lbs | 2 | | | |
| | | Dumbbells | | | | |
| | | 2x80 lbs | 1 set | | | |
| | | 2x85 lbs | 1 set | | | |
| | | 2x90 lbs | 1 set | | | |
| | | 2x95 lbs | 1 set | | | |
| | | 2x100 lbs | 1 set | | | |
| | | Dumbbell Rack | 1 | | | |
| | | Battle ropes | 1 | | | |
| GRANDE CACHE Grande Cache RCMP Detachment Box 270 9906 Shand Ave Grande Cache, AB T0E 0Y0 | Don Smith Don.smith@rcmp-grc.gc.ca 780-827-3344 | Elliptical | 1 | No; gym in basement | stairs | adequate |
| | | Olympic Plates Round | | | | |

| | | | | | |
|---|---|---|----------------------------|---------------------|------------|
| | | 2 x 35 plates = 70lbs 2 x 25 plates = 50lbs 2 x 10 plates = 20lbs | 2 2 2 | | |
| | Dumbbell Rack | 1 | | | |
| HINTON Hinton RCMP Detachment 111 Civic Center Road Hinton, AB T7V 1T8 | Thomas Parker Thomas.parker@rcmp-grc.gc.ca 780-865-2455 | | No; gym on the main floor | n/a | 34.5" door |
| | Rower | 1 | | | |
| | Functional Trainer | 1 | | Confirmed 93" ht | |
| | Plyo Boxes Full set | 1 set | | | |
| | Battling Rope | 1 | | | |
| HQ RCMP K Division Headquarters 11140-109 Street Edmonton, AB T5G 2T4 | Kristin Como Kristin.como@rcmp-grc.gc.ca 780-412-5569 | Mats | 20 Yes; gym in basement | yes adequate | adequate |
| | Treadmill | 1 | | | |
| | Spin Bike | 3 | | | |
| | Rower | 1 | | | |

| | | | | |
|--|---|---|------------------|--|
| | | Pull Up Bands 10- lighter resistance 10- medium resistance 10- heavier resistance | 30 | |
| JASPER Jasper RCMP Detachment 600 Bonhomme St Jasper, AB T0E 1E0 | Tibor LICHTER Tibor.lichter@rcmp-grc.gc.ca 780-852-4421 | Olympic Bumper Plates 4 x 45 plates = 180lbs 2 x 35 plates = 70lbs 2 x 25 plates = 50lbs 2 x 10 plates = 20lbs | 4 2 2 2 | |
| Kitscoty Kitscoty RCMP Detachment 5010 50 St Kitscoty, AB T0B 2P0 | Hillary MCGUIRE Hillary.mcguire@rcmp-grc.gc.ca 780-846-2870 | Plyo Boxes | 1 set | |
| LETHBRIDGE Lethbridge RCMP Detachment | Rob ZINTEL Robert.zintel@rcmp-grc.gc.ca | Kettlebells 1x 15 lbs 1x 25 lbs 1x 35 lbs 1x 45 lbs | 4 | |
| | | Medicine Balls 1x 10 lbs 1x 20 lbs 1x 30 lbs | 3 | |
| | | Treadmill | 1 | |

| | | | | | | | | |
|--|--|---|---|-----------------------|-----|----------|---------------|--|
| 427 Stafford Drive S Lethbridge, AB T1J 4G2 | 403-647-4103 | | | | | | | |
| | | Dumbbells 2x5 lbs 2x10 lbs 2x15 lbs 2x20 lbs 2x25 lbs 2x30 lbs 2x35 lbs 2x40 lbs 2x45 lbs | 1 set 1 set 1 set 1 set 1 set 1 set 1 set 1 set 1 set | | | | | |
| | | Dumbbell Rack | 1 | | | | | |
| | | Olympic Bar | 1 | | | | | |
| | | Plyo Boxes | 1 set | | | | | |
| MANNING Manning RCMP Detachment Box 123 304 6 Ave NE Manning, AB T0H 2M0 | Kerwin Brown Kerwin.brown@rcmp-grc.gc.ca 780-836-3769 | Treadmill | 1 | No; gym on main floor | n/a | adequate | adequate | |
| | | Olympic Plates Round 2 x 45 plates = 90lbs 2 x 25 plates = 50lbs 2 x 10 plates = 20lbs 2 x 5 plates = 10lbs | 2 2 2 2 | | | | | |
| MCLENNAN | Allan PATERSON | Treadmill | 1 | Gym in | | | Stairwell 42" | |

| | | | | |
|--|---|------------------------|-------------------------------------|--|
| McLennan RCMP Detachment 404 3 rd Avenue McLennan, AB T0H 2L0 | Allan.paterson@rcmp-grc.gc.ca 780-324-3086 | | Basement | and door is 33" but wider if they take door off |
| | | Jacobs Ladder | 1 | |
| | | Elliptical | 1 | |
| | | Rower | 1 | |
| MILK RIVER Milk River RCMP Detachment Box 537 605 Main St N Milk River, AB T0K 1M0 | Stewart Gemmill Stewart.d.gemmill@rcmp-grc.gc.ca 403-647-2427 | Functional Trainer | 1 Bay door; gym in the garage | n/a Confirmed dimensions 93' ht |
| | | Bench | 1 | |
| | | Olympic Plates Round | | |
| | | 2 x 4.5 plates = 90lbs | 2 | |
| | | 2 x 3.5 plates = 70lbs | 2 | |
| | | 2 x 2.5 plates = 50lbs | 2 | |
| | | 2 x 1.0 plates = 20lbs | 2 | |
| | | 2 x 5 plates = 10lbs | 2 | |
| NANTON Nanton RCMP Detachment 2501-21 St Nanton, AB T0L 1R0 | Travis Ogilvie Travis.ogilvie@rcmp-grc.gc.ca 403-646-5722 | Squat Rack | 1 | |
| | | Functional Trainer | 1 | |

| | | | | |
|-----------|---|------------|---|--|
| | | | | |
| Dumbbells | 2x5 lbs | 1 set | | |
| | 2x10 lbs | 1 set | | |
| | 2x15 lbs | 1 set | | |
| | 2x20 lbs | 1 set | | |
| | 2x25 lbs | 1 set | | |
| | 2x30 lbs | 1 set | | |
| | 2x35 lbs | 1 set | | |
| | 2x40 lbs | 1 set | | |
| | 2x45 lbs | 1 set | | |
| | 2x50 lbs | 1 set | | |
| | 2x55 lbs | 1 set | | |
| | 2x60 lbs | 1 set | | |
| | 2x65 lbs | 1 set | | |
| | 2x70 lbs | 1 set | | |
| | 2x75 lbs | 1 set | | |
| | 2x80 lbs | 1 set | | |
| | 2x85 lbs | 1 set | | |
| | 2x90 lbs | 1 set | | |
| | 2x95 lbs | 1 set | | |
| | 2x100 lbs | 1 set | | |
| | Dumbbell Rack | 1 | | |
| | Plyo Box | 1set | | |
| | Olympic Plate | | | |
| | 4x45 lbs | 4 | | |
| | 2x35lbs | 2 | | |
| | 2x25 lbs | 2 | | |
| | 2x10 lbs | 2 | | |
| | 2x5 lbs | 2 | | |
| | =330lbs | | | |
| OYEN | Jamie DAY Jamie.day@rcmp-grc.gc.ca | Elliptical | 1 | |

| | | | | |
|--|---|--|---|-----------------------|
| | | | | |
| PROVOST Provost RCMP Detachment 5012 53 Ave Provost, AB T0B 3S0 | Katelyn PETTINGER Kately.pettinger@rcmp-grc.gc.ca | Rower | Spin Bike | 1 |
| | 780-753-2215 780-753-7630 (cell) | | | 1 |
| | | Spin Bike | 1 | |
| | | Kettlebells 1x 15lbs 1x25 lbs 1 x 35 lbs 1x45 lbs 1x55lbs | 5 | |
| REDWATER Redwater RCMP | Mark JOY Mark.joy@rcmp-grc.gc.ca | Treadmill | 1 | No: gym in garage bay |
| | | Elliptical | 1 | |
| | | Rower | 1 | |
| | | Squat Rack | 1 | |
| | | Functional Trainer | 1 | |
| | | Plyo Boxes | 1 set | |
| | | Dumbbells 2 x80 lbs 2x 85 lbs 2x 90 lbs 2x 95 lbs 2x 100lbs | 1 set 1 set 1 set 1 set 1 set | |
| SWAN HILLS | Dean Purcka | Dumbbell Rack Functional Trainer | 1 | No; gym in stairs |
| | | | 1 | Confirme adequate |

| | | | | |
|---|---|------------------------|----------|---|
| Swan Hills RCMP Detachment Box 237 5538 Main Street Swan Hills, AB T0G 2C0 | Dean.allan.purcka@rcmp- grc.gc.ca 780-333-4450 | | basement | d dimensions 93" if they put in a new space |
| TABER Taber RCMP Detachment 4521 Hackney Drive Taber, AB T1G 2C6 | Kevin MCKENNA Kevin.mckenna@rcmp- grc.gc.ca 403-223-4447 | Squat Rack | 1 | |
| TOFIELD Tofield RCMP Detachment Box 540 5515 49 Street Tofield, AB T0B 4J0 | Mark Pearce Mark.pearce@rcmp- grc.gc.ca 780-662-3353 | Treadmill | 1 | No; gym in basement |
| VULCAN Vulcan RCMP Detachment Box 776 165075A Range Rd 244 Vulcan, AB T0L 2B0 | Dana Williams Dana.r.williams@rcmp- grc.gc.ca 403-485-2267 | Dumbbells 2x 40 lbs | 1 | stairs |
| | | Functional Trainer | 1 | adequate |
| | | | n/a | Adequate |
| | | | | |
| | | | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

ANNEX "D"

SECURITY REQUIREMENT CHECKLIST

Government
of CanadaGouvernement
du Canada

SRCL #2017-11126370

| |
|--|
| Contract Number / Numéro du contrat |
| Security Classification / Classification de sécurité |

SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

K DIV

| PART A - CONTRACT INFORMATION / PARTIE A : INFORMATION CONTRACTUELLE | | |
|--|---|---|
| 1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine | RCMP | |
| 2. Branch or Directorate / Direction générale ou Direction Fitness and Lifestyle | | |
| 3. a) Subcontract Number / Numéro du contrat de sous-traitance | 3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant | |
| 4. Brief Description of Work / Brève description du travail Vendor will be required to fulfill contract for delivering, uncrating, assembling, testing and tuning fitness equipment that will be purchased through Procurement. Vendors will have scheduled appointments to K Division RCMP Detachments where they will need access to deliver fitness equipment (treadmills, bikes, squat racks, etc) and install. Most locations can be completed in one day. | | |
| 5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées? | | |
| <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui | | |
| 5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques? | | |
| <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui | | |
| 6. Indicate the type of access required / Indiquer le type d'accès requis | | |
| 6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c) | | |
| <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui | | |
| 6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé. | | |
| <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui | | |
| 6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit? | | |
| <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui | | |
| 7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès | | |
| Canada <input checked="" type="checkbox"/> | NATO / OTAN <input type="checkbox"/> | Foreign / Étranger <input type="checkbox"/> |
| 7. b) Release restrictions / Restrictions relatives à la diffusion | | |
| No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/> | All NATO countries Tous les pays de l'OTAN <input type="checkbox"/> | No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/> |
| Not releasable A ne pas diffuser <input checked="" type="checkbox"/> | Restricted to: / Limité à : <input type="checkbox"/> Specify country(ies): / Préciser le(s) pays : | Restricted to: / Limité à : <input type="checkbox"/> Specify country(ies): / Préciser le(s) pays : |
| 7. c) Level of information / Niveau d'information | | |
| PROTECTED A PROTÉGÉ A <input type="checkbox"/> | NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/> | PROTECTED A PROTÉGÉ A <input type="checkbox"/> |
| PROTECTED B PROTÉGÉ B <input type="checkbox"/> | NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/> | PROTECTED B PROTÉGÉ B <input type="checkbox"/> |
| PROTECTED C PROTÉGÉ C <input type="checkbox"/> | NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/> | PROTECTED C PROTÉGÉ C <input type="checkbox"/> |
| CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/> | NATO SECRET NATO SECRET <input type="checkbox"/> | CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/> |
| SECRET SECRET <input type="checkbox"/> | COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/> | SECRET SECRET <input type="checkbox"/> |
| TOP SECRET TRÈS SECRET <input type="checkbox"/> | | TOP SECRET TRÈS SECRET <input type="checkbox"/> |
| TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/> | | TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/> |



Government
of Canada · Gouvernement
du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité

PART A - CONTINUATION DE PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?
If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité:

No Non Yes Oui

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?

No Non Yes Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel:
Document Number / Numéro du document:

PART B - PERSONNEL (SUPPLIERS) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

| | | | |
|---|---|---|--|
| <input type="checkbox"/> RELIABILITY STATUS COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL CONFIDENTIEL | <input type="checkbox"/> SECRET SECRET | <input type="checkbox"/> TOP SECRET TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET - SIGINT TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET COSMIC TRÈS SECRET |
| <input checked="" type="checkbox"/> SITE ACCESS ACCÈS AUX EMPLACEMENTS | | | |

Special comments:

Commentaires spéciaux :

We will have escorts scheduled once we know delivery dates

FA2 with escort

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?

Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?

If Yes, will unscreened personnel be escorted?

Dans l'affirmative, le personnel en question sera-t-il escorté?

No Non Yes Oui

No Non Yes Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?

Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?

No Non Yes Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?

Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?

No Non Yes Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?

Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?

No Non Yes Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?

Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?

No Non Yes Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?

Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?

No Non Yes Oui



Government of Canada Gouvernement du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité

PARTIE C - CONTINUED / PARTIE C - ISOLEE

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.
Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

| Category Catégorie | PROTECTED PROTÉGÉ | | | CLASSIFIED CLASSIFIÉ | | | NATO | | | COMSEC | | | | |
|---|----------------------|---|---|------------------------------|-----------------------|---------------------------|-----------------|-------------------|-------------|-----------------------------------|----------------------|------------------------------|-----------------------|---------------------------|
| | A | B | C | CONFIDENTIAL CONFIDENTIEL | SECRET TRÈS SECRET | TOP SECRET TRÈS SECRET | NATO RESTRICTED | NATO CONFIDENTIAL | NATO SECRET | COMSEC TOP SECRET CONFIDENTIAL | PROTECTED PROTÉGÉ | CONFIDENTIAL CONFIDENTIEL | SECRET TRÈS SECRET | TOP SECRET TRÈS SECRET |
| Illustration / Assets Renouvellement / Biens | | | | | | | | | | | | | | |
| Production | | | | | | | | | | | | | | |
| IT Media / Support TI | | | | | | | | | | | | | | |
| IT Link / Lien électronique | | | | | | | | | | | | | | |

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

No Non Yes Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

No Non Yes Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

ANNEX "E"

Mandatory Technical Evaluation Criteria

| Equipment and Specifications | Qty | Compliant | |
|---|-----|-----------|----|
| | | Yes | No |
| General Requirements for all equipment: All equipment must include: - Delivery to the detachment and installation - One full page of specs per piece of equipment | | | |
| CARDIO EQUIPMENT Cardio equipment must be, as a minimum, warrantied on site as follows for treadmills, ellipticals: 4. 7 years on frame and motor 5. 2 years on all parts, including mechanical and electrical components; 6. 1 year on labour including computer display Cardio equipment must be, as a minimum, warrantied on site as follows for bikes: 5. 7 years on frame 6. 2 years on parts 7. 1 year on labour 8. 6 months on wear items Cardio equipment must be, as a minimum, warrantied on site as follows for rower: 4. 2 years on frame 5. 2 years on monitor and moving parts 6. 1 year on labour, including computer display Cardio equipment must be, as a minimum warrantied on site as follows for the Jacobs Ladder: 3. 1 year on labour 4. 4 years on parts | | | |
| Commercial Treadmill: 8. Full Commercial (no restrictions on daily hours of use) 9. Motor: 4 HP continuous duty, AC 10. Electrical: must be 120 volt, 20 amp dedicated 11. Speed: minimum 0.5 to maximum 12mph 12. Incline: minimum 0 to maximum 15% grade in 0.5% increments 13. Running Surface: minimum 20 inches by 60 inches 14. Programs: minimum of 10 preset programs, in | 9 | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|---|----|--|--|
| addition to QuickStart mode | | | |
| Elliptical/Cross Trainer with Arms: 11. Full commercial (no restrictions on daily hours of use) 12. Power: Self powered 13. Incline Ramp (optional): 20 settings, adjustable to minimum range of 13 degrees 14. Resistance: 20 resistance levels 15. Programs: minimum of 6 programs, in addition to Quickstart mode 16. Heart Rate Monitor: by touch sensors and/or wireless telemetry 17. Dual action moving arms 18. Maximum User Weight: minimum 350 lbs 19. Display: minimum of calories, distance, heart rate, incline, resistance, pace/speed strides per minute, elapsed time 20. Accessory holders for water | 4 | | |
| Spinning Bike: 13. Full Commercial (no restrictions on daily hours of use) 14. Drive Train- maintenance free belt drive 15. Flywheel: minimum 38 lb flywheel located at rear or under seat 16. Resistance: adjustable resistance 17. Handlebars: multi-position and easy to use adjustments 18. Seat: move forward and backward, as well as vertically 19. Transport wheels for easy storage and relocation 20. Standard toe clip and strap pedals 21. Leveling feet for stability and floor protection 22. Minimum of one bottle cage, holding up to one litre size bottle 23. Stretch pads providing a non-slip surface 24. Maximum User Weight: minimum 300 lbs | 10 | | |
| Rower: 9. Full Commercial (no restrictions on daily hours of use) 10. Computer Monitor: programmable performance monitor 11. Flywheel: designed to minimize noise 12. Damper: controls to adjust feel of pull 13. Rail: aluminum with stainless steel track for seat 14. Maximum User Weight: minimum 350 lbs 15. Foot Rests: flexible with adjustments for length and width of shoe | 9 | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|--|---|--|--|
| 16. Transport wheels for easy mobility Jacobs Ladder 8. Full Commercial (no restrictions on daily use) 9. Power: self powered 10. Angle: 40 degree climbing angle 11. Height Adjustment: to accommodate all sizes 12. Climbing Rungs: of solid maple 13. Frame: welded tubular steel 14. Display: elapsed time, calories, heart rate, feet climbed and rate of climb in feet/minute | 3 | | |
|--|---|--|--|

| Equipment and Specifications | Qty | Compliant |
|---|-----|-----------|
| | Yes | No |
| General Requirements for all equipment: | | |
| All equipment must include: - Delivery to the detachment and installation - One full page of specs per piece of equipment | | |
| Strength Training Equipment | | |
| Where applicable the following specifications apply to strength training equipment: 12. Industrial/Commercial Grade 13. Frames made with minimum 12 gauge steel, must be powder coated in an industry standard color (ex white or grey), solid one piece frame construction comprised of heavy duty 2x2" tubing (preferably heavy duty 3x3" tubing) 14. Bolts are a minimum Grade 5 Zinc 15. Padded/upholstered seats, back rests, arms rests in an industry standard color, (ex black), extra protected wear guards in high use areas 16. Seats, leg rests, and or handles all adjust easily 17. Pulleys are to be minimum fibreglass reinforced nylon fitted with pre-lubricated bearings. 18. Minimum 3/16" aircraft quality nylon coated cable or Kevlar and polyamide belt 19. Cam systems to match the relative strength curve 20. Molded feet for floor protection 21. All pulleys are to be minimum fibreglass reinforced nylon fitted with prelubricated bearings 22. Pull pins must be solid steel and spring loaded | | |
| All strength training equipment must be, as a minimum, warrantied on site as follows: 4. Minimum 10 years on frame (excluding paint) | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|---|-------------------------------|--|--|
| finish) 5. 2 years on component parts (bearings, spring pins) 6. 1 year on pads, grips, and unspecified parts | | | |
| Compact Functional Trainer 8. Minimum two, 220lb weight stacks 9. Chinning bar 10. Accessory kit including various handles, straps, bars, etc 11. Minimal footprint design for optimal room placements 12. Selectorized pins tethered to weight stack 13. Instructional placards 14. Size: maximum 71.5" (w)x 66" (length or depth) x 93" (h) | 11 | | |
| Half Rack/Multi Rack 5. 2" interval adjustment levels 6. Safety bars minimum of 17" constructed from 2" x 3" 11 gauge steel 7. Built in plate storage 8. Minimum of 16 adjustment levels | 8 | | |
| Angled Leg Press 7. 45 degree incline angle 8. Linear bearings for smooth action 9. Adjustable seat back 10. Oversized foot plate 11. Oversized bearings are self-aligning, sealed and run on hardened shafts 12. Built in plate storage | 2 | | |
| Multi Use Bench 6. Must be adjustable to a flat, incline, or a straight position 7. Must have an adjustable back rest to a minimum of five positions 8. Pull pins must be solid steel and spring loaded 9. 11 gauge steel frame 10. Electrostatic powder coat finish on all the frame | 3 | | |
| Rubberized Dumbbells 6. SDS design construction 7. Cannot spin or come loose 8. One piece solid cast steel head design encased in rubber 9. Rubber should not crack or fade 10. Available from 5 to 100lbs in 5 lb increments | 10 sets in varying increments | | |
| Dumbbell Rack 6. Electrostatic, powder coated finish | 9 | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|--|-----------------------|--|--|
| 7. Bolts are a minimum of Grade 5 zinc 8. Minimum 11 gauge, tubular steel frame 9. 2 and 3 tier options 10. Must be able to accommodate specified rubberized dumbbells and standard sized dumbbells | | | |
| Olympic Bar 5. Seven foot bar 6. Knurled Gripping system 7. Maintenance free bearings 8. Bar diameter 28-32 mm | 9 | | |
| Olympic Plates 8. Must be Olympic weights 9. Must be round 10. Must have an ergonomic grip 11. Olympic size hole to fit Olympic size bar 12. Olympic size in weights of 2.5 lb, 5, 10, 25, 35 and 45 lb 13. Plates clearly marked with specific weight increments 14. Include handle holds or places for fingers to fit for ease of carrying , removing from Olympic bars and safety | 76 in varying weights | | |
| Olympic Bumper Plates 7. One piece solid cast steel, encased in rubber 8. Rubber should be minimum 6mm and odorless 9. Rubber should not crack or fade 10. Olympic sizes, available from 2.5-45 lbs 11. Individual and Olympic sets 12. Color: black | 54 in varying weights | | |

| Equipment and Specifications | Qty | Compliant | |
|---|--------|-----------|----|
| | | Yes | No |
| Training Accessories | | | |
| Soft Plyometric Boxes 7. Must have slip resistant stepping surface 8. Must have wide base for stability 9. Must be made of high density foam and covered in vinyl 10. Each box must have Velcro strips for stability 11. Must be stackable 12. Sets to include 6-24 inch heights | 9 sets | | |
| Mats 5. Must be 2 feet wide by 5 feet long and 1 inch thick 6. Must be black 7. Must have one handle to allow for hanging on | 22 | | |

Solicitation No. - N° de l'invitation

M5000-184289/001/A

Client Ref. No. - N° de réf. du client

M5000-184289

Amd. No. - N° de la modif.

File No. - N° du dossier

STN-7-40041

Buyer ID - Id de l'acheteur

STN205

CCC No./N° CCC - FMS No./N° VME

| | | | |
|---|---|--|--|
| wall 8. Must be covered with a vinyl of a minimum of 20 oz | | | |
| Medicine Balls 4. Durable and cushioned cover 5. No bounce 6. 2-34 lb | 8 total | | |
| Pull Up Bands 3. Strong and seamless latex rubber bands 4. Must be available in light, medium, and heavy resistances | 30 total 10-light 10-med 10- heavy | | |
| Battling Ropes 4. 1.5" diameter 5. 30'-50' in length 6. Durable and non shed | 4 | | |
| Kettlebells 3. Solid cast steel construction 4. Available in full range of weights- 15-60 lbs | 11 total 3 x 15 lbs 2 x 25 lbs 2 x 35lbs 2 x 45 lbs 1 x 60 lbs | | |
| Authorized Manufacturer/Reseller | Manufacturer/Reseller proof identifying bidder as an authorized reseller | | |