

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:

Public Works and Government Services Canada
ATB Place North Tower
10025 Jasper Ave./10025 ave. Jaspe
5th floor/5e étage
Edmonton
Alberta
T5J 1S6
Bid Fax: (780) 497-3510

Request For a Standing Offer Demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

Canada, as represented by the Minister of Public Works and Government Services Canada, hereby requests a Standing Offer on behalf of the Identified Users herein.

Le Canada, représenté par le ministre des Travaux Publics et Services Gouvernementaux Canada, autorise par la présente, une offre à commandes au nom des utilisateurs identifiés énumérés ci-après.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
ATB Place North Tower
10025 Jasper Ave./10025 ave Jasper
5th floor/5e étage
Edmonton
Alberta
T5J 1S6

Title - Sujet Flooring Services	
Solicitation No. - N° de l'invitation W6897-180001/B	Date 2018-01-10
Client Reference No. - N° de référence du client W6897-180001	GETS Ref. No. - N° de réf. de SEAG PW-\$PWU-023-11301
File No. - N° de dossier PWU-7-40197 (023)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-01-26	Time Zone Fuseau horaire Mountain Standard Time MST
Delivery Required - Livraison exigée See Herein	
Address Enquiries to: - Adresser toutes questions à: Taylor (RPC), Ian	Buyer Id - Id de l'acheteur pwu023
Telephone No. - N° de téléphone (780)566-9487 ()	FAX No. - N° de FAX (780)497-3510
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE CFB SUFFIELD, PO BOX 6000 STN MAIN BLDG 322 MEDICINE HAT Alberta T1A8K8 Canada	
Security - Sécurité This request for a Standing Offer does not include provisions for security. Cette Demande d'offre à commandes ne comprend pas des dispositions en matière de sécurité.	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address	
Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone	
Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)	
Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This bid solicitation cancels and supersedes previous bid solicitation number W6867-180001/A dated 2017-12-08 with a closing of 2018-01-09 at 14:00 MST. A debriefing or feedback session will be provided upon request to offerors who bid on the previous solicitation.

SECURITY

Prior to issuance of a Standing Offer the successful firm must hold a valid organization security clearance as indicated in PART 6, item 1, and contained in the SRCL.

This notice is to advise ALL interested offerors that in order to be awarded a standing offer which contains a security requirement, all offerors MUST hold a valid Security Clearance granted or approved by PWGSC Canadian Industrial Security Directorate (CISD) at the level indicated in this solicitation document. Should the offeror not currently hold a valid Security Clearance or require the level to be upgraded, PWGSC will sponsor the offeror. Please submit your written request with the following information to Ian Taylor by facsimile 780-497-3510 or by e-mail **to**

Ian.Taylor@pwgsc-tpsgc.gc.ca.

- Legal Company Name
- Mailing address
- Surname and given name of contact person
- Telephone number of contact person
- Title of contact person
- Facsimile number
- E-mail address of contact person
- Procurement Business Number
- Preferred Language of correspondence
- Level of Security Required

Additional information on PWGSC security can be found on the following website:

<http://ssi-iss.tpsgc-pwgsc.gc.ca> or by dialing 1-866-368-4646 (Toll free).

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Introduction
2. Summary
3. Health & Safety
4. Debriefings
5. Security Requirement

PART 2 - INSTRUCTIONS TO OFFERORS

1. Standard Instructions, Clauses and Conditions
2. Submission of Offers
3. Enquiries - Request for Standing Offers (RFSO)
4. Applicable Laws

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. General
2. Offer Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection
3. Ranking

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer
2. Additional Certifications Precedent to Issuance of a Standing Offer

PART 6 - SECURITY, FINANCIAL AND INSURANCE REQUIREMENTS

1. Security Requirement
2. Financial Capability
3. Insurance Requirements

PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

1. Offer - Annex E
2. Security Requirement
3. Standard Clauses and Conditions
4. Term of Standing Offer
5. Authorities
6. Identified Users
7. Call-up Procedures
8. Call-up Instrument
9. Limitation of Call-ups
10. Priority of Documents
11. Certifications
12. Applicable Laws
13. Proactive Disclosure of Contracts with Former Public Servants

B. RESULTING CONTRACT CLAUSES

General Conditions:

(i) GC1 General Provisions	R2810D;
(ii) GC2 Administration of the Contract	R2820D;
(iii) GC3 Execution and Control of the Work	R2830D;
(iv) GC4 Protective Measures	R2840D;
(v) GC5 Terms of Payment	R2550D;
(vi) GC6 Delays and Changes in the Work	R2865D;
(vii) GC7 Default, Suspension or Termination of Contract	R2870D;
(viii) GC8 Dispute Resolution	R2884D;
(ix) GC10 Insurance	R2900D;
Supplementary Conditions, if any;	
Allowable Costs for Contract Changes Under GC6.4.1	R2950D;

ANNEXES

Annex A	Statement of Work
Annex B	Basis of Payment
Annex C	Health & Safety Requirements - Alberta
Annex D	Periodic Usage Report Form
Annex E	Offer
Appendix 1	Integrity Provisions
Appendix 2	Voluntary Certification to Support the Use of Apprentices
Annex F	Insurance Certificate (The Insurance Terms have been amended. Refer to Part 6 clause 3)
Annex G	Security Requirements Checklist (SRCL)
Annex H	Voluntary Reports for Apprentices Employed During the Contract

IMPORTANT NOTICE TO OFFERORS

SUPPORT THE USE OF APPRENTICES

The Government of Canada proposes to support the employment of apprentices in federal construction and maintenance projects. To support this initiative, a voluntary certification signaling the Bidder's commitment to hire and train apprentices is available on Appendix 2.

INTEGRITY PROVISIONS - OFFER

Changes have been made to the Integrity Provisions - Offer as of 2017-04-27 See 01, Integrity Provision – Offer, of 2006 Standard Instructions - Request for Standing Offers for more information.

PART 1 - GENERAL INFORMATION

1. Introduction

The Request for Standing Offers (RFSO) template is divided into seven parts plus attachments and annexes, as follows:

Part 1, General Information: provides a general description of the requirement;

Part 2, Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO;

Part 3, Offer Preparation Instructions: provides Offerors with instructions on how to prepare their offer to address the evaluation criteria specified;

Part 4, Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, if applicable, and the basis of selection;

Part 5, Certifications: includes the certifications to be provided;

Part 6, Security, Financial and Insurance Requirements: includes specific requirements that must be addressed by Offerors; and

Part 7: 7A, Standing Offer, and 7B, Resulting Contract Clauses:

7A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;

7B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer.

The Annexes include the Statement of Work, the Basis of Payment, Health & Safety, Usage Reports, Offer, SRCL, and any other annexes.

2. Summary

Work under this standing offer includes the provision of all labour, equipment, tools, material, transportation and supervision necessary for supply and replacement of floor coverings, including all minor filling, scraping and other preparation required to accept the new floor or wall finish on an "as required" basis for the Department of National Defence, CFB Suffield, Alberta, outlined in the Statement of Work and in accordance with the terms and conditions stated herein.

It is anticipated that one firm will be issued a standing offer.

The standing offer will be issued for a term of three (3) years.

This procurement contains MANDATORY requirements. See Part 4 and 5 of the RFSO for details.

There is a security requirement associated with this requirement. For additional information, see Part 6 - Security, Financial and Insurance Requirements, and Part 7A - Standing Offer. Offerors should consult the "Security Requirements for PWGSC Bid Solicitations - Instructions for Bidders" document

(<http://www.tpsgc-pwgsc.gc.ca/app-acq/lc-pl/lc-pl-eng.html#a31>) on the Departmental Standard Procurement Documents Web site.

The requirement is subject to the provisions of the Canadian Free Trade Agreement (CFTA).

3. Health & Safety Requirements

There are Health & Safety requirements associated with this requirement. See Annex C.

4. Debriefing

After issuance of a standing offer, offerors may request a debriefing on the results of the request for standing offers. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of notification that their offer was unsuccessful. The debriefing may be provided in writing, by telephone or in person. The debriefing will include an outline of the reasons the submission was not successful, making reference to the evaluation criteria. The confidentiality of information relating to other submissions will be protected.

5. Security Requirement

There is a security requirement associated with the requirement of the Standing Offer. For additional information, see Part 6 - Security, Financial and Insurance Requirements, and Part 7 - Standing Offer and Resulting Contract Clauses.

PART 2 - STANDING OFFER - INSTRUCTIONS TO OFFERORS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers RFSO by title, number and date are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Works and Government Services Canada (PWGSC). The Manual is available on the PWGSC Web site: <http://ccua-sacc.tpsgc-pwgsc.gc.ca/pub/acho-eng.jsp>

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the terms and conditions of the Standing Offer and Resulting Contract(s).

The 2006 (2017-04-27) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

Subsection 5.4 of 2006, Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, is amended as follows:

DELETE sixty (60) days and **INSERT** ninety (90) days

2. Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

2.1 Revision of Offer:

An offer submitted in accordance with these instructions may be revised by letter or facsimile, provided that the revision is received at the office designated for the receipt of offers on or before the date and time set for the closing of the RFSO. The facsimile shall be on the offeror's letterhead or bear a signature that identifies the offeror.

A revision to the unit price schedule must clearly identify the change(s) in the unit price(s) and the specific item(s) to which each change applies.

A letter or facsimile submitted to confirm an earlier revision shall be clearly identified as a confirmation.

Failure to comply with any of the above provisions shall result in the rejection of the non-compliant revision(s) only. The offer shall be evaluated based on the original offer submitted and all other compliant revision(s).

Facsimile number for receipt of revisions: **(780) 497-3510**

2.2 Firm Price and/or Rates:

The Offeror is required to submit firm prices, rates or both that will apply for the entire period of the Standing Offer.

2.3 Form: Offers not submitted on the prescribed Offer Form will not be considered.

2.4 Alterations: Any alteration to the pre-printed or pre-typed sections of the Offer Form, or any condition or qualification placed upon the offer may be cause for disqualification of the offer. Alterations, corrections, changes or erasures made to statements or figures entered on the Offer Form by the offeror shall be initialed by the person or persons signing the offer. Initials shall be original(s). Alterations, corrections, changes or erasures that are not initialed shall be deemed void and without effect.

2.5 Incomplete Offers: Incomplete offers may be rejected.

2.6 Taxes

The offeror is responsible for all applicable taxes.

Offerors are not to include any amounts for the Goods and Services Tax (GST) or Harmonized Sales Tax (HST), whichever is applicable. Any amount levied in respect of the GST/HST shall be billed as a separate item on invoices submitted by the contractor, and shall be paid in addition to the amount approved by Canada for work performed under any resulting Contract. The Contractor shall be required to remit the appropriate amount to the Canada Revenue Agency in accordance with the applicable legislation.

The Federal Government is exempt from the Quebec Sales Tax (QST). Offerors shall not include in their prices any amount that is intended to cover the QST on goods and services performed in the execution of the Work except for such amounts for which an Input Tax Refund is not available. The successful Offeror should make arrangements directly with the Province of Quebec to recover any QST paid by it in performing the Work under the resulting Contract.

2.7 Performance Evaluation

Offerors shall take note that the performance of the Contractor during and upon completion of the work shall be evaluated by Canada. The evaluation shall be based on the quality of workmanship; timeliness of completion of the work; project management, contract management and management of health and safety. Should the Contractor's performance be considered unsatisfactory, the Contractor's bidding privileges on future work may be suspended indefinitely.

An electronic version of the form PWGSC-TPSGC 2913, SELECT - Contractor Performance Evaluation Report Form, used to record the performance is available on the Public Works and Government Services Canada (PWGSC) Web site.

3. Enquiries - Request for Standing Offers

All enquiries MUST be submitted in writing to the Standing Offer Authority no later than five (5) calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that offerors do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all offerors. Enquiries not submitted in a form that can be distributed to all offerors may not be answered by Canada.

4. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of work.

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. General

- 1.1 Insert the hourly rate or unit price against each class of labour, plant, or item of specified material listed on the Unit Price Schedule of the Offer form. Insert the percentage mark-up for Unspecified Material, if any; mathematical extensions against all items including the Contractor's Mark-up on Unspecified Material if applicable, and Total Estimated Amount, GST/HST extra.
- 1.2 Submit the Offer, duly completed, to the office designated on page 1 of the RFSO in accordance with the Standard Instructions.
- 1.3 Sign and date the Offer in accordance with the RFSO.

2. Offer Preparation Instructions

Canada requests that offerors provide their offer in separately bound sections as follows:

- Section I: Annex E - Financial Offer (1 hard copy)
- Section II: Certifications (1 hard copy)

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that offerors follow the format instructions described below in the preparation of their offer.

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to that of the Request for Standing Offers.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>).

To assist Canada in reaching its objectives, offerors are encouraged to:

- 1) use paper containing fibre certified as originating from a sustainably-managed forest and/or containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Financial Offer

Offerors must submit their financial offer in accordance with the Annex B, Basis of Payment. The total amount of Goods and Services Tax or Harmonized Sales Tax must be shown separately, if applicable.

Section II: Certifications

Offerors must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the offers.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

a) MANDATORY REQUIREMENTS - Required as part of the Offer

- i) Pursuant to the General Instructions, submission of Request for Standing Offer (RFSO), offers must be submitted to the office designated for the receipt of offers, and must be received on or before the date and time set for solicitation closing shown on page 1 of the RFSO. A rate must be entered for each item listed in the unit price schedule of the offer.

b) MANDATORY REQUIREMENTS - Precedent to issuance of a Standing Offer

- i) Health & Safety Requirements
- ii) Code of Conduct Certifications (*see Part 5 - Certifications*)
- iii) Proof of Insurance - *upon request*
- iv) Former Public Servant – Competitive Requirements
- v) Security Requirements

1.2. Financial Evaluation

- 1.2.1 Price Schedule - A rate must be entered for each item.

- 1.2.2 Offers retained pursuant to Part 4, will be evaluated on the basis of the total estimated amount quoted, GST/HST extra. It is anticipated that one standing offer will be issued to the lowest compliant offeror.

2. Basis of Selection

2.1 Basis of Selection - Lowest Evaluated Price

An offer must comply with the requirements of the Request for Standing Offers to be declared responsive. The responsive offer with the lowest evaluated price will be recommended for issuance of a standing offer.

3. Ranking

- 3.1 Only 1 firm will be issued a standing offer.

- 3.2 The firm submitting the lowest price compliant submission will be issued a Standing Offer.

PART 5 - CERTIFICATIONS

Offerors must provide the required certifications and associated information to be issued a standing offer.

The certifications provided by offerors to Canada are subject to verification by Canada at all times. Canada will declare an offer non-responsive, will have the right to set-aside a standing offer, or will declare a contractor in default in carrying out any of its obligations under any resulting contracts, if any certification made by the Offeror is found to be untrue whether made knowingly or unknowingly or unknowingly during the offer evaluation period, during the Standing Offer period, or during the contract period.

The Standing Offer Authority will have the right to ask for additional information to verify the Offeror's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Standing Offer Authority may render the Offer non-responsive, may result in the setting aside of the Standing Offer or constitute a default under the Contract.

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer

1.1 Code of Conduct and Certifications - Related documentation

By submitting an offer, the Offeror certifies, for itself and its affiliates, to be in compliance with the Code of Conduct and Certifications clause of the 2006 (2017-04-27) Standard Instructions. The related documentation therein required will help Canada in confirming that the certifications are true.

2. Additional Certifications Precedent to Issuance of a Standing Offer

The certifications listed below should be completed and submitted with the offer, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

2.1 Health & Safety Requirements - per attached Annex C.

2.2 Insurance, (Annex F - Insurance Certificate)

2.3 Former Public Servant – Competitive Requirements M3025T (2014-11-27)

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPS, offerors must provide the information required below before the issuance of a standing offer. If the answer to the questions and, as applicable the information required have not been received by the time the evaluation of offers is completed, Canada will inform the Offeror of a time frame within which to provide the information. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the offer non-responsive.

Definitions

For the purposes of this clause,

"former public servant" is any former member of a department as defined in the Financial Administration Act R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c. P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c. C-17, the Defence Services Pension Continuation Act, 1970, c. D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c. R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c. R-11, the Members of Parliament Retiring Allowances Act, R.S. 1985, c. M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Offeror a FPS in receipt of a pension?

YES () NO ()

If so, the Offeror must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Offerors agree that the successful Offeror's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

Work Force Reduction Program

Is the Offeror a FPS who received a lump sum payment pursuant to the terms of a work force reduction program?

YES () NO ()

If so, the Offeror must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force reduction program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including the Goods and Services Tax or Harmonized Sales Tax.

2.4 Security Requirement - per article 1 of Part 6.

PART 6 - SECURITY, FINANCIAL AND INSURANCE REQUIREMENTS

1. Security Requirement

1. Before issuance of a standing offer, the following conditions must be met:
 - (a) the Offeror must hold a valid organization security clearance as indicated in Part 7A - Standing Offer;
 - (b) the Offeror's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Part 7A - Standing Offer;
 - (c) the Offeror must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites.
2. Offerors are reminded to obtain the required security clearance promptly. Any delay in the issuance of a standing offer to allow the successful offeror to obtain the required clearance will be at the entire discretion of the Standing Offer Authority.
3. For additional information on security requirements, bidders should consult the "Security Requirements for PWGSC Bid Solicitations - Instructions for Bidders"
<http://www.tpsgc-pwgsc.gc.ca/app-acq/lc-pl/lc-pl-eng.html#a31> document on the Departmental Standard Procurement Documents Web site.

2. Financial Capability

Financial Statements: In order to confirm an offeror's financial capability to perform the Contract, the Standing Offer Authority may during the RFSSO evaluation phase, request from that offeror current financial information. The requested financial information may include, but is not limited to, an offeror's most recent audited financial statements or financial statements certified by an offeror's chief financial officer. The information provided will be considered in the offer evaluation and selection process. If an offer is found to be non-responsive on the basis that an offeror is considered financially incapable of performing the Work, that offeror will receive a written notification from the Standing Offer Authority.

Should an offeror provide the requested information to Canada in confidence while indicating that the disclosed information is confidential, Canada will treat the information in a confidential manner in accordance with the Access to Information Act, R.S. 1985, c.A-1.

3. Insurance Terms

The Offeror must provide a certificate from an insurance broker or an insurance company licensed to operate in Canada stating that the Offeror, if issued a standing offer as a result of the request for standing offer, can be insured in accordance with the Insurance Requirements specified in SACC Manual clause R2900D GC10 – Insurance.

If the information is not provided in the offer, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

Certificate of Insurance attached at Annex F.

1) Insurance Contracts

- (a) The Contractor must, at the Contractor's expense, obtain and maintain insurance contracts in accordance with the requirements of the Certificate of Insurance. Coverage must be placed with an Insurer licensed to carry out business in Canada.
- (b) Compliance with the insurance requirements does not release the Contractor from or reduce its liability under the Contract. The Contractor is responsible for deciding if additional insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any additional insurance coverage is at the Contractor's expense, and for its own benefit and protection.

2) Period of Insurance

- (a) The policies required in the Certificate of Insurance must be in force from the date of contract award and be maintained throughout the duration of the Contract.

3) Proof of Insurance

- (a) Before commencement of the Work the Contractor must deposit with Canada a Certificate of Insurance on the form attached herein.
- (b) Upon request by Canada, the Contractor must provide originals or certified true copies of all contracts of insurance maintained by the Contractor pursuant to the Certificate of Insurance.

4) Insurance Proceeds

In the event of a claim, the Contractor must, without delay, do such things and execute such documents as are necessary to effect payment of the proceeds.

5) Deductible

The payment of monies up to the deductible amount made in satisfaction of a claim must be borne by the Contractor.

PART 7 - CLAUSES & CONDITIONS

PART 7(A) - STANDING OFFER

1. Offer - attached at Annex E

- .1 General Provisions
- .2 Financial Terms
- .3 Prices

2. Security Requirement

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid **Designated Organization Screening (DOS)**, issued by the Canadian Industrial Security Directorate (CISD), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive work site(s) must EACH hold a valid **RELIABILITY STATUS**, granted or approved by CISD/PWGSC.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of CISD/PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
 - a. Security Requirements Check List and security guide (if applicable), attached at Annex G;
 - b. Industrial Security Manual (Latest Edition).

For additional information on security requirements, proponents should consult the Industrial Security web site at:
<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>.

3. Standard Clauses and Conditions

- 1) .1 General Conditions - Standing Offer, 2005 (2017-06-21)
- 2) The documents identified by title, number and date in paragraph 1) are incorporated by reference and are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Web site:
<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R>

4. Term of Standing Offer

4.1 Period of the Standing Offer

The period for making call-ups against the Standing Offer is from date of issue to "to be determined".

The standing offer will be issued for a term of three (3) years.

5. Authorities

5.1 Standing Offer Authority

The Standing Offer Authority is:

Name: *see front page of Standing Offer for details*
Public Works and Government Services Canada
Acquisitions Branch
Directorate: Real Property Contracting

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, they are responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

5.2 Project Authority

The Project Authority for the Standing Offer is identified in the call-up against the Standing Offer.

The Project Authority is the representative of the department or agency (Departmental Representative) for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

6. Identified users

The Identified User authorized to make call-ups against the Standing Offer is: Department of National Defence (DND), CFB Suffield, Alberta.

7. Call-up Procedures

1. Best Standing Offer: the offer that provides best value (lowest prices) will be retained.

The Project Authority will establish the scope of work to be performed by the successful firm and negotiate the level of effort required to perform the work based on the hourly rates contained in the Standing Offer.

2. Estimates

Where an estimate of the cost of performing specific work is required, the Identified User will provide the Offeror with a statement of the work required and the Offeror must provide the Identified User with an estimate of the cost of performing the specified work in accordance with the pricing provision of the Standing Offer. The Offeror must not undertake any of the specified work unless and until a call-up is issued by the Identified User. The estimated cost stated in the call-up must not be exceeded without the specific written authorization of the Identified User.

9. Limitation of Call-ups

Individual call-ups against the Standing Offer must not exceed \$60,000.00 (Goods and Services Tax or Harmonized Sales Tax included).

10. Priority Documents

If there is a discrepancy between the wording of any documents which appear on the list, the wording of the document which first appears on the list has priority over the wording of any document which subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes and any amendments;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2017-06-21), General Conditions - Standing Offers - Goods or Services
- d) any amendment or variation in the Standing Offer that is made in accordance with the terms and conditions of the Standing Offer;
- e) the general conditions dated and listed in Part 7B, Resulting Contract Clauses;
- f) the Supplemental general conditions;
- g) Annexes:
 - Annex A, Statement of Work / Specifications, and any amendment to the solicitation document incorporated in the Standing Offer before the date of the Standing Offer;
 - Annex B, Basis of Payment;
 - Annex C, Health & Safety Requirements – Alberta;
 - Annex D, Periodic Usage Report Form; and
 - Annex F, Insurance
 - Annex G; Security Requirement Check List (SRCL)
 - Annex H; Voluntary Report for Apprentices Employed During the Contract.
- h) the Offeror's offer Annex E, dated _____ (insert date of offer);

11. Certifications

11.1 Compliance

Compliance with the certifications provided by the Offeror is a condition of authorization of the Standing Offer and subject to verification by Canada during the term of the Standing Offer and of any resulting contract that would continue beyond the period of the Standing Offer. In the event that the Offeror does not comply with any certification or it is determined that any certification made by the Offeror in its offer is untrue, whether made knowingly or unknowingly, Canada has the right to terminate any resulting contract for default and set aside the Standing Offer.

12. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of work.

13. Proactive Disclosure of Contracts with Former Public Servants A3025C (2013-03-21)

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

PART 7 (B) - RESULTING CONTRACT CLAUSES

- 1) The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer:
 - (a) Statement of Work - The Contractor must perform the Work described in the call-up against the Standing Offer;
 - (b) General Conditions:

(i)	GC1	General Provisions	R2810D	(2017-11-28);
(ii)	GC2	Administration of the Contract	R2820D	(2016-01-28);
(iii)	GC3	Execution and Control of the Work	R2830D	(2017-11-28);
(iv)	GC4	Protective Measures	R2840D	(2008-05-12);
(v)	GC5	Terms of Payment	R2550D	(2016-01-28);
(vi)	GC6	Delays and Changes in the Work	R2865D	(2016-01-28);
(vii)	GC7	Default, Suspension or Termination of Contract	R2870D	(2008-05-12);
(viii)	GC8	Dispute Resolution	R2884D	(2016-01-28);
(ix)	GC10	Insurance	R2900D	(2008-05-12);
 - (c) Supplementary Conditions, if any;
 - (d) Allowable Costs for Contract Changes Under GC6.4.1 R2950D (2015-02-25);
 - (e) Any amendment issued or any allowable bid revision received before the date and time set for solicitation closing;
 - (f) Any amendment incorporated by mutual agreement between Canada and the Contractor before acceptance of the bid; and
 - (g) Any amendment or variation of the contract documents that is made in accordance with the General Conditions.
- 2) The documents identified by title, number and date in paragraph 1) are incorporated by reference and are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Website:
<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R>
- 3) The language of the contract documents shall be the language of the Bid and Acceptance Form submitted.
- 4) A contract is formed between Canada and the Offeror only when a Call-up duly signed is issued by the Departmental Representative and accepted by the Offeror*. The Offeror shall then be referred to as "the Contractor" and the Contract includes the Offer, the Specifications referred to in the Unit Price Schedule, the General Conditions, and the Call-up .

5) Interpretation

"Accepted by the Offeror" * means that the Offeror has agreed to, and commenced performance of the work.

"Minister" includes a person acting for the Minister, the Minister's successor in office, their lawful deputy and their representatives appointed for the purpose of the Standing Offer.

"Departmental Representative" means the Project Authority who is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

"Superintendent" or "Supervisor" means the employee or representative of the Contractor designated by the Contractor to act as Superintendent;

"Unit Price Table" means the table of prices per unit set out in the Offer; and

"Work" means, subject only to any express stipulation in the Contract to the contrary, everything that is necessary to be done, furnished or delivered by the Contractor to perform the Contract in accordance with the work as described in each Call-up, and in the technical specifications or statement of work.

SUPPLEMENTAL CONDITIONS

SC01 INSERT the following supplementary conditions in the resulting General Conditions:

1.1. T1204 - Direct Request by Customer Department

- 1.1.1 Pursuant to paragraph 221 (1)(d) of the Income Tax Act, R.S. 1985, c.1 (5th Supp.), payments made by departments and agencies to contractors under applicable services contracts (including contracts involving a mix of goods and services) must be reported on a T1204 Government Service Contract Payments slip.
- 1.1.2 To enable departments and agencies to comply with this requirement, the Contractor must provide Canada, upon request, its business number or Social Insurance Number, as applicable. (These requests may take the form of a general call-letter to contractors, in writing or by telephone).

1.2. Periodic Reports

- 1.2.1 The Offeror shall provide to the Standing Offer Authority biannual reports on usage of the Standing Offer, showing the number and total value of call-ups by each consignee. Reports shall be submitted in the format shown on the attached Annex D "Periodic Usage Report Form" and forwarded to the Standing Offer Authority no later than fifteen (15) days after the designated reporting period.
- 1.2.2 The Offeror understands that failure to comply may result in the setting aside of the Standing Offer.

SC02 TERM OF CONTRACT

2.1 Period of the Contract

The Work must be completed in accordance with the call-up against the Standing Offer.

SC03 PAYMENT

3.1 CHANGES TO GC5 R2550D - TERMS OF PAYMENT

DELETE GC5.4, GC5.5, and GC5.6 and **INSERT** the following:

GC5.4 Payment

.1 Terms of Payment

1. Where the duration of the work identified in a call-up is greater than 30 days, the Contractor may submit monthly progress claims, and shall be entitled to receive progress payments at monthly or other agreed intervals. Subject to verification by the Departmental Representative, payment of the Contractor's invoice for work satisfactorily completed shall be made not later than 30 days after receipt thereof. The due date shall be the 30th day following receipt of a properly submitted invoice.
2. The Contractor shall submit a separate invoice for each Call-up to the Departmental Representative in accordance with any invoicing instructions set out herein. The properly submitted invoice shall be delivered to the Departmental Representative in the agreed format with sufficient detail, information, and backup to permit verification.

The Contractor's invoice shall show the following, as separate items:

- (a) the amount of the progress payment being claimed for Work satisfactorily performed excluding GST/HST;
- (b) the amount for any tax calculated (GST/HST) in accordance with the applicable federal tax legislation; and
- (c) the total amount which shall be the sum of the amounts referred to in (a) and (b) above.

3. The amount of the tax shown on the invoice shall be paid by Canada to the Contractor in addition to the amount of the progress payment for Work satisfactorily performed.
4. If, within 15 days of receipt of the invoice, additional information is requested by the Departmental Representative for the purpose of verification, the 30 day payment period shall commence upon receipt of the requested information. Payment shall be made prior to or on the thirtieth (30) day after receipt of the corrected invoice or the required information.
 - .1 Any monthly progress payment made to the Contractor may be subject to a 10% holdback which shall be released to the Contractor with the final payment unless the amount held back is required by Canada to remedy any defect in the Contractor's work.
 - .2 Where the duration of the Work identified in a call-up is equal to or less than thirty (30) days, the Contractor may receive a single payment as full consideration for the Work performed.
5. Upon completion of the Work in the progress claim, the Contractor may be requested to provide a completed and signed statutory declaration containing a declaration that, up to the date of the progress claim, the Contractor has complied with all lawful obligations with respect to the Labour Conditions and that, in respect of the Work, all lawful obligations of the Contractor to its Subcontractors and Suppliers, referred to collectively in the declaration as "subcontractors and suppliers", have been fully discharged before any further payment is made.
6. Upon written notice by a Sub-Contractor, with whom the Contractor has a direct contract, of an alleged non payment to the Sub-Contractor, the Departmental Representative may provide the Sub-Contractor with a copy of the latest approved progress payment made to the Contractor for the Work.
7. Upon the satisfactory completion of all Work, the amount due, less any payments already made, shall be paid to the Contractor not later than thirty (30) days after receipt of a properly submitted invoice, and upon request, with a Statutory Declaration in accordance with paragraph 5 above.

3.2 Basis of Payment - see Annex B

3.3 Limitation of Price

Canada will not pay the Contractor for any changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

3.4 Supplemental Invoicing Instructions

- .1 Invoices
 - .1 All invoices submitted for payment shall show:
 - .1 Construction Engineering Work Order Number,
 - .2 Construction Engineering File Number,
 - .3 Requisition Number, DSS 942 (Requisition on Contract),
 - .4 Public Works and Government Services Canada (PWGSC) Standing Offer Number, and
 - .5 same address as on PWGSC contract.
 - .2 Invoices are to include a breakdown as follows:
 - .1 Hourly rate per the Offer and hours of work for each tradesperson.
 - .2 An itemized list of materials used, by cost, shall be shown on all invoices submitted for payment.
 - .3 Extended total.
 - .4 Good and Services Tax (GST/HST) shall be shown as a separate item.
 - .5 Where subcontracting is involved a copy of subcontractor's invoice shall accompany the invoice against the requisition.
 - .6 Where discount or markup is applicable, indicate separately.
 - .3 Invoices submitted for payment against this contract that are not properly identified will be returned to the Contractor for proper annotation before certification for payment is made.

ANNEXES

Annex A	Statement of Work
Annex B	Basis of Payment
Annex C	Health & Safety Requirements
Annex D	Periodic Usage Report Form
Annex E	Offer
	Appendix 1 – Integrity Provisions
	Appendix 2 - Voluntary Certification to Support the Use of Apprentices
Annex F	Insurance Certificate
Annex G	Security Requirements Checklist
Annex H	Voluntary Reports for Apprentices Employed During the Contract

Solicitation No. - N° de l'invitation
W6867-180001/B
Client Ref. No. - N° de réf. du client
W6867-180001

Amd. No. - N° de la modif.
File No. - N° du dossier
PWU-7-40197

Buyer ID - Id de l'acheteur
PWU023
CCC No./N° CCC - FMS No./N° VME

ANNEX A

STATEMENT OF WORK

REFER TO ATTACHED DOCUMENT



National Defence



CANADIAN FORCES BASE SUFFIELD
BASE ENGINEERING
SPECIFICATION
FOR
FLOOR COVERINGS AND WALL TILE

CFB Suffield Job No: L-S381-9901/786

SO: 4203

Dated: 28 September 2017

K. Lund
Contracts Inspector

R. A. Cayer, MWO
Contracts Officer

C. Donnelly
Chief Fire Inspector

TABLE OF CONTENTS

Pages

Division 1 - GENERAL REQUIREMENTS

Section 01 11 00 – Summary of Work	3
Section 01 35 35 – DND Fire Safety Requirements	4
Section 01 35 43 – Environmental Protection.....	5
Section 01 35 45 – Safety Requirements	3

Division 9 – FINISHES

Section 09 30 13 – Ceramic Tiling.....	3
Section 09 30 15 – Quarry and Paver Tiling.....	4
Section 09 65 16 – Resilient Sheet Flooring.....	4
Section 09 65 19 – Resilient Tile Flooring	4
Section 09 68 00 – Carpeting	4

PART 1 General

1.1 DESCRIPTION OF WORK

- .1 Work under this Contract includes all labour, materials, equipment, and supervision necessary for supply and replacement of floor coverings, including all minor filling, scraping and other preparation required to accept the new floor or wall finish.
- .2 Work also included in this Contract is as follows:
 - .1 Moving and replacing refrigerators.
 - .2 Removing and reinstalling wooden and/or rubber baseboards.
 - .3 Removing carpet, lino and/or tile to accept new flooring or wall covering.
 - .4 Moving and replacement of furniture and/or appliances.
- .3 All items listed in 1.1.2 above will be as required and requisitioned on DSS 942 Requisition Against a Standing Offer.

1.2 WORK SCHEDULE

- .1 When schedule has been approved by Engineer take necessary measures to complete work within scheduled time. Do not change schedule without Engineer's approval.

1.3 CONTRACTOR'S USE OF SITE

- .1 Use of site: exclusive and complete for execution of work except where specified by Engineer.
- .2 Do not unreasonably encumber site with materials or equipment.
- .3 Move stored products or equipment, which interfere with operations of Engineer or other Contractors.
- .4 Obtain and pay for use of additional storage or work areas needed for operations.

1.4 CODES AND STANDARDS

- .1 Perform work in accordance with the National Building Code of Canada (NBC) latest edition.
- .2 Materials and workmanship must conform to or exceed applicable standards of Canadian Government Specifications Board (CGSB), Canadian Standards Association (CSA), American Society for Testing Materials (ASTM) and other referenced organizations.
- .3 Conform to latest revision of dated referenced standards, as reaffirmed or revised to date of specification. Standards or codes not dated shall be deemed editions in force on date of specification.

1.5 PROJECT MEETINGS

- .1 Engineer will arrange project meetings and assume responsibility for setting times and recording and distributing minutes.

1.6 CUTTING, FITTING AND PATCHING

- .1 Where new work connects with existing and where existing work is altered, cut, patch and make good to match existing work.
- .2 Make cuts with clean, true, smooth edges. Make cuts inconspicuous in final assembly.
- .3 Fit work airtight to pipes, sleeves, ducts and conduits.

1.7 SAFETY AND SECURITY – OCCUPIED BUILDINGS

- .1 Execute work with least possible interference or disturbance to occupant, public or normal use of premises. Arrange with Engineer to facilitate execution of work.
- .2 Where security has been reduced by work of contract, provide temporary means to maintain security.
- .3 Where elevators, dumbwaiters, conveyors, or escalators exist in building, only those assigned for Contractor's use may be used for moving men and material within building. Protect walls of passenger elevators, to approval of Engineer prior to use. Accept liability for damage, safety of equipment and overloading of existing equipment.
- .4 Provide temporary dust screens, barriers, warning signs in locations where renovation and alteration work is operative during such work.

1.8 ADDITIONAL DRAWINGS

- .1 Engineer may furnish additional drawings to Contractor to assist proper execution of work. These drawings will be issued for clarification purposes only. Such drawings shall have the same meaning and intent as if they were included in the Contract Documents.

1.9 WORKMANSHIP

- .1 Install all materials in strict accordance with the manufacturer's recommendations using certified mechanics skilled in this trade. Work shall be supervised by a competent foreman at all times and shall be neat, accurately fitted and finished in accordance with the best trade practice. A copy of the flooring manufacturer's installation instructions shall be made available at the site for the Engineer's use in verifying specifications and inspecting the Contractor's installation.

1.10 EXAMINATION OF SURFACES

- .1 General:
 - .1 Prior to application, examine surfaces prepared by other trades which affect work of this Section. Ensure that all surfaces to which materials are to be applied have been cleaned and filled in accordance with the manufacturer's requirements and

to the satisfaction of the Engineer, to ensure proper installation of flooring materials and adhesives.

- .2 Previously finished floor:
 - .1 Direct glue down installation – inspect floor for imperfections and ensure adequate preparations have been performed to ensure bonding of adhesive. Where questionable floor conditions exist, apply test samples to test for bond strength.
 - .2 Inspect floor for imperfections.
 - .3 Correct any imperfections of floor surface.
 - .4 Commencement of work shall comply acceptance of the surface as being satisfactory for laying floor and the Contractor alone shall be responsible for the finished job.

1.11 ADJUSTMENT

- .1 Before handover of the project, examine work and make good apparent adjustments or defects to the satisfaction of the Engineer.

1.12 GUARANTEE

- .1 Material and workmanship shall be first class in every respect. Any defect which may develop within one (1) year after final acceptance by the Department shall be made good at no cost to the Crown.

PART 2 - Products

2.1 NOT USED

- .1 Not used.

PART 3 - Execution

3.1 NOT USED

- .1 Not used.

END OF SECTION

Part 1 General

1.1 FIRE SAFETY PLAN

- .1 Contractors shall be familiar with this Section and its requirements.
- .2 The contractor must provide a Fire Safety Plan in accordance with the National Fire Code of Canada (NFCC 2010) section 5.6.1.3. The contractor's responsibility for a Fire Safety Plan is limited to their construction activities and not for the whole building. Responsibility for fire safety of the building areas outside of the construction limits will remain with DND. DND/CF is responsible for the Fire Safety Plan for the occupied portions of the building. The plan shall be submitted to DND by the contractor within 10 business days of award for approval by the Base Fire Chief prior to commencement of construction or demolition operations. A copy of the approved Fire Safety Plan shall be posted and maintained on site at all times during construction and the Contractor shall ensure all persons accessing the construction site are briefed and adhere to the requirements of the plan.

1.2 FIRE DEPARTMENT BRIEFING

- .1 Project Authority will co-ordinate arrangements for contractor for briefing on Fire Safety at pre-work conference by Fire Chief before work is commenced.

1.3 REPORTING FIRES

- .1 Know location of nearest fire alarm box and telephone, including emergency phone number.
 - .1 Base: 4911
 - .2 Cellular Phone: 911 or 1-403-544-4991
- .2 Report immediately fire incidents to Fire Department as follows:
 - .1 Activate nearest fire alarm box; or
 - .2 Telephone.
- .3 Person activating fire alarm box will remain at box to direct Fire Department to scene of fire.
- .4 When reporting fire by telephone, give location of fire, name or number of building and be prepared to verify location.

1.4 INTERIOR AND EXTERIOR FIRE PROTECTION AND ALARM SYSTEMS

- .1 Fire protection and alarm system will not be:
 - .1 Obstructed;
 - .2 Shut-off; and
 - .3 Left inactive at end of working day or shift without authorization from Fire Chief.
- .2 Fire hydrants, standpipes and hose systems will not be used for other than fire-fighting purposes unless authorized by Fire Chief.

1.5 FIRE EXTINGUISHERS

- .1 Supply fire extinguishers, as scaled by Fire Chief, necessary to protect work in progress and contractor's physical plant on site.
- .2 In addition to the requirements mentioned above, the Fire Safety Plan shall include the number and location of Fire Extinguishers, and the location of the Muster Point, in the event of an emergency. Also include measures for controlling fire hazards created during construction, in and around the construction site.

1.6 BLOCKAGE OF ROADWAYS

- .1 Advise Fire Chief of work that would impede fire apparatus response. This includes violation of minimum overhead clearance, as prescribed by Fire Chief, erecting of barricades and digging of trenches.

1.7 FIRE PRECAUTIONS

- .1 Private Contractors are responsible for providing a Fire Watch service on a scale established in conjunction with the Base Fire Chief prior to the job start up.
- .2 Base Fire Chief is to be advised of all cases involving the use of flame or spark producing devices including heating equipment in or around buildings.
- .3 Appropriate permits must be obtained prior to job start-up.

1.8 SMOKING PRECAUTIONS

- .1 Although smoking is not permitted in hazardous areas, care must still be exercised in the use of smoking materials in non-restricted areas.
- .2 Smoking is not permitted in DND buildings.

1.9 RUBBISH AND WASTE MATERIALS

- .1 Keep rubbish and waste materials at minimum quantities.
- .2 Burning of rubbish is prohibited.

- .3 Remove rubbish from work site at end of work day or shift or as directed.
- .4 Storage:
 - .1 Store oily waste in approved receptacles to ensure maximum cleanliness and safety.
 - .2 Deposit greasy or oily rags and materials subject to spontaneous combustion in approved receptacles and remove specified.

1.10 FLAMMABLE AND COMBUSTIBLE LIQUIDS

- .1 Handling, storage and use of flammable and combustible liquids must be governed by the current National Fire Code of Canada.
- .2 Keep flammable and combustible liquids such as gasoline, kerosene and naphtha for ready use in quantities not exceeding 45 litres provided they are stored in approved safety cans bearing Underwriters' Laboratory of Canada or Factory Mutual seal of approval. Storage of quantities of flammable and combustible liquids exceeding 45 litres for work purposes requires permission of Fire Chief.
- .3 Transfer of flammable and combustible liquids is prohibited within buildings or jetties.
- .4 Transfer of flammable and combustible liquids will not be carried out in vicinity of open flames or any type of heat-producing devices.
- .5 Do not use flammable liquids having flash point below 38 degrees C such as naphtha or gasoline as solvents or cleaning agents.
- .6 Store flammable and combustible waste liquids, for disposal, in approved containers located in safe ventilated area. Keep quantities minimum and Fire Department is to be notified when disposal is required.

1.11 HAZARDOUS SUBSTANCES/HOT WORK/ TEMPORARY HEAT PERMITS

- .1 Work entailing use of toxic or hazardous materials, chemicals and/or explosives, or otherwise creating hazard to life, safety or health, must be in accordance with National Fire Code of Canada.
- .2 Obtain from Fire Chief a "Hot Work" permit for work involving spark-producing equipment, welding, burning or use of blowtorches, in buildings or facilities. Hot Work permits may be issued between 0800 – 0900 hours daily.
- .3 Temporary Heating – temporary heaters shall be stamped as approved by a recognized testing agency (i.e. CDA, CSA, ULC). Only indirect flame type heaters are to be used. Only in exceptional circumstances are torpedo type heaters to be used and they will require 24 hour on site supervision. Heater permits require 24 hours' notice and can be obtained from the Chief Fire Inspector daily between 0800 – 0900 hours. After normal working hours, callouts for Fire Prevention staff to inspect and issue permits shall be at the Contractor's expense.

- .4 Heaters are to have an original and legible installation plate affixed stating clearances to be maintained from combustible materials. Stated clearances will be maintained at all times.
- .5 Heaters shall be installed by a qualified gas fitter to meet the requirements of the Propane Installation Code or the National Gas Installation Code, whichever is applicable.
- .6 All LPG cylinders shall be supported against upset by non-combustible cable or chain. Cylinders shall be protected against damage.
- .7 A permit becomes invalid if a heater is moved from the original location for which the permit was issued. A new permit must be obtained.
- .8 When Work is carried out in dangerous or hazardous areas involving use of heat, provide fire watchers equipped with sufficient fire extinguishers. Determination of dangerous or hazardous areas along with level of protection necessary for Fire Watch is at discretion of Fire Chief. Contractors are responsible for providing fire watch service for work on scale established and in conjunction with Fire Chief at pre-work conference.
- .9 Provide ventilation where flammable liquids, such as lacquers or urethanes are used, eliminate sources of ignition. Inform Fire Chief prior to and at cessation of such work.

1.12 QUESTIONS AND/OR CLARIFICATION

- .1 Direct questions or clarification on Fire Safety in addition to above requirements to Fire Chief.

1.13 FIRE INSPECTION

- .1 Co-ordinate site inspections by Fire Chief through Project Authority.
- .2 Allow Fire Chief unrestricted access to work site.
- .3 Co-operate with Fire Chief during routine fire safety inspection of work site.
- .4 Immediately remedy unsafe fire situations observed by Fire Chief.

END OF SECTION

Part 1 General

1.1 ENVIRONEMNTAL RESPONSIBILITY

- .1 All work under this contract is to be conducted in an environmentally responsible manner. Maintain awareness of particularly environmentally sensitive areas located throughout the Base.

1.2 WORK AREA

- .1 Under the direction of the DND Representative, define and mark the construction area work limits prior to Work commencing.
- .2 Work is to be restricted to designated work area, designated access roads and designated ancillary worksites.

1.3 FUEL MANAGEMENT

- .1 Ensure that any fuel storage and transfer areas on site are designed, operated and maintained in accordance with the requirements of current applicable federal, provincial and municipal legislation, guidelines and codes, including the 2003 *Environmental Code of Practice for Aboveground and Underground Storage Tank Systems Containing Petroleum and Allied Petroleum Products*, published by the Canadian Council for Ministers of the Environment (CCME), and the most current version of the *National Fire Code of Canada* (NFCC), from the National Research Council (NRC).
- .2 Ensure requirements of Storage Tank Systems for Petroleum Products and Allied Petroleum Products Regulations 2008 Version.
- .3 Fuel storage and handling areas must be completely contained to prevent spills or leaks from migrating outside the designated storage or handling area, per the requirements of the NFCC.
- .4 On-site provisions for spill prevention should include an emergency spill response plan, spill kits and spill response training for personnel.

1.4 FIRES

- .1 Fires and burning of rubbish on site is not permitted.
- .2 Additional requirements in accordance with Section 01 35 35 – DND Fire Safety Requirements.

1.5 SOIL HANDLING

- .1 Remove topsoil before any construction procedures commence to avoid compaction of topsoil.
- .2 Handle topsoil only when it is dry and warm

- .3 Pile topsoil in berms in locations as directed by DND Representative. Stockpile height not to exceed 2.5 - 3m.
- .4 Topsoil is to be replaced as the finish layer over all areas to be reseeded.
- .5 Avoid soil handling activities under high wind or unfavorable weather conditions, as directed by the DND Representative.

1.6 SITE CLEARING AND PLANT PROTECTION

- 1. Minimal surface disturbance techniques are to be employed on prairie landscapes.
- .2 When vegetation or brush removal is required, such activities are to be completed using non-chemical means, unless otherwise authorized by the DND Representative.
- .3 Protect trees and plants on site and adjacent properties where indicated.
- .4 Wrap in burlap, trees and shrubs adjacent to construction work, storage areas and trucking lanes, and encase with protective wood framework from grade level to height of 2 m.
- .5 Protect roots of designated trees to drip line during excavation and site grading to prevent disturbance or damage. Avoid unnecessary traffic, dumping and storage of materials over root zones.
- .6 Minimize stripping of topsoil and vegetation.
- .7 Restrict tree removals to areas indicated or designated by DND Representative.
- .8 Salvage vegetation and store at approved sites for future replacement as required and directed by DND Representative.

1.7 WASTE MANAGEMENT

- .1 Do not bury rubbish and waste materials on site.
- .2 Ensure waste materials, equipment and debris are adequately contained on site.
- .3 Dispose of unused paint, adhesive, caulking material, and volatile materials at official hazardous waste material collections site.
- .4 Provide and use clearly marked separate bins for recycling wherever facilities are available. Dispose of recyclable materials, to appropriate facilities except where otherwise specified, in accordance with authority having jurisdiction.
- .5 Provide on-site containers for collection of waste materials and debris. Locate for least interference with work activities. Remove construction debris, waste materials, packaging material from work site daily, or dispose of as directed by DND Representative.
- .6 Additional requirements in accordance with Section 01 74 20 – Construction/Demolition Waste Management and Disposal.

1.8 DRAINAGE

- .1 Provide temporary drainage and pumping as necessary to keep excavations and site free from water.
- .2 Do not pump water containing suspended materials into waterways, sewer or drainage systems.
- .3 Control disposal or runoff of water containing suspended materials or other harmful substances in accordance with local authority requirements.

1.9 POLLUTION CONTROL

- .1 Maintain temporary erosion and pollution control features installed under this contract.
- .2 Control emissions from equipment and plant to local authorities' emission requirements.
- .3 Prevent sandblasting and other extraneous materials from contaminating air and waterways beyond application area, by providing temporary enclosures.
- .4 Cover or wet down dry materials and rubbish to prevent blowing dust and debris. Provide dust control for temporary roads.

1.10 STORAGE AND HANDLING

- .1 Hazardous substances (any substance that is poisonous, or exhibits flammability, corrosivity, reactivity, or toxicity) shall be stored and handled in a manner that is not harmful to human life and will not pollute the environment. Comply with provincial and municipal regulations for the storage and handling of hazardous substances.
- .2 Hazardous substances stored outdoors shall be situated in or on a secondary containment device capable of fully containing 1.5 times the quantity of the largest container stored in or on it. Storage sites shall be consolidated to greatest extent possible to reduce the number of hazardous sites.
- .3 When hazardous substances are stored indoors in quantities that cannot be contained safely by the building structure in the event of a leak, the DND Representative may direct that such substances be stored in or on a proper secondary containment device.

1.11 EQUIPMENT

- .1 Use equipment in good working order, free of all leaks which would contaminate site.
- .2 Equipment brought to site is to be clean and well maintained in a manner that will not be detrimental to the environment in compliance with the Canadian Environmental Protection Act (CEPA). Equipment in violation shall be removed from the site until such time as it complies with these requirements.

- .3 Do not add fuel, oils or coolants to machinery on site. Provide properly placed drip pans under all fuel, oil and coolant filled machinery when machinery is left on site overnight and on weekends to contain leaks and drips.
- .4 Equipment and vehicles used on the prairie shall be cleaned to remove weeds and spores prior to arriving on site.
- .5 Store vehicles in designated areas approved by DND Representative.

1.12 CLEAN UP

- .1 Provide and maintain fully stocked spill kits during execution of Work. Spill kits to contain mats to absorb spills, socks to prevent spread of spills, gloves, large labelled plastic disposal bags.
- .2 Leaks and spills of hazardous substances, regardless of quantity or location, shall be stopped and cleaned up immediately. Prevent leaks and spills from entering storm and sanitary sewer systems and from contaminating soil and water.
- .3 Disposal of hazardous substances shall be in a manner acceptable to the local authority having jurisdiction over disposal of such substances.

1.13 REPORTING

- .1 Releases of hazardous substances into the environment (e.g. ground, water, drains, sewer systems, ditches, roads, parking areas, etc.) shall be reported to the DND Representative as soon as possible.

1.14 INSPECTIONS

- .1 The project site may be inspected to ensure compliance with federal, provincial, and local environmental requirements.
- .2 Reported spills are subject to inspection by the Base Environmental Officer and the DND Representative to confirm clean up and disposal have been carried out satisfactorily.

END OF SECTION

Part 1 General

1.1 CONSTRUCTION SAFETY MEASURES

- .1 All Contractors and their personnel shall be familiar and comply with this section and its requirements.
- .2 Observe construction safety measures of National Building Code latest edition, National Fire Code of Canada latest edition, Workers'/Workmen's Compensation Board, Canada Labour Code. Part II and Canada Occupational Health & Safety Regulations and in any situation of conflict or discrepancy, the more stringent requirements shall apply.
- .3 The Contractor is required to fully comply with the Provincial/Territory Safety Acts, Codes and Regulations. The Contractor will be acting as the 'Prime (Principal if applicable) Contractor' for this contract and will certify this agreement in writing with the DND Representative.

1.2 BASE SAFETY OFFICE BRIEFING

- .1 DND Representative will coordinate/arrange for Contractor's Staff to be briefed on Base Safety requirements. This will occur at Bi-weekly Safety meetings.
- .2 The base Safety Briefing is valid for one year from date of orientation and is transferable from job site to job site.

1.3 FMA SAFETY REQUIREMENTS

- .1 Contractors doing work in the Force Maintenance Area (FMA), are to have one initial briefing per contract by the Chief Clerk in Building 229, before any work may commence. FMA includes all buildings east of the Jenner Highway.

1.4 EPG AND BASE RANGE AREA

- .1 When work is to be performed in the EPG (Experimental Proving Ground) and/or in the Base Range area, Contractor's and their personnel must attend a DRDC Field Safety Briefing and/or Range Safety Briefing from Range Control in order to obtain approval for access to site prior to any work commencing. All vehicles must be registered with the governing authority before entering the EPG and Range Control areas. The Contractor's Project superintendent will be provided with a radio that is able to communicate with the governing authority. All other Contractor vehicles must have a communication device, which will be the responsibility of the Contractor.

1.5 TOOLS AND EQUIPMENT

- .1 DND owned equipment, tools, devices and machinery, including Personal Protective Equipment will not be provided to the Contractor.

1.6 CONFINED SPACE ENTRY POLICY

- .1 No employee shall enter or be permitted to enter any confined space unless such entry is made in compliance with the applicable Federal Occupational Health and Safety Regulations and the Canada Labour Code, Part II Standards. Contractor will make himself and employees aware of and abide by the Base Policy on confined space entry and the locations affected by said policy.

1.7 FIRE SAFETY REQUIREMENTS

- .1 Comply with requirements of Section 01 35 35 – DND Fire Safety Requirements.

1.8 SCAFFOLDING

- .1 Design and construct scaffolding in accordance with CSA S269.

1.9 OVERLOADING

- .1 Ensure no part of work is subjected to loading that will endanger its safety or will cause permanent deformation.

1.10 WHMIS

- .1 Comply with all requirements of the Workplace Hazardous Materials Information System (WHMIS) regarding use, handling, storage and disposal of hazardous materials and regarding labelling and provision of material safety data sheets acceptable to Human Resources Skills Development Canada and Health and Welfare Canada.
- .2 All employees who handle or are exposed to hazardous materials as defined under the Controlled Products Act (WHMIS Legislation) shall be WHMIS trained in accordance with the Act.
- .3 Material Safety Data Sheets (MSDS) for all materials falling under the WHMIS program shall be supplied to the work site by the Contractor or user(s), and readily accessible to all on-site personnel.
- .4 Deliver copies of WHMIS Material Safety Data Sheets to DND Representative on delivery of material.

1.11 FALL PROTECTION

- .1 Approved fall protection equipment and methods shall be used in accordance with Canada Labour Code Part II and the associated CSA Standards.
- .2 Safety belts and lanyards shall be worn where falling hazards exist, as described under the Canada Labour Code, Part II. Contractor and their personnel shall ensure they adhere to and strictly enforce the applicable federal regulations where it is impractical to provide adequate work platforms or staging.

- .3 All elevated work sites shall have the area underneath cordoned off to prevent injuries from falling objects and anyone working in the proximity of said elevated work sites must utilize proper Personal Protective Equipment to avoid injury from possible falling objects.

1.12 PERSONAL PROTECTIVE EQUIPMENT (PPE)

- .1 Contractors and their personnel shall comply with all Federal Safety Standards in relation to Personal Protective Equipment.
- .2 Hardhats and safety boots shall be worn at all times at construction sites and when operating mobile equipment and any location in which an overhead hazard exists and the individual work within close proximity could possibly be exposed to that hazard.
- .3 Eye and/or face protection shall be worn when handling materials liable to injure or irritate eyes when engaging in any work, producing hazard from flying objects or when operating power lawn equipment or tools.
- .4 Hearing protection shall be worn when entering or working in elevated noise hazard area. This includes, but not limited to, construction sites, shop operations, lawn care and operators of equipment or vehicles, which produce noise levels above 85 decibels.
- .5 Respirators shall be worn when a workers is or may be exposed to an oxygen deficient area or to harmful concentration of gas, vapours, smoke, fumes, mists, dusts or as recommended by the Material Safety Data Sheets (MSDS).
- .6 Protective clothing shall be worn at all times in all stores and industrial environments, construction sites and while performing any type of landscaping/lawn care activity. No shorts, muscle shirts, capri pants or non-safety footwear allowed at all times.

END OF SECTION

PART 1 General

1.1 RELATED WORK

- .1 Quarry tile: Section 09 30 15 – Quarry Tile

1.2 REFERENCES

- .1 Do tile work in accordance with Installation manual 200 – 1979, “Ceramic Tile”, produced by Terrazzo Tile and Marble Association of Canada (TTMAC), except where specified otherwise.

1.3 SAMPLES

- .1 Submit 300 x 300 mm sample panel of each color, texture, size, and pattern of tile as requested by Engineer.

1.4 ENVIRONMENTAL CONDITIONS

- .1 Maintain air temperature and structural base temperature at ceramic tile installation area above 12°C for 48 hours before, during, and 48 hours after installation.

PART 2 Products

2.1 FLOOR TILE

- .1 Ceramic tile: to CAN2-75.1-M, Type 7, Class MR2, size, edges, surfaces, patterns and color as selected by the Engineer. Matching covered base, 100 mm high.

2.2 WALL TILE

- .1 Ceramic tile: to CAN2-75.1-M, Type 5, Class MR2, size, edges, surface, pattern and color as selected by the Engineer. Matching rounded edge trim to suit application.

2.3 MORTAR AND ADHESIVE MATERIALS

- .1 Portland cement: to CAN3-A5, type 10.
- .2 Sand: to CSA A82.56-M.
- .3 Hydrated lime: to ASTM C207.
- .4 Latex additive: formulated for use in Portland cement mortar and thin set bond coat.
- .5 Water: potable and free of minerals which are detrimental to mortar and grout mixes.
- .6 Dry set mortar: to ANSI A118.1.
- .7 Organic adhesive: to CGSB 71-GP-22M, Type 1.
- .8 Epoxy bond coat: to manufacturers’ specifications.

- .9 Thin set bond coat: to manufacturers' specifications.

2.4 GROUT

- .1 Epoxy grout: to manufacturers' specifications.
- .2 Grout preparation: to manufacturers' instructions.

2.5 ACCESSORIES

- .1 Reinforcing mesh: 50 x 50 x 1.6 x 1.6 mm galvanized steel wire mesh.
- .2 Thresholds: as selected by Engineer.
- .3 Sealant: color selected by Engineer.
- .4 Floor sealer and protective coating: to tile and grout manufacturers recommendations.

2.6 MORTAR AND ADHESIVE MIXES

- .1 Scratch coat: 1 part Portland cement, 1/5 to 1/2 parts hydrated lime to suit job conditions, 4 parts sand, and 1 part water. Adjust water volume depending on water content of sand.
- .2 Slurry bond coat: Portland cement and water mixed to creamy paste. Latex additive may be included.
- .3 Mortar bed for floors: 1 part Portland cement, 4 parts sand, 1 part water. Adjust water volume depending on water content of sand. Latex additive may be included.
- .4 Mortar bed for walls and ceilings: 1 part Portland cement, 1/5 to 1/2 parts hydrated lime to suit job conditions, 4 parts sand and 1 part water. Adjust water volume depending on water content of sand. Latex additive may be included.
- .5 Levelling coat: 1 part Portland cement, 4 parts sand, minimum 1/10 part latex additive, 1 part water including latex additive.
- .6 Bond or setting coat: 1 part Portland cement, 1/3 part hydrated lime, 1 part water.
- .7 Measure mortar ingredients by volume.
- .8 Dry set mortar: mix to manufacturer's instructions.
- .9 Organic adhesive: pre-mixed.

PART 3 Execution

3.1 WORKMANSHIP

- .1 Apply tile or backing coats to clean and sound surfaces.
- .2 Fit tile around corners, fitments, fixtures, drains and other built-in objects. Maintain uniform joint appearance. Cut edges smooth and even.

- .3 Maximum surface tolerance 1:800.
- .4 Make joints between tile uniform and approximately 1.5 mm wide, plumb, straight, true, even and flush with adjacent tile. Ensure sheet layout not visible after installation. Align patterns.
- .5 Lay out tiles so perimeter tiles are minimum ½ size.
- .6 Sound tiles after setting and replace hollow sounding units to obtain full bond.
- .7 Make internal angles square, external angles rounded.
- .8 Use round edged tiles at termination of wall tile panels, except where panel abuts projecting surface or differing plane.
- .9 Install divider strips at junction of tile flooring and dissimilar materials.
- .10 Allow minimum 24 hours after installation of tiles, before grouting.
- .11 Clean installed tile surfaces after installation and grouting cured.
- .12 Make control joints where indicated. Make joint width same as tile joints. Fill control joints with sealant. Keep building expansion joints free of mortar and grout.

3.2 WALL TILE

- .1 Install in accordance with TTMAC detail specified by the Engineer.

3.3 FLOOR TILE

- .1 Install in accordance with TTMAC detail specified by the Engineer.

3.4 FLOOR SEALER AND PROTECTIVE COATING

- .1 Apply in accordance with manufacturers instructions.

END OF SECTION

PART 1 General

1.1 RELATED WORK

- .1 Ceramic Tiling: Section 09 30 13 Ceramic Tiling.

1.2 REFERENCES

- .1 ASTM C136 Method for Sieve Analysis of Fine and Coarse Aggregates.
- .2 ASTM C207 Specification for Hydrated Lime for Masonry purposes.
- .3 CAN/CSA-A5-M Portland Cement/Masonry Cement/Blended Hydraulic Cement.
- .4 CAN/CGSB-9.1-88 Sieves, Testing, Woven Wire, Inch Series.
- .5 CAN/CGSB-8.2-M, Sieves, Testing, Woven Wire, Metric.
- .6 CAN/CGSB-51.33-M, Vapour Barrier, Sheet, for Use in Building Construction.
- .7 CGSB 71-GP-29M Adhesive, Elastomeric, for installation of Quarry Tiles.
- .8 CGSB 71-GP-30M Adhesive, Epoxy and Modified Mortar Systems, for Installation of Quarry Tiles.
- .9 CAN/CGSB-75.-1-M Tile, Ceramic.
- .10 Terrazzo Tile and Marble Association of Canada (TTMAC) Installation Manual 200-1979.

1.3 SAMPLES

- .1 Submit 600 x 600 samples panels of each color, texture, size, and pattern of quarry tile as requested by the Engineer.

1.4 ENVIRONMENTAL REQUIREMENTS

- .1 Maintain air temperature and structural base temperature a quarry tile installation area above 12°C for 48 hours before, during and 48 hours after installation.

PART 2 Products

2.1 TILE AND PAVERS

- .1 Quarry tile: to CAN/CGSB-75.1, Type 4, Class MR2 x 9.50 or 12.5 mm thick, size, face, edges, color as selected by Engineer. Matching coved base, 150 mm high.

2.2 MORTAR AND ADHESIVE MATERIALS

- .1 Portland cement: to CAN/CSA-A5, type 10.

.2 Sand:

- .1 Crushed or pit run consisting of hard durable particles free from clay lumps, cementation, organic material, frozen material and other deleterious material.
- .2 Gradations to be within limits specified when tested to ASTM C136. Sieve sizes to CAN/CGSB-8.1.

Sieve Designation	%
4.75 mm	100
2.36 mm	95-100
1.18 mm	60-100
0.600 mm	35-80
0.300 mm	15-50
0.150 mm	2-15
0.075 mm	0-5

- .3 Hydrated Lime: to ASTM C207.
- .4 Latex additive: formulated for use in Portland cement mortar.
- .5 Water: Potable and free of minerals which are detrimental to mortar and grout mixes.
- .6 Dry set mortar: water retentive Portland cement mortar.
- .7 Elastomeric adhesive: to CGSB 71-GP-29M.
- .8 Epoxy adhesive: to CGSB 71-GP-30M, type 1.
- .9 Modified mortar adhesive: to CGSB 71-GP-30M, type 2.
- .10 Furan resin mortar.
- .11 Color pigment: non fading mineral oxides, unaffected by lime or cement and which will not stain tile.

2.3 GROUT

- .1 Epoxy grout: 100% solid epoxy mortar composed of 2 part thermosetting epoxy and graded silica sand.
- .2 Grout preparation: to manufacturer's instructions.

2.4 ACCESSORIES

- .1 Reinforcing mesh: 50 x 50 x 1.6 x 1.6 mm galvanized steel wire mesh.
- .2 Cleavage plane: polyethylene film to CAN/CGSB-51.33, type 2, 0.10 mm thick, No. 15 asphalt saturated felt to CSA A123.3.
- .3 Protective coating: to tile and grout manufacturers' recommendations.

- .4 Sealants: as recommended by tile manufacturers.

2.5 MORTAR AND ADHESIVE MIXES

- .1 Scratch coat: 1 part Portland cement, 1/5 to 1/2 parts hydrated lime to suit job conditions, 4 parts sand, and 1 part water. Adjust water volume depending on water content of sand.
- .2 Slurry bond coat: Portland cement and water mixed to creamy paste. Latex additive may be included.
- .3 Mortar bed for floors: 1 part Portland cement, 4 parts sand, 1 part water. Adjust water volume depending on water content of sand. Latex additive may be included.
- .4 Mortar bed for walls: 1 part Portland cement, 1/5 to 1/2 parts hydrated lime to suit job conditions, 4 parts sand and 1 part water. Adjust water volume depending on water content of sand. Latex additive may be included.
- .5 Levelling coat: 1 part Portland cement, 4 parts sand, minimum 1/10 part latex additive, 1 part water, including latex additive.
- .6 Bond or setting coat: 1 part Portland cement, 1/3 part hydrated lime, 1 part water.
- .7 Measure mortar ingredients by volume.
- .8 Dry set mortar: mix to manufacturer's instructions.
- .9 Furan resin mortar: mix to manufacturer's instructions.
- .10 Organic adhesive: pre-mixed.
- .11 Modified mortar adhesive: mix to manufacturer's instructions.
- .12 Epoxy adhesive: mix to manufacturer's instructions.

PART 3 Execution

3.1 WORKMANSHIP

- .1 Do tile work in accordance with Installation manual 22, "Ceramic Tile" produced by Terrazzo Tile and Marble Association of Canada (TTMAC), except where specified otherwise.
- .2 Apply mortar bed or bond coat to clean and sound surfaces.
- .3 Fit tile units around corners, fitments, fixtures, drains, and other built-in objects. Maintain uniform joint appearance. Make cut edges smooth and even.
- .4 Maximum surface tolerance: 1:800.
- .5 Make joints between tiles uniform and approximately 6 mm wide, plumb, straight, true and even and with adjacent units flush. Align patterns.

- .6 Lay out units so perimeter tiles are minimum ½ size.
- .7 Sound tiles after setting and replace hollow sounding units to obtain full bond.
- .8 Make internal angles square, external angles rounded.
- .9 Construct base 150 mm high with rounded top edge.
- .10 Use round edged tiles at termination of wall tiles, except where tiles projecting surface or differing plane.
- .11 Install divider strips at junction of tile flooring and dissimilar material.
- .12 Clean installed tile surfaces after installation cured.
- .13 Keep building expansion joints free of mortar or grout.
- .14 Use slip resistant tiles in wet areas and exterior.
- .15 Use step-treads on exterior stairs.

3.2 SETTING SYSTEM

- .1 Install tile and bases on substrate in accordance with TTMAC details specified by Engineer.

3.3 CONTROL JOINTS

- .1 Provide control joints 6 m wide where indicated.
- .2 Provide control joints around perimeter of large areas, around columns, in locations where area changes direction and where tile abuts other hard material. Place control joints directly over sub floor expansion/control joints.
- .3 Provide control joints for all exterior areas where indicated. Minimum width of control joints 10 mm.
- .4 Fill joints with sealant.

3.4 PROTECTION OF FINISHED WORK

- .1 Protect new floor from time of final set of adhesive until final inspection.
- .2 Prohibit traffic on floor for 48 hours after installation.

END OF SECTION

PART 1 General

1.1 RELATED SECTIONS

- .1 Resilient Tile Flooring: Section 09 65 19
- .2 Carpeting: Section 09 68 00

1.2 SAMPLES

- .1 Submit duplicate 300 x 300 mm pieces of tile, 300 mm long base, nosing, edge strips, tread and riser material.

1.3 MAINTENANCE DATA

- .1 Provide maintenance data for flooring for incorporation into maintenance manuals.

1.4 ENVIRONMENTAL REQUIREMENTS

- .1 Arrange with Engineer to maintain minimum 20°C temperature at flooring installation area for minimum 48 hours prior to, during and for 48 hours after installation.

PART 2 Products

2.1 MATERIALS

- .1 Residential/Commercial Sheet Vinyl:
 - .1 Must meet Canadian Standards Association (CSA) A126.3-M, Type 1, Grade 1, 2, or 3 with filled vinyl or inorganic backing.
 - .2 Commercial Sheet Vinyl:
 - .1 Must meet CSA A126.3-M, Type II, Grade 1, 2, or 3.
 - .2 Heat welding Rod: of manufactured for flooring being installed.
 - .3 Resilient Base: top set covered, minimum 1200 mm length and 63 mm, 100 mm, or 150 mm high x 3 mm thick, including premoulded end stops and external corners of colors as selected by Engineer.
 - .4 Resilient stair nosing (commercial): square nose, min 5 mm thick, 40 mm vertical face, 50 mm horizontal face ribbed, rubber, rabbetted type to receive tread finish, one piece length for stair nosing, of color selected by Engineer.
 - .5 Resilient stair nosing (residential): square nose, min 3 mm thick, 30 mm vertical face, 40 mm horizontal face ribbed, vinyl or rubber, rabbetted type to receive tread finish, one piece length for stair nosing, of colors selected by Engineer.
 - .6 Resilient stair tread (residential): vinyl, 30 mm vertical face, square full tread deep, 4 mm thick ribbed surface, solid pattern of color selected by Engineer.

- .7 Resilient stair tread (commercial): rubber, 48 mm vertical face, square full tread deep, 6.3 mm thick, diamond surface solid pattern, of color as selected by Engineer.
- .8 Resilient stair riser: top set rubber, 3.2 mm thick, fill riser height, solid pattern, of color as selected by Engineer.
- .9 Primer and adhesives: waterproof, recommended by flooring manufacturer for specific material on applicable substrate, above, at or below grades.
- .10 Sub-floor filler: type recommended by flooring manufacturer for use with their product.
- .11 Concrete filler: type recommended by flooring material manufacturer.
- .12 Metal edge strips: aluminium extruded, smooth, mill finish with lip to extend under floor finish, shoulder flush with top of adjacent floor finish.
- .13 Sealer and wax: type recommended by flooring manufacturer for material type and location.
- .14 Silicone sealer: clear, to CGSB 19-GP-9M, Type 1, clear or colored to match flooring.

PART 3 Execution

3.1 INSPECTION

- .1 Ensure concrete floors are clean and dry by using test methods recommended by flooring manufacturer and exhibit negative alkalinity, carbonization or dusting.

3.2 SUB-FLOOR TREATMENT

- .1 Remove sub-floor ridges and bumps. Fill low spots, cracks, joints, holes and other defects with sub-floor filler.
- .2 Clean floor and apply filler, trowel and float to leave smooth, flat hard surface. Prohibit traffic until filler cured and dry.
- .3 Primer concrete slab or plywood sub-floor to flooring manufacturer's printed instructions.

3.3 APPLICATION: FLOORING

- .1 Apply adhesive uniformly using recommended trowel. Do not spread more adhesive than can be covered by flooring before initial set takes place.

- .2 Lay flooring with seams parallel to building lines to produce a minimum number of seams. Border widths minimum 1/3 width of full material.
- .3 Run sheets parallel to length of room. Double cut sheet joints and continuously seal according to manufacturer's printed instructions.
- .4 Heat weld seams of linoleum sheet flooring in accordance with manufacturer's printed instructions.
- .5 As installation progresses, roll flooring with 45 kg minimum roller to ensure full adhesion, according to manufacturer's instructions.
- .6 Cut flooring neatly around fixed objects.
- .7 Install flooring in pan type floor access covers. Maintain floor pattern.
- .8 Continue flooring over areas which will be under built-in furniture.
- .9 Continue flooring through areas to receive movable type partitions without interrupting floor pattern.
- .10 Terminate flooring at centre line of door in openings where adjacent floor finish or color is dissimilar.
- .11 Install metal edge strips at unprotected or exposed edges where flooring terminates.

3.4 APPLICATION: STAIRS

- .1 Install stair nosing, treads and risers on piece for full width of stair. Adhere over entire surface and fit accurately.

3.5 APPLICATION: RUBBER BASE

- .1 Lay out base to keep number of joints at minimum.
- .2 Set base in adhesive tightly against wall and floor surfaces. Use pieces of base minimum 0.5 m long.
- .3 Install straight and level to variation of plus or minus 3 mm or over 3 m straight edge.
- .4 Scribe and fit to door frames and other obstructions. Use premoulded end pieces at flush door frames.
- .5 Meter internal corners. Use premoulded sections for external corners.

3.6 CLEANING AND WAXING

- .1 Remove excess adhesive from floor, base and wall surfaces without damage.

- .2 Clean, seal and wax floor and base surface to flooring manufacturer's printed instructions.

3.7 PROTECTION OF FINISHED WORK

- .1 Protect new floor after waxing until just before final inspection.

END OF SECTION

PART 1 General

1.1 RELATED SECTIONS

- .1 Resilient Sheet Flooring: Section 09 65 16
- .2 Carpeting: Section 09 68 00

1.2 SAMPLES

- .1 Submit duplicate 300 x 300 mm pieces of tile, 300 mm long base, nosing, edge strips, tread and riser material.

1.3 MAINTENANCE DATA

- .1 Provide data for maintenance of tile flooring for incorporation into maintenance manuals.

1.4 ENVIRONMENTAL REQUIREMENTS

- .1 Arrange with Engineer to maintain minimum 20 degrees Celsius air temperature at flooring installation area for three (3) days before, during and forty-eight (48) hours after installation.

PART 2 Products

2.1 MATERIALS

- .1 Vinyl composition tile: to CSA A126.1, Type A plain or mottled, 0.80" or 0.125", x 12" x 12" in size as selected by the Engineer.
- .2 Antistatic – Conductive tile:
 - .1 Construction: homogeneous PVC.
 - .2 Static control: 10⁴ ohms conductivity.
 - .3 Grounding conductor: 12.7 mm wide copper foil various lengths and recommended conductive adhesive.
- .3 Resilient base: top set covered, minimum 1200 mm length and 63 mm thick, including premoulded end stops and external corners, of color as selected by Engineer.
- .4 Resilient stair nosing (commercial): square nose, min 5 mm thick, 40 mm vertical face, 50 mm horizontal face ribbed, rubber rabbetted type to receive tread finish, one-piece length for stair nosing, of color selected by Engineer.
- .5 Resilient stair nosing (residential): square nose, min 3 mm thick, 30 mm vertical face, 40 mm horizontal face ribbed, rubber or vinyl, rabbetted type to receive tread finish, one piece length for stair nosing, of colors selected by Engineer.

- .6 Resilient stair tread (residential): vinyl 30 mm vertical face, square full tread deep, 4 mm thick, ribbed surface solid pattern, of color as selected by Engineer.
- .7 Resilient stair tread (Commercial): rubber, 48 mm vertical face, square full tread deep, 6.3 mm thick, diamond surface solid pattern, of color as selected by Engineer.
- .8 Resilient stair riser: top set rubber, 3.2 mm thick, full riser height, solid pattern, of color as selected by Engineer.
- .9 Primers and adhesives: waterproof, recommended by flooring manufacturer for specific material on applicable substrate, above, at or below grade.
- .10 Sub-floor filler: type recommended by flooring manufacturer for use with their products.
- .11 Concrete filler/leveller: type recommended by flooring material manufacturer.
- .12 Metal edge strips: aluminium extruded, smooth mill finish with lip to extend under floor finish, and should flush with top of adjacent floor finish.
- .13 Sealer and wax: type recommended by flooring material manufacturer for material type and location.
- .14 Silicone sealant: to CGSB-19-GP-9M, type 1 clear or colored to match flooring.
- .15 Copper grid system – type recommended by conductive tile manufacturer.
- .16 Conductive adhesives: type recommended by conductive tile manufacturer.

PART 3 Execution

3.1 INSPECTION

- .1 Ensure concrete floors are dry, by using test methods recommended by tile manufacturer, and exhibit negative alkalinity, carbonization or dusting.

3.2 SUB-FLOOR TREATMENT

- .1 Remove sub-floor ridges and bumps. Fill low spots, cracks, joints, holes and other defects with sub-floor filler.
- .2 Clean floor and apply filler, trowel and float to leave smooth, flat hard surface. Prohibit traffic until filler is cured and dry.
- .3 Primer concrete slab or plywood sub-floor to flooring manufacturer's printed instructions.

3.3 TILE APPLICATION

- .1 Apply adhesive uniformly using recommended trowel in accordance with flooring manufacturer's instructions. Do not spread more adhesive than can be covered by flooring before initial set takes place.

- .2 Lay flooring with joints parallel to building lines to produce symmetrical tile pattern. Border tiles minimum half tile width.
- .3 Install flooring with pattern grain alternating to produce basket weave pattern.
- .4 As installation progresses, roll flooring in 2 directions except vinyl tile, with 45 kg roller to ensure full adhesion.
- .5 Cut tile and fit neatly around fixed objects.
- .6 Install flooring in pan type floor access covers. Maintain floor pattern.
- .7 Continue flooring through areas to receive movable type partitions without interrupting floor pattern.
- .8 Terminate flooring at centreline of door in openings where adjacent floor finish or color is dissimilar.
- .9 Install metal edge strips at unprotected or exposed edges where flooring terminates.

3.4 STAIR APPLICATION

- .1 Install stair nosing, treads and risers one piece for full width of stair. Adhere over entire surface and fit accurately.

3.5 RUBBER BASE APPLICATIONS

- .1 Lay out base to keep number of joints at minimum.
- .2 Set base in adhesive tightly against wall and floor surfaces. Use pieces of base minimum 0.5 m long.
- .3 Install straight and level to variation of plus or minus 3 mm over 3 m straight edge.
- .4 Scribe and fit to door frames and other obstructions. Use premoulded end pieces at flush door frames.
- .5 Miter internal corners. Use premoulded sections for external corners.

3.6 CLEANING AND WAXING

- .1 Remove excess adhesive from floor, base and wall surfaces without damage.
- .2 Clean, seal and wax floor and base surface to flooring manufacturer's instructions. In carpeted areas clean, seal and wax base surface before carpet installation.

3.7 PROTECTION OF FINISHED WORK

- .1 Protect new floors with 0.15 m polyethylene cover from time of final set of adhesive until just before final inspection.
- .2 Prohibit traffic on floor for 48 hours after installation, or according to manufacturer's recommendation.

END OF SECTION

PART 1 General

1.1 RELATED WORK

- .1 Resilient Tile Flooring: Section 09 65 19.
- .2 Resilient Sheet Flooring: Section 09 65 16.

1.2 SAMPLES

- .1 Submit duplicate 1m square pieces of each type of carpet specified, duplicate 125 x 75 mm pieces for each color selected, 150 lengths of carpet gripper and binder bars.

1.3 CERTIFICATION

- .1 Submit manufacturer's product data verifying compliance with specification requirements for carpet, underpad, carpet gripper, binder bar adhesive material.
- .2 Submit evidence acceptable to Dominion Fire Commissioner verifying compliance of carpet material with:
 - .1 Flame resistance to CGSB 4-GP-129 by certification as conforming to Hazardous Products Act, carpet regulations, or a test report certified by approved independent testing laboratory.
- .3 Submit evidence that carpet complies with the Underwriters Laboratories of Canada Standards LS-102-2, "Standard Method of Testing for Surface Burning Characteristics of Flooring and Floor Covering Materials".
- .4 Submit certification with submission of samples.

1.4 MAINTENANCE DATA

- .1 Provide maintenance data for carpet maintenance for incorporation into Maintenance Manual.

1.5 GUARANTEE

- .1 Provide a written guarantee, signed and issued in the name of Her Majesty the Queen in Right of Canada stating the carpeting work of this Section is guaranteed against deterioration of backing, delamination, failure of seams, stretching wrinkling, fading or other defects of materials or workmanship detrimental to appearance or performance for a period of years as stated in 2.1 of this Section from the date of Final Certification of Completion.

PART 2 Products

2.1 MATERIALS

- .1 Carpets: construction, pile height, type, weight, static rating, backing gauge, stitch count, color and wear guarantee as selected by the Engineer from product lists provided on tender documents.
- .2 Carpets required to have flame spread rating or smoke developed classification to be tested in accordance with CAN4 S102.0-80 for floor surface covering and be certified by ULC.
- .3 Test data from other laboratories may be approved upon submission to Fire Commissioner for Canada.
- .4 Under pad: As selected Engineer from product lists provided on tender document.
- .5 Carpet grippers: types to be recommended by carpet manufacturer.
- .6 Seaming tape: of types to be recommended by carpet manufacturer for purpose intended.
- .7 Binder bars: aluminum milled finished, selected color of type recommended by carpet manufacturer.
- .8 Adhesive: non-release type of brand recommended by carpet manufacturer.
- .9 Concrete floor sealer: to CGSB 25-SP-20M Type 1.
- .10 Carpet protection: non-staining heavy duty craft paper or 0.15 mm polyethylene film.
- .11 Sub-floor filler: type recommended by flooring manufacturer for use with their product.

PART 3 Execution

3.1 WORKMANSHIP

- .1 Install glue-down carpet in accordance with CGSB 4-GP-156 and manufacturer's printed instructions.
- .2 Install carpeting and underpad in accordance with manufacturer's printed instructions.
- .3 Finish installation to present smooth wearing surface free from conspicuous seams, burring and other faults.
- .4 Use material from same dye lot and ensure color, pattern and texture to match within any one area.

3.2 PREPARATION

- .1 Prepare floor surfaces in accordance with CGSB 4-GP-156 and manufacturer's printed instructions.

3.3 CARPET GRIPPERS AND BINDER BARS

- .1 Install carpet grippers to conform to high and low spots in floor, using carpet gripper cement, concrete nails or approved stud driver.
- .2 Use carpet grippers at walls and vertical surfaces, metal binder bars at exposed carpet edges, centred under doors in door openings.

3.4 UNDERPAD INSTALLATION

- .1 Lay underpad using minimum number of pieces. Secure underpad to prevent shifting.
- .2 Cut underpad 25 mm less in dimensions to the carpet area being supported.
- .3 Butt edges firmly together. Lay up to edge of gripper and tape joints. Remove bubbles and slightly stretch.
- .4 Anchor underpad at projects and where cut to contours.
- .5 Offset underpad seams at least 300 mm from carpet seams.
- .6 Omit underlay behind carpet on vertical surfaces.
- .7 Where underpad is to be installed on below grade slabs, lay polyethylene fill over entire area. Lap joints 150 mm and tape to prevent shifting.

3.5 CARPET INSTALLATION

- .1 Install carpet tightly and fit neatly around architectural, mechanical, electrical and furniture fitments, around perimeter of rooms into recesses and around fixtures, and around projections through the floor. Hot melt seams and cross joints. Maintain constant pile direction
- .2 Seal edges of cut-outs with latex, or use positive binding method.
- .3 Lay carpet on stairs with provision for future shifting at nose treads.
- .4 Install carpet on pan type floor access covers. Maintain pattern and direction of nap.

3.6 RUBBER BASE APPLICATION

- .1 Set base in adhesive tightly against wall and floor surfaces. Use pieces of base min 0.5 m long.
- .2 Install straight and level to variation of plus or minus 3 m over 3m straight edge.
- .3 Scribe and fit to door frames and other obstructions. Use premoulded end pieces at flush door frames.
- .4 Miter internal corners. Use premoulded sections for external corners.

3.7 PROTECTION OF FINISHED WORK

- .1 Vacuum carpets clean. Protect traffic areas of carpeted floors prior to acceptance by Engineer.

END OF SECTION

ANNEX B

1. Basis of Payment

Payments in respect of the agreed price shall be made upon satisfactory performance of the Work, and upon approval of the Departmental Representative, but such payments shall not exceed the amount(s) as specified in the Call Up, for the Work without written authorization.

In consideration of the Contractor satisfactorily completing all of its obligations under the resulting Contract, the Contractor will be paid a firm price, Goods and Services Tax or Harmonized Sales Tax extra.

1. Hourly Rates:

The Contractor will be paid firm hourly rates in accordance with the pricing schedule contained in ANNEX E, for work performed in accordance with the Contract.

ANNEX C

MANDATORY HEALTH AND SAFETY - *for Work in the Province of Alberta*

1.) SPECIAL INSTRUCTIONS TO BIDDERS (SI):

WCB AND SAFETY PROGRAM

- 1) The recommended Bidder shall provide to the Contracting Authority, prior to Standing Offer issue:
 - 1.1 a Workers Compensation Board Premium Rate Statement - Alberta, or equivalent documentation from another jurisdiction;
 - 1.2 a Workers Compensation Board letter of good standing, also listing covered Directors, Principals, Proprietor(s) or Partners who will be or who are anticipated to be present on the work site(s), or equivalent documentation from another jurisdiction; and
 - 1.3 a Certificate of Recognition (COR) or Registered Safety Plan (RSP). A health and safety policy and program, as required by other provincial/territorial Occupational Health and Safety Acts, will be acceptable in lieu of a COR or RSP.
- 2) The recommended Bidder shall deliver all of the above documents to the Contracting Authority on or before the date stated (usually 3-5 days after notification) by the Contracting Authority. Failure to comply with the request may result in the bid being declared non-compliant.

2.) SUPPLEMENTARY CONDITIONS (SC):

SC04 Workplace Safety and Health

1. EMPLOYER/PRIME CONTRACTOR

- 1.1 The Contractor shall, for the purposes of the Occupational Health and Safety Act, Alberta, and for the duration of the Work:
 - 1.1.1 act as the Employer, where there is only one employer on the work site, in accordance with the Authority Having Jurisdiction;
 - 1.1.2 accept the role of Prime Contractor, where there are two or more employers involved in work at the same time and space at the work site, in accordance with the Authority Having Jurisdiction; and
 - 1.1.3 agree, in the event of two or more Contractors working at the same time and space at the work site, without limiting the General Conditions, to Canada's order * to:
 - 1.1.3.1 accept, as the Prime Contractor, the responsibility for Canada's other Contractor(s); or
 - 1.1.3.2 accept that Canada's other Contractor is Prime Contractor and conform to that Contractor's Site Specific Health and Safety Plan.

* "order" definition: *after contract award, Contractor is ordered by a Change Order*

2. SUBMITTALS

2.1 The Contractor shall provide to Canada:

- 2.1.1 prior to the pre-construction meeting, a transmittal and copy of a completed Notice of Project form PWGSC - TPSGC 458 (form will be provided to the proposed contractor prior to award), as sent to the Authority Having Jurisdiction (AHJ); and
- 2.1.2 prior to commencement of work and without limiting the terms of the General Conditions:
 - 2.1.2.1 copies of all other necessary permits, notifications and related documents as called for in the scope of work/specifications and/or by the AHJ; and
 - 2.1.2.2 a site specific Health and Safety Plan as requested.

NOTE: Please do not include any forms that include personal 3rd party information such as the names of the contractor's employees and their related claims information.

3. LABOUR AUTHORITY CONTACT:

The contact below represents the Labour Authority in the jurisdiction (AHJ). They are not representatives of the Workers Compensation.

Do not contact the people referenced below for issues pertaining to WCB or WCB Clearances. Those queries must be directed specifically to the WCB, and where the WCB has both a Labour and Compensation component, WCB issues must be directed to the Compensation/Employer Services sections.

ALBERTA South

Alberta Human Resources and Employment
Workplace Health and Safety
600 – 727, 7th Avenue S.W.
Calgary, Alberta, T2P 0Z5

Telephone: 1(866) 415-8690
Facsimile: (403) 297-7893

All submissions are to be scanned and emailed to
whs@gov.ab.ca

ALBERTA North

Alberta Human Resources and Employment
Workplace Health and Safety
10th Floor, 7th Street Plaza
10030-107 Street
Edmonton, Alberta, T5J 3E4

Telephone: 1(866) 415-8690
Facsimile: (780) 427-0999

All submissions are to be scanned and emailed to
whs@gov.ab.ca

ANNEX D

Periodic Usage Report Form

As a requirement of this Request for Standing Offer, a report shall be submitted as follows:

Return to:

Ian Taylor	(780) 497-3510	Ian.Taylor@pwgsc-tpsgc.gc.ca
<i>Name</i>	<i>Fax</i>	<i>Email Address</i>

at:

Public Works and Government Services Canada
Real Property Contracting, Procurement Branch
ATB Place, North Tower, 5th Floor, 10025 Jasper Avenue
Edmonton, AB
T5J 1S6

REPORT ON THE VOLUME OF BUSINESS

SUPPLIER: _____

REPORT FOR THE PERIOD ENDING: _____

Description of Work	Call-up #	TOTAL BILLING

NIL REPORT: We have not done any business with the federal government for this period _____

PREPARED BY:

NAME: _____

SIGNATURE: _____

TELEPHONE NO.: _____

ANNEX E OFFER

Description of Work: FLOOR COVERINGS AND WALL TILE CFB Suffield, Department of National Defence

1. OFFER

- .1 This Standing Offer is made by the Offeror to Canada;
- .2 This Offer is to furnish all necessary tools, plant, equipment, services, materials and labour to execute and complete the Work described above in careful and workmanlike manner;
- .3 The Work shall be more particularly described in individual Call-ups to be issued by the Project Authority, hereinafter called the "Departmental Representative";
- .4 Individual Call-ups may be issued, from time to time, during the period identified in Part 7A, clause 4.1, hereinafter called the "Term".

2. GENERAL PROVISIONS

- .1 This Offer when signed by or on behalf of the Offeror, the Specifications referred to in the Unit Price Schedule below and the General Conditions shall constitute the complete Offer subject to the provisions contained therein;
- .2 The Hourly Rate and the Unit Price, as offered, govern in calculating each Estimated Total Price; any errors in the extension of the Unit Price and in the addition of the Estimated Total Prices will be corrected in order to obtain the actual Total Estimated Amount;
- .3 This Offer supersedes and cancels all communications, negotiations and agreements relating to the Work other than those contained in the Offer;

The Offeror agrees:

- .1 to carry out individual work projects as requisitioned from time to time by the Departmental Representative in **Call- ups Against a Standing Offer**, form PWGSC/TPSGC 2829 or 942, copies of which the Offeror acknowledges to have in its possession, in accordance with the requirements set out therein and in consideration of payment of amounts to be determined pursuant to section 3. Below;
- .2 to provide, on demand from the Departmental Representative, a detailed price estimate, calculated in accordance with section 4 below, and a proposed work schedule for each work project; and
- .3 to commence Work promptly upon receipt of each Call-up issued pursuant to this Offer, duly signed by the Departmental Representative.
- .5 This Offer does not constitute a binding contract between Canada and the Offeror. The Departmental Representative shall have the right to issue a Call-up with those other offerors which have also submitted offers to Canada.
- .6 A contract is formed between Canada and the Offeror only when a Call-up duly signed is issued by the Departmental Representative and accepted by the Offeror. The Offeror shall then be referred to as "the Contractor" and the Contract includes the Offer, the Specifications referred to in the Unit Price Schedule below, the General Conditions and the Call-up.
- .7 The estimated number of hours, the quantities of material and plant, and the amount of the Allowance for Unspecified material set out in the Unit Price Schedule are for the purpose of comparative evaluation of the

offers and do not express an obligation on the part of Canada to order any or all of the work, material or plant listed therein.

- .8 The Offeror declares that no bribe, gift or benefit has been or will be paid, given, promised or offered directly or indirectly to any official or employee of Canada or to a member of the family of such person, with a view to influence the entry into or the administration of any contract which may result from this Offer.

3. FINANCIAL TERMS

- .1 Each item specified in the Unit Price Schedule in subsection 4.1 includes wages, traveling time and costs, allowances, supervision, liabilities as employer, insurance, and the use of all tools, tackle, etc., overhead, profit and all other liabilities whatsoever.
- .2 Unspecified Material shall be reimbursed at net cost, as supported by invoices, plus Markup as established in section 4 of this Offer. "Net Cost" means all amounts reasonably and properly paid by the Offeror in respect of materials required for and used in the Work, and includes packing, handling and delivery charges, less any trade discounts received by the Offeror. The Offeror's Markup on Unspecified Material covers overheads, profit, and all other expenses whatsoever.
- .3 The prices inserted in section 4 of this Offer include all applicable federal, provincial, and municipal taxes.
 - .1 However, they do not include any amount for the Goods and Services Tax (GST) or Harmonized Sales Tax (HST). The appropriate GST/HST amounts will be paid by Canada to the Offeror in addition to the amounts paid against the amount of the contract. The Offeror shall make appropriate remittances to Revenue Canada in accordance with the legislation.
 - .2 The prices do not include the Québec Sales Tax. The Offeror shall arrange directly with the Province of Québec for the reimbursement of Provincial Sales Tax paid to this Province for the purpose of any contract resulting from this Offer.
- .4 Payment by Canada for the Offeror's own special equipment not covered by the Unit Price Schedule and required at the job site will be no greater than the local going rental rate for such equipment or the rate published by the local construction association for such equipment, whichever is the lower.
- .5 The cost of subcontract work, including special equipment rentals approved by the Project Authority, shall be reimbursed at actual cost with the addition of ten (10) percent to cover overheads, profit, and all other expenses whatsoever. "Actual cost" means all amounts reasonably and properly paid by the Contractor for those parts of the Work carried out by subcontractors.
- .6 Pricing
 - .1 The prices requested in the Offer are:
 - .1 hourly rates for regular hours;
 - .2 hourly rate for each hour outside of regular hours; and
 - .3 mark up on allowance for unspecified material, replacement parts, required permits and certificates. for purposes of evaluation.
 - .2 The hourly rates requested in the offer and acceptance for specific types of service shall be the total cost to perform the work including but not limited to:
 - .1 labour including supervision, allowances and liability insurance;
 - .2 travel time;
 - .3 transportation/vehicle expenses;
 - .4 tools and tackle;
 - .5 overhead and profit;
 - .6 any other incidental expenses other than supply of materials and replacement parts relating to the delivery of labour.
 - .7 Any costs for heavy equipment or other specialty equipment including operator.
 - .3 It is considered that regular hours of work fall between 0700 and 1630 hours, Monday to Friday.

4. PRICES

The Offeror agrees that the following are the prices referred to in sections 2 and 3 above:

4.1 Unit Price Schedules - Rates

SCHEDULE A) Initial Year

Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6
Item	Class of labour, material or plant	Unit	Estimated hours/Quantity	Unit Price	Estimated total price
	Hourly rate, including travel time and all related expenses				
A	Labour				
1	<u>During Regular Hours: 0700 - 1630 Hours, Monday through Friday</u>				
a	Service call includes first hour of on-site productive labour	Per Call	75 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	800 hrs	\$	\$
c	Apprentice / helper	Per Hour	100 hrs		
2	<u>Outside Regular Hours: Monday through Friday</u>			\$	\$
a	Service call includes first hour of on-site productive labour	Per Call	10 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	100 hrs	\$	\$
c	Apprentice / helper	Per Hour	40 hrs	\$	\$
3	<u>Outside Regular Hours: Weekends and Statutory Holidays for Emergency Work</u>			\$	\$
a	Service call includes first hour of on-site productive labour	Per Call	2 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	40 hrs	\$	\$
c	Apprentice / helper	Per Hour	20 hrs	\$	\$
B	Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates. Verification of Contractor's cost to be provided upon request of the Real Property Operations representative (\$37,500.00 + % mark-up)	%	\$37,500.00	____%	\$
Sub Total A): Estimated Total Amount 1st Year (GST/HST Extra)					\$

continued

4.1 Unit Price Schedules - Rates (continued)

SCHEDULE B) Year 2

Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6
Item	Class of labour, material or plant	Unit	Estimated hours/Quantity	Unit Price	Estimated total price
	Hourly rate, including travel time and all related expenses				
A	Labour				
1	<u>During Regular Hours: 0700 - 1630 Hours, Monday through Friday</u>				
a	Service call includes first hour of on-site productive labour	Per Call	75 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	800 hrs	\$	\$
c	Apprentice / helper	Per Hour	100 hrs		
2	<u>Outside Regular Hours: Monday through Friday</u>			\$	\$
a	Service call includes first hour of on-site productive labour	Per Call	10 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	100 hrs	\$	\$
c	Apprentice / helper	Per Hour	40 hrs	\$	\$
3	<u>Outside Regular Hours: Weekends and Statutory Holidays for Emergency Work</u>			\$	\$
a	Service call includes first hour of on-site productive labour	Per Call	2 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	40 hrs	\$	\$
c	Apprentice / helper	Per Hour	20 hrs	\$	\$
B	Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates. Verification of Contractor's cost to be provided upon request of the Real Property Operations representative (\$10,000.00 + % mark-up)	%	\$37,500.00	_____%	\$
Sub Total B): Estimated Total Amount 2nd Year (GST/HST Extra)					\$

continued

4.1 Unit Price Schedules - Rates (continued)

SCHEDULE C) Year 3

Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6
Item	Class of labour, material or plant	Unit	Estimated hours/Quantity	Unit Price	Estimated total price
	Hourly rate, including travel time and all related expenses				
A	Labour				
1	<u>During Regular Hours: 0700 - 1630 Hours, Monday through Friday</u>				
a	Service call includes first hour of on-site productive labour	Per Call	75 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	800 hrs	\$	\$
c	Apprentice / helper	Per Hour	100 hrs		
2	<u>Outside Regular Hours: Monday through Friday</u>			\$	\$
a	Service call includes first hour of on-site productive labour	Per Call	10 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	100 hrs	\$	\$
c	Apprentice / helper	Per Hour	40 hrs	\$	\$
3	<u>Outside Regular Hours: Weekends and Statutory Holidays for Emergency Work</u>			\$	\$
a	Service call includes first hour of on-site productive labour	Per Call	2 calls	\$	\$
b	Certified Floor and Tile Specialist	Per Hour	40 hrs	\$	\$
c	Apprentice / helper	Per Hour	20 hrs	\$	\$
B	Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates. Verification of Contractor's cost to be provided upon request of the Real Property Operations representative (\$10,000.00 + % mark-up)	%	\$37,500.00	_____%	\$
Sub Total C): Estimated Total Amount 3rd Year (GST/HST Extra)					\$

continued

4.1 Unit Price Schedules - Rates (continued)

4.2 TOTAL EVALUATED PRICE (Initial 1 Year Term + 2nd Year)

Col. 1	Col. 2	Col. 3	Col. 4
Sub Total SCHEDULE A) Initial Year Term	Sub Total SCHEDULE B) 2nd Year	Sub Total SCHEDULE C) 3rd Year	Total Evaluated Price (col.1 + col.2 + col.3 = col.4)
\$ _____	\$ _____	\$ _____	\$ _____

These items will be used for cost evaluation purposes only and do not constitute a guarantee or commitment on behalf of Canada of the quantity or amount to be used under the Standing Offer.

A rate must be entered for each item.

The Offeror agrees that the Price(s) per Unit as tendered govern in calculating the Total Evaluated Price. The Offeror understands that any errors in the extension of the Price per Unit, in the addition of the Estimated Total Price, and Estimated Total Amount will be corrected in order to obtain the Total Evaluated Price.

Cost will be evaluated on the Total Evaluated Price in Column 4. It is anticipated that only one standing offer will be issued to the lowest compliant offeror.

SIGNATURE:

Name and title of the person authorized to sign on behalf of bidder (Type or Print)

Signature

Date

Offeror's Contact Information:

Name: _____

Title: _____

Telephone: _____

Facsimile: _____

Email: _____

APPENDIX 2 - VOLUNTARY CERTIFICATION TO SUPPORT THE USE OF APPRENTICES

(page 1 of 2)

PUBLIC WORKS AND GOVERNMENT SERVICES CANADA APPRENTICE PROCUREMENT INITIATIVE

1. To encourage employers to participate in apprenticeship training, Bidders, bidding on construction and maintenance contracts by Public Works and Government Services Canada (PWGSC) are being asked to sign a voluntary certification, signaling their commitment to hire and train apprentices.
2. Canada is facing skills shortages across various sectors and regions, especially in the skilled trades. Equipping Canadians with skills and training is a shared responsibility. The Government of Canada made a commitment to support the use of apprentices in federal construction and maintenance contracts. Contractors have an important role in supporting apprentices through hiring and training and are encouraged to certify that they are providing opportunities to apprentices as part of doing business with the Government of Canada.
3. The Government of Canada is encouraging apprenticeships and careers in the skilled trades. In addition, the government offers a tax credit to employers to encourage them to hire apprentices. Information on this tax measure administered by the Canada Revenue Agency can be found at: www.cra-arc.gc.ca. Employers are also encouraged to find out what additional information and supports are available from their respective provincial or territorial jurisdiction.
4. Signed certifications on page 2 of 2 will be used to better understand contractor use of apprentices on Government of Canada maintenance and construction contracts and may inform future policy and program development.
5. The Contractor hereby certifies the following:

In order to help meet demand for skilled trades people, the Contractor agrees to use, and require its subcontractors to use, reasonable commercial efforts to hire and train registered apprentices, to strive to fully utilize allowable apprenticeship ratios * and to respect any hiring requirements prescribed by provincial or territorial statutes

The Contractor hereby consents to this information being collected and held by PWGSC, and Employment and Social Development Canada to support work to gather data on the hiring and training of apprentices in federal construction and maintenance contracts.

To support this initiative, a voluntary certification signaling the Contractor's commitment to hire and train apprentices is available at page 2 of 2.

If you accept fill out and sign page 2 of 2.

* The journey-person-apprentice ratio is defined as the number of qualified/certified journeypersons that an employer must employ in a designated trade or occupation in order to be eligible to register an apprentice as determined by provincial/territorial (P/T) legislation, regulation, policy directive or by law issued by the responsible authority or agency.

Voluntary Certification

(To be filled out and returned with bid on a voluntary basis)

(page 2 of 2)

Note: The contractor will be asked to fill out a report every six months or at project completion as per sample "Voluntary Reports for Apprentices Employed during the Contract" provided at Annex G.

Name: _____

Signature: _____

Company Name: _____

Company Legal Name: _____

Solicitation Number: _____

Number of company employees: _____

Number of apprentices planned to be working on this contract: _____

Trades of those apprentices:

Solicitation No. - N° de l'invitation
W6867-180001/B
Client Ref. No. - N° de réf. du client
W6867-180001

Amd. No. - N° de la modif.
File No. - N° du dossier
PWU-7-40197

Buyer ID - Id de l'acheteur
PWU023
CCC No./N° CCC - FMS No./N° VME

ANNEX F

The Insurance Terms have been amended. Refer to Part 6 clause 3.

CERTIFICATE OF INSURANCE

Page 1 of 2



Travaux publics et
Services gouvernementaux
Canada

Public Works and
Government Services
Canada

Description and Location of Work FLOOR COVERINGS AND WALL TILE for DND, CFB Suffield	Contract No. Project No.
---	---------------------------------

Name of Insurer, Broker or Agent	Address (No., Street)	City	Province	Postal Code
Name of Insured (Contractor)	Address (No., Street)	City	Province	Postal Code
Additional Insured <i>Her Majesty the Queen in Right of Canada as represented by the Minister of Public Works and Government Services</i>				

Type of Insurance	Insurer Name and Policy Number	Inception Date D / M / Y	Expiry Date D / M / Y	Limits of Liability		
Commercial General Liability				Per Occurrence \$	Annual General Aggregate \$	Completed Operations Aggregate \$
Umbrella/Excess Liability				\$	\$	\$

I certify that the above policies were issued by insurers in the course of their Insurance business in Canada, are currently in force and include the applicable insurance coverage's stated on page 2 of this Certificate of Insurance, including advance notice of cancellation / reduction in coverage.

Name of person authorized to sign on behalf of Insurer(s) (Officer, Agent, Broker)
number

Telephone

Signature

Date D / M / Y

CERTIFICATE OF INSURANCE Page 2 of 2

General

The insurance policies required on page 1 of the Certificate of Insurance must be in force and must include the insurance coverage listed under the corresponding type of insurance on this page.

The policies must insure the Contractor and must include Her Majesty the Queen in Right of Canada as represented by the Minister of Public Works and Government Services as an additional Insured.

The insurance policies must be endorsed to provide Canada with not less than thirty (30) days' notice in writing in advance of a cancellation of insurance or any reduction in coverage.

Without increasing the limit of liability, the policies must protect all insured parties to the full extent of coverage provided. Further, the policies must apply to each Insured in the same manner and to the same extent as if a separate policy had been issued to each.

Commercial General Liability

The insurance coverage provided must not be substantially less than that provided by the latest edition of IBC Form 2100.

The policy must either include or be endorsed to include coverage for the following exposures or hazards if the Work is subject thereto:

- (a) Blasting.
- (b) Pile driving and caisson work.
- (c) Underpinning.
- (d) Removal or weakening of support of any structure or land whether such support be natural or otherwise if the work is performed by the insured contractor.

The policy must have the following minimum limits:

- (a) **\$2,000,000** Each Occurrence Limit;
- (b) **\$2,000,000** General Aggregate Limit per policy year if the policy contains a General Aggregate; and
- (c) **\$2,000,000** Products/Completed Operations Aggregate Limit.

Umbrella or excess liability insurance may be used to achieve the required limits.

Solicitation No. - N° de l'invitation
W6867-180001/B
Client Ref. No. - N° de réf. du client
W6867-180001

Amd. No. - N° de la modif.
File No. - N° du dossier
PWU-7-40197

Buyer ID - Id de l'acheteur
PWU023
CCC No./N° CCC - FMS No./N° VME

ANNEX G

SECURITY REQUIREMENTS CHECK LIST

REFER TO ATTACHED DOCUMENT.



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat

W6897 - 180001

Security Classification / Classification de sécurité

UNCLAS

SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine		DND, CFB SUFFIELD		2. Branch or Directorate / Direction générale ou Direction RPOU (W) DET SUFFIELD	
3. a) Subcontract Number / Numéro du contrat de sous-traitance			3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant		
4. Brief Description of Work / Brève description du travail INTERIOR AND EXTERIOR FLOORING OF ALL BUILDINGS AND SITES @ CFB SUFFIELD AND RALSTON					
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. Indicate the type of access required / Indiquer le type d'accès requis					
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.				<input type="checkbox"/> No Non	<input checked="" type="checkbox"/> Yes Oui
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès					
Canada <input type="checkbox"/>		NATO / OTAN <input type="checkbox"/>		Foreign / Étranger <input type="checkbox"/>	
7. b) Release restrictions / Restrictions relatives à la diffusion					
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>		All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>		No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	
Not releasable À ne pas diffuser <input type="checkbox"/>					
Restricted to: / Limité à: <input type="checkbox"/>		Restricted to: / Limité à: <input type="checkbox"/>		Restricted to: / Limité à: <input type="checkbox"/>	
Specify country(ies): / Préciser le(s) pays:		Specify country(ies) / Préciser le(s) pays:		Specify country(ies) / Préciser le(s) pays:	
7. c) Level of information / Niveau d'information					
PROTECTED A PROTÉGÉ A <input type="checkbox"/>		NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>		PROTECTED A PROTÉGÉ A <input type="checkbox"/>	
PROTECTED B PROTÉGÉ B <input type="checkbox"/>		NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>		PROTECTED B PROTÉGÉ B <input type="checkbox"/>	
PROTECTED C PROTÉGÉ C <input type="checkbox"/>		NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>		PROTECTED C PROTÉGÉ C <input type="checkbox"/>	
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>		NATO SECRET NATO SECRET <input type="checkbox"/>		CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	
SECRET SECRET <input type="checkbox"/>		COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>		SECRET SECRET <input type="checkbox"/>	
TOP SECRET TRÈS SECRET <input type="checkbox"/>				TOP SECRET TRÈS SECRET <input type="checkbox"/>	
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>				TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>	



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat

W6897 - 180001

Security Classification / Classification de sécurité
UNCLAS

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC Information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

If Yes, indicate the level of sensitivity:

Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? ☒ No ☐ Yes
Non Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :

Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis



RELIABILITY STATUS
COTE DE FIABILITÉ



CONFIDENTIAL
CONFIDENTIEL



SECRET
SECRET



TOP SECRET
TRÈS SECRET



TOP SECRET- SIGINT
TRÈS SECRET- SIGINT



NATO CONFIDENTIAL
NATO CONFIDENTIEL



NATO SECRET
NATO SECRET



COSMIC TOP SECRET
COSMIC TRÈS SECRET



SITE ACCESS
ACCÈS AUX EMPLACEMENTS

Special comments:

Commentaires spéciaux :

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? ☒ No ☐ Yes
Non Oui

If Yes, will unscreened personnel be escorted?

Dans l'affirmative, le personnel en question sera-t-il escorté?



No
Non

Yes
Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

11. b) Will the supplier be required to safeguard COMSEC Information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? ☒ No ☐ Yes
Non Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? ☒ No ☐ Yes
Non Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? ☒ No ☐ Yes
Non Oui

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité

UNCLAS

Canada



PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET TRÈS SECRET
											A	B	C			
Information / Assets Renseignements / Biens Production																
IT Media / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquez qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).

ANNEX H - VOLUNTARY REPORT FOR APPRENTICES EMPLOYED DURING THE CONTRACT (Sample)

(This report is not required at bid deposit)

The Contractor should compile and maintain records on the number of apprentices and their trade that were hired to work on the contract.

The Contractor should provide this data in accordance with the format below. If no apprentices were hired during the contract period, the Contractor should still provide a "nil" report.

The data should be submitted six months after the Contract award or at the end of the Contract, whichever comes first to the Contracting Authority.

Number of apprentices hired	Trade

(Add rows as needed)