



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1
Bid Fax: (306) 975-5397

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services
Canada/Réception des soumissions Travaux publics et
Services gouvernementaux Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatchewan
S7K 0E1

Title - Sujet Fitness Equipment	
Solicitation No. - N° de l'invitation M5000-184289/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client M5000-184289	Date 2018-01-16
GETS Reference No. - N° de référence de SEAG PW-\$STN-205-5030	
File No. - N° de dossier STN-7-40041 (205)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-01-24	
Time Zone Fuseau horaire Central Standard Time CST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Baessler, Nancy	Buyer Id - Id de l'acheteur stn205
Telephone No. - N° de téléphone (306) 241-2826 ()	FAX No. - N° de FAX (306) 975-5397
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Question and Answer #4
M5000-184289/A
Fitness Equipment

- Q1. At the head of Annex A it states, "All equipment must include - Delivery to the detachment and Installation". Jasper does not require "installation" as it is receiving only bumper plates. Bassano and Crowsnest Pass are each to receive a rowing machine. To unpack and set up is about 10 minutes only per machine. Is it necessary to do an installation in these locations? If it is not necessary, at what is the dividing line between necessary and unnecessary?
- A1. Yes, if a detachment is getting equipment that is not assembled, like bumper plates they could just be shipped.
- Q2. Can the equipment be assembled, palletized and shipped to any/ various locations? This would only require the unloading and moving of the piece to the desired area within the detachment by members of the detachment. Obviously heavier and more complicated pieces would require onsite assembly and set up.
- A2. Yes if the equipment can be pre-assembled, palletized and shipped that would be acceptable (like a rower). However all larger pieces, heavier pieces MUST be delivered and assembled on site (all cardio besides rowers, squat racks, functional trainers, etc). Our employees do not have the time or expertise to do so.
- Q3. Will orders for equipment be placed at one time - it would allow for efficiencies in shipping/delivery if locations close to one another were served at the same time.
- A3. Yes all orders will be placed at the same time once contract is awarded.
- Q4. There appears to be a height restriction on the Functional Trainer (Item 1, page 14/15) of 93 inches. However, there is no height restriction on the Multi/Half Rack. If there are no minimum specification requirements on the rack, can the minimum spec on the Functional Trainer be considered for the same? If a spec needs to be stated, a request for maximum height be changed to 95.5cm.
- A4. Yes height restriction for the Half Rack would be considered the same as the Functional Trainer
- Q5. In regards to strength training equipment specifications (Page 14) and throughout, there is a minimum spec for bolts (Grade 5 Zinc). Many manufacturers do not use the same verbiage or even mention the bolts. Many manufacturers use 'commercial grade hardware' when referring to fasteners. Can potential bidders still bid with commercial grade fasteners?
- A5. Yes commercial grade fasteners are acceptable.
- Q6. Clarification on Item 2, Page 16. The item states Half Rack/Multi Rack. Please clarify if you are referring to 1) Half Rack Only, 2) Multi Rack Only or 3) Half Rack/Multi Rack Combo (2 in 1)?
- A6. Half Rack.
- Q7. Clarification on Item 9, Page 16 – Olympic Bumper Plates. The description and sizes of plates do not reflect the makeup or sizes offered for Bumper Plates. Can you please confirm this should be Bumper Plates. If they are intended to be bumper plates, can you also confirm the sizes needed.

Solicitation No. - N° de l'invitation
M5000-184289/001/A
Client Ref. No. - N° de réf. du client
M5000-184289

Amd. No. - N° de la modif.
004
File No. - N° du dossier
STN-7-40041

Buyer ID - Id de l'acheteur
STN205
CCC No./N° CCC - FMS No./N° VME

-
- A7. Yes the equipment intended is the Olympic Bumper Plate with sizes that range from 10-45 lbs.
- Q8. Regarding specification for the Elliptical Cross-trainer / with arms – as stated is effectively a sole source specification. Could specification be generic and made to read, “Incline adjustable” instead?
- A8. Yes, on elliptical cross trainer with arms, specifications revised to read ‘Incline Adjustable’.
- Q9. Regarding upholstery on strength equipment. Wear guards are used where a less durable upholstery is used overall. More generic specification would indicate quality upholstery acceptable.
- A9. Premium quality upholstery is acceptable