



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions
- TPSGC

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau

Quebec

K1A0S5

Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Marine Emergency Response Division/Division des
Interventions en cas d'urgence maritime
Centennial Towers 7th Floor - 7W11
200 Kent Street
Ottawa
Ontario
K1A0S5

Title - Sujet EREP: Curtain Boom	
Solicitation No. - N° de l'invitation F7047-160033/A	Amendment No. - N° modif. 007
Client Reference No. - N° de référence du client F7047-160033	Date 2018-01-18
GETS Reference No. - N° de référence de SEAG PW-\$ERD-002-26562	
File No. - N° de dossier 002erd.F7047-160033	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-01-25	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Szczesniak, Michal	Buyer Id - Id de l'acheteur 002erd
Telephone No. - N° de téléphone (250) 507-0647 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

SOLICITATION AMENDMENT 007

This Amendment is raised to:

- (a) Address questions; and
- (b) Revise the Solicitation.

The bid must take into account the following information:

Question 43

In reference to Annex B (Technical Statement of Requirements), Sections 3.3.6.3 and 3.3.6.4,

- a. Is there a preferred shape/size for the handles?
- b. Are both ends of the handle be stitched to a common point, thus forming a loop, or are the two ends of the handle to be separated by some distance to form a semicircular handle.
- c. Is there a specification for loop/handle diameter?

Response to Question 43

- a. The preferred shape is a semi-circular handle.
- b. Refer to Revision 49 and Revision 50.
- c. Refer to Revision 49 and Revision 50.

Question 44

Are there drawings for the curtain boom that Bidders can reference our pricing? Or are Bidders to propose our design based on the technical specifications set forth in the tender documents?

Response to Question 44

There are no drawings of the curtain boom for reference for pricing. The goods and services proposed in a bid must meet the technical specifications set forth in the Solicitation.

Question 45

In reference to Annex B (Technical Statement of Requirements), Sections 3.3.3.5, 3.3.4, 3.3.6.3, and 3.3.6.4, we request that the allowance for individual fabric welds between floats be stricken, and only methods which maintain constant length of the boom be allowed, such as strapping or bulkheads. We also request that the specifications be altered such that the handles are sewn to the welded seam below the top tension, and not to the top tension member itself.

Response to Question 45

Annex B (Technical Statement of Requirements), Section 3.3.3.5 states, "Each curtain boom section must employ some means to preserve the original orientation of the floatation elements along its longitudinal axis (e.g., webbing straps or individual fabric welds)." The items listed in parentheses in Annex B (Technical Statement of Requirements), Section 3.3.3.5 are simply provided as examples.

Annex B (Technical Statement of Requirements), Section 3.3.3.5 and Section 3.3.4 remain unchanged.

Refer to Revision 49 and Revision 50.

Revision 49

In Annex B (Technical Statement of Requirements), replace Section 3.3.6.3 in its entirety with the following text:

“3.3.6.3. Each anchor point location must be indicated by a red webbing handle where each end of the webbing handle must be attached to opposite sides of the top tension member above the corresponding anchor point. The length of webbing and distance between the two attachment points must easily accommodate a gloved hand.”

Revision 50

In Annex B (Technical Statement of Requirements), replace Section 3.3.6.4 in its entirety with the following text:

"3.3.6.4. Each curtain boom section must have a black webbing handle where each end of the webbing handle must be attached to opposite sides of the top tension member at each fold point, provided that the fold point does not coincide with an anchor point. The length of webbing and distance between the two attachment points must easily accommodate a gloved hand.”

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.