





203 WELLMAN CRESCENT
SASKATOON (SASKATCHEWAN) CANADA S7T 0J1
TEL: 306-665-6223 | FAX: 306-665-6589 | WWW.WSPGROUP.COM




KEY PLAN



1 ROOF PLAN
1 : 300

ROOF FRAMING PLAN NOTES:

- SEE GENERAL NOTES AND REINFORCING DETAILS ON S1.0 & S7.1 DRAWINGS.
- PARTIAL UPGRADING OF THE EXISTING STRUCTURE IS TO THE GENERAL EXTENT OF THE 2015 NATIONAL BUILDING CODE (NBC), UNLESS NOTED OTHERWISE ON PLAN. ROOF DESIGN LOADS AT SHOWN MECHANICAL UNITS ARE:
LIVE LOAD (SNOW) = 1.46kPa MINIMUM + SNOW DRIFT AREAS NOTED ON PLAN
DEAD LOAD = 1.0kPa
- STATED LOADS AND STRUCTURAL ELEMENTS SHOWN ARE LIMITED TO THE AREA(S) AFFECTED BY THE MECHANICAL UNITS AND SNOW DRIFTS SHOWN ON THESE DRAWINGS. STRUCTURAL EVALUATION AND UPGRADING OF THE REMAINDER OF THE BUILDING IS NOT INCLUDED IN THE SCOPE OF WORK.
- SNOW DRIFTING AT MECHANICAL UNITS WHERE SHOWN ON PLAN APPLIES TO ALL SIDES OF THE OBSTRUCTION.
- CONFIRM EXACT SIZE AND LOCATION OF OPENINGS WITH MECHANICAL.
- WHERE MECHANICAL LOADS ARE SHOWN ON PLAN, THE VALUES ARE ASSUMED. CONFIRM EXACT MAGNITUDE AND POSITION OF MECHANICAL LOADS WITH MECHANICAL SHOP DRAWINGS AND NOTIFY WSP-S IF ASSUMED VALUES ARE EXCEEDED.
- OWSJ REINFORCING TYPES DENOTED ON PLAN THUS (E) - SEE DRAWINGS S7.1 FOR REINFORCING DETAILS.



#	revisions	description	date
1	REISSUED FOR TENDER		17/10/04
0	ISSUED FOR TENDER		17/09/13

Client
PUBLIC WORKS AND GOVERNMENT SERVICES CANADA
SASKATOON SASKATCHEWAN

project title
SASKATOON, SK REGIONAL PSYCHIATRIC CENTRE ROOFTOP AIR HANDLING UNITS REPLACMENT

approved by
M.D.B.
designed by
S.E.G.
drawn by
J.W.C.

PWSSC Project Manager
PWSSC, Architectural and Engineering Resources Manager

Client
CORRECTIONAL SERVICE CANADA

drawing title
STRUCTURAL ROOF PLAN OWSJ REINFORCING DETAILS

project no.	sheet	revision no.
R.079699.001	S4.1 2 OF 3	1

