



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 Laurier St./11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

This RFP contains a Security Requirement.

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Furniture Division/Division des ameublements

11 Laurier St. / 11, rue Laurier

6B1, Place du Portage

Gatineau

Québec

K1A 0S5

Title - Sujet Collaborative Furniture and Tables	
Solicitation No. - N° de l'invitation EP731-181613/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client 20181613	Date 2018-01-25
GETS Reference No. - N° de référence de SEAG PW-\$SPQ-985-73930	
File No. - N° de dossier pq985.EP731-181613	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-02-05	
Time Zone Fuseau horaire Eastern Standard Time EST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Paquin, Audrey	Buyer Id - Id de l'acheteur pq985
Telephone No. - N° de téléphone (819) 639-8145 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: 111 Sussex Drive, Ottawa, Ontario	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 002 is raised to modify the Annex A and publish questions and answers.

1- MODIFICATION

In the Request for Proposal,

DELETE: Annex A in its entirety.

REPLACE: the Annex A in attachment.

2- QUESTIONS AND ANSWERS

Question 1:

Will partial bids be accepted? Or, must suppliers be able to provide all items as specified in order to bid.

Answer 1:

Suppliers could bid on collaborative furniture, tables or both. They may provide all the items in each category. In the RFP, at the annex D, there is 2 tables for the bases of payment. 2 contracts may be awarded.

Question 2:

Annex E (pg.52), C States: "This work is to be performed during regular and after hours as per the schedule and as noted below:". We don't believe it's clear if our price should include after-hours work. We are confident we can complete the job between April 6th and April 12th during regular hours (5 business days). If there are restrictions within these dates that would force us to work after-hours, they should be made clear at bid time, so the Delivery & Installation pricing is accurate. Or, if the schedule is not firm, ask all contractors to either bid all regular or all overtime hours, to ensure a fair evaluation.

Answer 2:

The schedule is not currently firm but it is anticipated that regular hours are acceptable for the delivery and installation of the furniture.

Question 3:

Annex E (pg.52), Loading Dock Information: It is our understanding, but please confirm that a Tractor Trailer cannot deliver directly to site.

Answer 3:

The loading dock is 42' feet in length so only vehicles that can fit within that space are permissible.

Question 4:

Annex E (pg.52), Location Information: Understanding there is no Freight Elevator, please confirm the quantity and dimensions of the elevators that are available for use.

Answer 4:

- 1- Sussex Pavilion: Elevator 13 - 60"W x 54"D x 87"H
- 2- Rideau Pavilion: Elevator 2 - 72"W x 61"D x 7'9"H
- 3- Bytown Pavilion: Elevator 6 - 61" x 72"W x 7'9"H

Question 5:

Item T18/T23 round can you please confirm if the following dimensions are acceptable? 42w x 42d x 17h

Answer 5:

No, proponents must adhere to the requirements of the Request for Proposals document.

Question 6:

Q2. Item T18/T23 can you please confirm if the following dimensions is acceptable? 29h

Answer 6:

No, proponents must adhere to the requirements of the Request for Proposals document.

Question 7:

Item S20A can you please confirm if the following dimensions are acceptable? Height of 32 inches and tablet of 14 inches

Answer 7:

No, proponents must adhere to the requirements of the Request for Proposals document.

Question 8:

Item S18B can you please confirm if the following dimensions are acceptable? Width of 54 inches

Answer 8:

No, proponents must adhere to the requirements of the Request for Proposals document.

Question 9:

Lastly are partial bids acceptable?

Answer 9:

Suppliers could bid on collaborative furniture, tables or both. They may provide all the items in each category. In the RFP, at the annex D, there is 2 tables for the bases of payment. 2 contracts may be awarded.

All other terms and conditions are to remain unchanged.

ANNEX A-1 – STATEMENT OF REQUIREMENT

COLLABORATIVE FURNITURE

1. SCOPE OF WORK

- 1.1 This specification is for the supply, delivery and installation of Collaborative Furniture within open and closed common areas and rooms.
- 1.2 Product need not all be from the same manufacturer, however, note requirements within alpha-numeric groupings. Refer to Paragraph 6.1. General Notes of Annex A-1.
- 1.3 All products must be new.

2. REFERENCES AND TEST REQUIREMENTS

- 2.1 American National Standards Institute (ANSI) / Business and International Furniture Manufacturers Association (BIFMA) International:
 - .1 ANSI/BIFMA x 5.4-2012 - American National Standard for Office Furnishings – Lounge and Public Seating - Tests.
 - .2 ANSI/BIFMA M7.1-2011(R2016) FES Test Method - American National Standard For Office Furnishings - Standard Test Method for Determining VOC Emissions from Office Furniture Systems, Components and Seating.
 - .3 ANSI/BIFMA X5.1-2017, American National Standard for Office Furnishings - General Purpose Office Chairs – Tests.
 - .4 BIFMA PD-1-2017 – Mechanical Test Standards – Complied Definitions.
 - .5 ANSI/NPA A208.1-09, Particleboard.
- 2.2 American Society for Testing and Materials (ASTM) International
 - .1 ASTM C297/C297M-16, Standard Test Method for Flatwise Tensile Strength of Sandwich Constructions.
- 2.3 California Department of Consumer Affairs California Technical Bulletin 117-2013 – Requirement Test Procedure and Apparatus for Testing the Flame Retardance of Resilient Filling Materials Used in Upholstered Furniture.
- 2.4 Association of Contract Textiles (ACT)
 - .1 Voluntary Performance Guidelines for Upholstery, current edition.
- 2.5 Canadian General Standards Board (CGSB)
 - .1 CAN/CGSB-44.232-2008 Task Chairs for Office Environments.
 - .2 CAN/CGSB-44.227-2008 Free-standing Office Desk Products and Components.
- 2.6 CSA International
 - .1 CSA C22.2 No.9.0-96(R2016), General Requirements for Luminaires.
 - .2 CAN/CSA-C22.2 No.203-16, Modular Wiring Systems for Office Furniture.
 - .3 CAN/CSA-Z809-16, Sustainable Forest Management.
- 2.7 Forest Stewardship Council (FSC)
 - .1 FSC-STD-01-001 V5-2016, FSC Principle and Criteria for Forest Stewardship.
- 2.8 Health Canada/Workplace Hazardous Materials Information System (WHMIS)
 - .1 Material Safety Data Sheets (MSDS).

- 2.9 Sustainable Forestry Initiative (SFI)
 - .1 SFI-2015-2019 Standard.
- 2.10 The Master Painters Institute (MPI)
 - .1 Architectural Painting Specification Manual - current edition.
- 2.11 Underwriters' Laboratories Canada (ULC)
 - .1 CAN/ULC-S102-2011, Standard Method of Test for Surfaces Burning Characteristics of Building Materials and Assemblies.
- 2.12 Underwriters' Laboratories (UL)
 - .1 UL 1286-2008(R2011), Standard for Office Furnishings.
 - .2 GreenGuard Standard 2818-2013 - GreenGuard Certification Program for Chemical Emissions for building Materials, Finishes, and Furnishings.
- 2.13 All ANSI/BFMI tests only must be completed at an acceptable testing facility. An independent testing laboratory and/or a company owned laboratory are acceptable provided that the laboratory has been accredited by a nationally recognized body such as Standards Council of Canada, A2LA (American Association for Laboratory Accreditation) or is listed on the CGSB Laboratory Acceptance Program.
- 2.14 Revised Test Standard(s): Reference is made to the testing Standards listed within this annex and to the requirement that all products offered in the SA have successfully passed the referenced testing Standards. If the referenced test Standards change, the products must successfully pass the revised test Standard(s). Only the tests that have been revised must be performed, and this testing must occur within nine months from the date of the revised test Standard(s).
- 2.15 Product Changes: When physical changes are made to products already tested against the above referenced test Standards, the changed product(s) must also be tested within nine months from the date of the product change. The applicable tests and the applicable test Standards will be those deemed by an Acceptable Test Facility.
- 2.16 For all test reports that are not specific to the products in this solicitation, the Supplier must provide an explanation to Canada as to why the "worst-case condition" applies to the products. The definition of "worst-case condition" can be found in BIFMA PD-1.
- 2.17 This document must be read in conjunction with the latest version of the Government of Canada Workplace 2.0 Fit-up Standards.

3. PERFORMANCE REQUIREMENTS

- 3.1 The finished products must be stable, uniform in quality, style, material and workmanship, and be clean and free from defects that may affect appearance, serviceability and safety.
- 3.2 External surfaces must be smooth and all edges must be rounded and/or beveled. All accessible surfaces must be free from sharp edges, burrs and any other hazards to safety.

4. PACKAGING AND DISTRIBUTION

- 4.1 Corrugated containers used must contain at least 80% recycled content paper fiber.

- 4.2 Blanket wrapping must be used for short distances of 100 km or less when the orders are of sufficient order size (i.e. enough to fill a truck).
- 4.3 As a minimum, the Supplier must implement one of the following requirements:
 - .1 Products to be shipped in bulk (e.g. can be disassembled into parts at source, packed more densely for shipping and reassembled on site),
 - .2 Packaging is recyclable and/or bio-degradable,
 - .3 Packaging is returnable to the supplier/shipper,
 - .4 Packaging is reusable.

5. SUBMITTALS

5.1 PRODUCT DATA & CLOSEOUT DOCUMENTATION

- .1 Submit furniture installation drawings for review prior to installation on site.
- .2 Submit 2 copies of WHMIS MSDS for review prior to installation on site.
- .3 Wood certification: Submit vendor or manufacturer Chain of Custody certificate number for CAN/CSA-Z809 of FSC or SFI certified wood for review prior to installation on site.
- .4 Submit Operation and Maintenance Data for furniture at closeout of project, including: complete listing of part numbers of furniture, and instructions regarding maintenance and repairing or replacement of worn parts.

5.2 REQUIRED SAMPLES AND FINISHES

- .1 Six (6) fabric cards must be available for showing complete range of colours i.e. solids, geometrics and stripes. Three (3) of these cards must be stain resistant fabric and the fourth card must be 100% recycled fabric.
- .2 Four (4) non-perforated molded plastic cards must be available and one of the cards must be a white finish.
- .3 Four (4) molded plastic or two (2) pressed plywood sample cards must be available.
- .4 Four (4) wood veneer samples must be available.
- .5 Four (4) paint finish on metal substrate samples must be available.

5.3 MARKING

- .1 All freestanding office furniture components must also be permanently and legibly marked with the product code and the date of manufacture or alternatively the expiry date of the warranty.
- .2 All components that consist of primary, secondary or dedicated surfaces must be permanently and legibly marked with the manufacturer's name or recognized trademark.
- .3 Adequate operating instructions in pictorial form and/or written form in both French and English must be provided.

6. DETAILED REQUIREMENTS

6.1. GENERAL NOTES

- 6.1.1.** Groupings with the same alpha-numeric prefix tag (i.e. all seating with the S20 tag, which would include S20a, S20b, S20c, etc.) must come from the same manufacturing line, unless otherwise indicated.

6.2. CA1 - COLLABORATION AREA 1

6.2.1. S17a – Modular Bench with Left Backrest

6.2.1.1. Description:

- 6.2.1.1.1. Must be modular.
- 6.2.1.1.2. Must have clean lines and be contemporary / modern in design
- 6.2.1.1.3. Bench must have backrest which extends from the left side of the bench but does not extend for the entire length. See dimensions below.
- 6.2.1.1.4. Backrest position as shown on the floor plans.
- 6.2.1.1.5. Bench to be armless.
- 6.2.1.1.6. Base must provide access for routing wires from unit to unit.
- 6.2.1.1.7. Include linking and floor mounting brackets.
- 6.2.1.1.8. Multi-surface glides.
- 6.2.1.1.9. Layout configuration as shown on floor plans.

6.2.1.2. Finishes:

- 6.2.1.2.1. Allow for two different upholstery fabrics (one for seat, 1 for backrest), Faux-vinyl for seat and Grade A for backrest
- 6.2.1.2.2. Exposed metal to receive factory applied paint finish.

6.2.1.3. Dimensions:

- 6.2.1.3.1. Overall seat width must be between 991 mm W (39") and 1219 mm W (48"). Tolerance of +/- 13mm (1/2").
- 6.2.1.3.2. Backrest width must be between 610 mm W (24") and 660mm W (26"W). Tolerance of +/- 13mm (1/2").
- 6.2.1.3.3. Overall seat depth must be between 610 mm D (24") 660mm D (26"D). Tolerance of +/- 13mm (1/2").
- 6.2.1.3.4. Overall height including backrest must be between 737mm H (29"H) and 762 mm H (30") from finished floor. Tolerance of +/- 13mm (1/2").
- 6.2.1.3.5. Seat height must be between 406mm H (16"H) and 457 mm H (18") from finished floor. Tolerance of +/- 13mm (1/2").
- 6.2.1.3.6. Backrest height must be between 305 mm H (12") and 330mm H (13"H) from seat. Tolerance of +/- 13mm (1/2").

6.2.2. S17b – Modular Bench with Right Backrest

6.2.2.1. Description:

- 6.2.2.1.1. Must be modular.
- 6.2.2.1.2. Must have clean lines and be contemporary / modern in design

- 6.2.2.1.3. Bench must have backrest which extends from the right side of the bench but does not extend for the entire length. See dimensions below.
- 6.2.2.1.4. Backrest position as shown on the floor plans.
- 6.2.2.1.5. Bench to be armless.
- 6.2.2.1.6. Base must provide access for routing wires from unit to unit.
- 6.2.2.1.7. Include linking and floor mounting brackets.
- 6.2.2.1.8. Multi-surface glides.
- 6.2.2.1.9. Layout configuration as shown on floor plans.

6.2.2.2. Finishes:

- 6.2.2.2.1. Allow for two different upholstery fabrics (one for seat, 1 for backrest), Faux-vinyl for seat and Grade A for backrest
- 6.2.2.2.2. Exposed metal to receive factory applied paint finish.

6.2.2.3. Dimensions:

- 6.2.2.3.1. Overall seat width must be between 991 mm W (39") and 1219 mm W (48"). Tolerance of +/- 13mm (1/2").
- 6.2.2.3.2. Backrest width must be between 610 mm W (24") and 660mm W (26"W). Tolerance of +/- 13mm (1/2").
- 6.2.2.3.3. Overall seat depth must be between 610 mm D (24") 660mm D (26"D). Tolerance of +/- 13mm (1/2").
- 6.2.2.3.4. Overall height including backrest must be between 737mm H (29"H) and 762 mm H (30") from finished floor. Tolerance of +/- 13mm (1/2").
- 6.2.2.3.5. Seat height must be between 406mm H (16"H) and 457 mm H (18") from finished floor. Tolerance of +/- 13mm (1/2").
- 6.2.2.3.6. Backrest height must be between 305 mm H (12") and 330mm H (13"H) from seat. Tolerance of +/- 13mm (1/2").

6.2.3. T17a – Modular Rectangular Table

6.2.3.1. Description:

- 6.2.3.1.1. Must be modular.
- 6.2.3.1.2. Data/electrical module with power cord and flip-up door. Base must provide access for routing wires from unit to unit.
- 6.2.3.1.3. Provide minimum 2 power receptacles (i.e. 1 duplex receptacle)
- 6.2.3.1.4. Include linking and floor mounting brackets.
- 6.2.3.1.5. Multi-surface glides.
- 6.2.3.1.6. Layout configuration as shown on floor plans.

6.2.3.2. Finishes:

- 6.2.3.2.1. Compact laminate surface.
- 6.2.3.2.2. Upholstery base, faux leather fabric.
- 6.2.3.2.3. Exposed metal to receive factory applied paint finish.
- 6.2.3.2.4. Anodized Aluminum or painted data/electrical module finish.

6.2.3.3. Dimensions:

- 6.2.3.3.1. Overall width must be between 305mm W (12") and 330 mm W (13"). Tolerance of +/- 13mm (1/2").

- 6.2.3.3.2.** Overall depth must be between 610 mm D (24") and 660 mm D (26"D). Tolerance of +/- 13mm (1/2").
- 6.2.3.3.3.** Overall height must be 419 mm H (16.5"H) and 425 mm H (16.75") from finished floor. Tolerance of +/- 13mm (1/2").

6.3. CA3 - COLLABORATION AREA 3 / 4

6.3.1. S18a – Lounge Chair

6.3.1.1. Description:

- 6.3.1.1.1. Lounge chair with low or mid-back height.
- 6.3.1.1.2. Seat and back to be upholstered. Allow for two different upholstery fabrics (one for seat, 1 for back), both mid-grade.
- 6.3.1.1.3. Chair to have clean lines and be contemporary / modern in design
- 6.3.1.1.4. Chair to include locking casters or glides.
- 6.3.1.1.5. Chair to have metal frame / legs.
- 6.3.1.1.6. Chair may be armless

6.3.1.2. Finishes:

- 6.3.1.2.1. Seat: Grade A fabric
- 6.3.1.2.2. Back: Grade A fabric
- 6.3.1.2.3. Frame / legs: Powder coat paint finish or polished chrome.

6.3.1.3. Dimensions:

- 6.3.1.3.1.** Overall width to be between 654mm W (25.75") and 686 mm W (27"). Tolerance of +/- 13mm (1/2").
- 6.3.1.3.2.** Overall depth to be between 705 mm W (27.75") and 737 mm D (29"). Tolerance of +/- 13mm (1/2").
- 6.3.1.3.3.** Overall height to be between 673 mm H (26.5") and 800 mm W (31.5"). Tolerance of +/- 13mm (1/2").
- 6.3.1.3.4.** Seat height to be between 406.4 mm H (16") and 419 mm H (16.5"). Tolerance of +/- 13mm (1/2").
- 6.3.1.3.5.** Heights shown take into account the height of the casters or glides.

6.3.2. S18b – High Back 2-Seat Bench / Sofa

6.3.2.1. Description:

- 6.3.2.1.1. High Back 2-Seat Bench / Sofa
- 6.3.2.1.2. Seat and back to be upholstered. Allow for two different upholstery fabrics (one for seat, 1 for back), both mid-grade.
- 6.3.2.1.3. Must have clean lines and be contemporary / modern in design
- 6.3.2.1.4. Include locking casters or glides
- 6.3.2.1.5. Must have a metal frame / legs
- 6.3.2.1.6. Bench / Sofa may be armless

6.3.2.2. Finishes:

- 6.3.2.2.1. Seat: Grade A fabric
- 6.3.2.2.2. Back: Grade A fabric

6.3.2.2.3. Frame/legs: Powder coat paint finish or polished chrome.

6.3.2.3. Dimensions:

- 6.3.2.3.1. Overall width to be between 1499 mm W (59") and 1607 mm W (63.25"). Tolerance of +/- 13mm (1/2").
- 6.3.2.3.2. Overall depth to be between 737 mm D (29") and 921 mm W (36.25"). Tolerance of +/- 13mm (1/2").
- 6.3.2.3.3. Overall height to be between 1067 mm W (42") and 1229 mm H (48.4"). Tolerance of +/- 13mm (1/2").
- 6.3.2.3.4. Seat height to be between 419 mm H (16.5") and 425 mm H (16.75"). Tolerance of +/- 13mm (1/2").
- 6.3.2.3.5. Heights shown take into account the height of the casters or glides.

6.3.3. S18c – Stool on Casters

6.3.3.1. Description:

- 6.3.3.1.1. Upholstered round stool
- 6.3.3.1.2. Stool to be backless
- 6.3.3.1.3. Stool must include metal or aluminum base with casters.

6.3.3.2. Finishes:

- 6.3.3.2.1. Seat: Grade A fabric
- 6.3.3.2.2. Base: Powder coat paint finish or polished aluminum

6.3.3.3. Dimensions:

- 6.3.3.3.1. Overall width to be between 565 mm W (22.25") and 724 mm W (28.5"). Tolerance of +/- 13mm (1/2").
- 6.3.3.3.2. Overall depth to be between 565 mm W (22.25") and 724 mm W (28.5"). Tolerance of +/- 13mm (1/2").
- 6.3.3.3.3. Overall seat height to be between 425 mm W (16.75") and 438 mm H (17.25"). Tolerance of +/- 13mm (1/2").
- 6.3.3.3.4. Heights shown take into account the height of the casters.

6.3.4. T18 – Round Lounge Table

6.3.4.1. Description:

- 6.3.4.1.1. Round lounge table
- 6.3.4.1.2. Metal or Aluminum base with locking casters or glides
- 6.3.4.1.3. Integrated Power / Data module. Allow for 1 minimum duplex receptacle and power cord.

6.3.4.2. Finishes:

- 6.3.4.2.1. Surface: Plastic Laminate
- 6.3.4.2.2. Frame: Powder coat paint finish or polished aluminum

6.3.4.3. Dimensions:

- 6.3.4.3.1. Overall width to be between 1207mm W (47.5") and 1219 mm W (48"). Tolerance of +/- 13mm (1/2").

6.3.4.3.2. Overall depth to be between 1207mm W (47.5") and 1219 mm W (48").
Tolerance of +/- 13mm (1/2").

6.3.4.3.3. Overall height to be between 527 mm H (20.75") and 660 mm H (26").

6.3.5. WB6 – Mobile Glass Marker Board on Casters

6.3.5.1.1. Refer to Section 6.14.5 for specifications.

6.3.6. T19 – Freestanding Laptop Table

6.3.6.1. Description:

6.3.6.1.1. Standalone table for use as a laptop support or work surface.

6.3.6.1.2. Square or rounded square work surface shape

6.3.6.1.3. Table base to be metal or aluminum

6.3.6.1.4. Table base to consist of a single offset shaft with square or rounded square baseplate.

6.3.6.1.5. Base to be of sufficient weight to provide stability

6.3.6.1.6. Plastic glides.

6.3.6.2. Finishes:

6.3.6.2.1. Work surface to be pre-finished paint on aluminum or plastic laminate finish with reverse bevel plywood edge.

6.3.6.2.2. Table base to be aluminum or metal table construction with pre-finished paint finish.

6.3.6.3. Dimensions:

6.3.6.3.1. Overall width must be between 343mm W (13.5"W) and 381 mm W (15"). Tolerance of +/- 13mm (1/2").

6.3.6.3.2. Overall depth must be between 343mm D (13.5"D) and 381 mm W (15"). Tolerance of +/- 13mm (1/2").

6.3.6.3.3. Overall height must be between 533 mm H (21") and 610mm H (24"H) from finished floor. Tolerance of +/- 13mm (1/2").

6.4. CA5 - COLLABORATION AREA 5 and ENCLOSED COLLABORATION AREA R2-220

6.4.1. S9 – Height Adjustable Stool

6.4.1.1. Description:

6.4.1.1.1. Bar Stool

6.4.1.1.2. Height Adjustable

6.4.1.1.3. Backless and Armless

6.4.1.1.4. Must have curved base to allow user to move and lean on stool, allowing movement.

6.4.1.1.5. Single steel column structure

6.4.1.1.6. Seat to be round or triangular in shape

6.4.1.2. Finishes:

6.4.1.2.1. Seat to be urethane with an MDF structure or upholstered in a mid-grade fabric or faux leather material

6.4.1.3. Dimensions:

- 6.4.1.3.1. Overall width must be between 356 mm W (14") and 381 mm W (15"). Tolerance of +/- 13mm (1/2").
- 6.4.1.3.2. Overall depth must be between 356 mm D (14") and 381 mm D (15"). Tolerance of +/- 13mm (1/2").
- 6.4.1.3.3. Overall seat height must be between 584 mm H (23") at the lowest position to 883 mm H (34.75") at the highest position. A minimum of 229mm (9") of height adjustment is required. Tolerance of +/- 13mm (1/2").

6.4.2. T9 – Bar Height Table

6.4.2.1. Description:

- 6.4.2.1.1. Bar Height Table
- 6.4.2.1.2. Table to have clean lines and be contemporary / modern in design
- 6.4.2.1.3. Table profile to be (i.e. elevation along width of table) to either be a continuous rectangular shape with rounded corners, or an inverted "U" shape (i.e solid end gables)
- 6.4.2.1.4. Provide metal foot rest along entire width of table.

6.4.2.2. Finishes:

- 6.4.2.2.1. High Density Polyethelene or plastic laminate on particle board substrate
- 6.4.2.2.2. Foot rest to have either anodized aluminum or bright chrome finish.

6.4.2.3. Dimensions:

- 6.4.2.3.1. Overall width must be between 1524 mm W (60") and 1829 mm W (72"). Tolerance of +/- 13mm (1/2").
- 6.4.2.3.2. Overall depth must be between 457 mm W (18") and 610 mm W (24"). Tolerance of +/- 13mm (1/2").
- 6.4.2.3.3. Overall height must be between 1016 mm H (40") and 1067 mm H (42"). Tolerance of +/- 13mm (1/2").
- 6.4.2.3.4. Thickness for table or end gable depth cannot exceed 51mm (2"). Tolerance of +/- 13mm (1/2").

6.4.3. S20a – Lounge 2-Seater Sofa with Tablet

6.4.3.1. Description:

- 6.4.3.1.1. 2 seat upholstered sofa
- 6.4.3.1.2. Sofa to have clean yet soft rounded lines
- 6.4.3.1.3. Sofa legs to be cast aluminum
- 6.4.3.1.4. Sofa to include round tablet mounted to the left side aluminum leg

6.4.3.2. Finishes:

- 6.4.3.2.1. Seat and back receive mid-grade fabric upholstery
- 6.4.3.2.2. Cast aluminum to have painted or polished finish
- 6.4.3.2.3. Tablet to be painted MDF or black urethane

6.4.3.3. Dimensions:

- 6.4.3.3.1. Overall width (including tablet) must be between 2210 mm W (87") and 2546 mm W (100.25"). Tolerance of +/- 13mm (1/2").
- 6.4.3.3.2. Overall depth (including tablet) must be between 743 mm D (29.25") and 940 mm D (37"). Tolerance of +/- 13mm (1/2").
- 6.4.3.3.3. Overall height must be between 648 mm H (25.5") and 768 mm H (30.25"). Tolerance of +/- 13mm (1/2").
- 6.4.3.3.4. Seat height must be between 419mm H (16.5") and 445 mm H (17.5"). Tolerance of +/- 13mm (1/2").
- 6.4.3.3.5. Tablet must be 400 mm O.D. (15.75"). Tolerance of +/- 13mm (1/2").

6.4.4. T20 – Coffee Table

6.4.4.1. Description:

- 6.4.4.1.1. Coffee Table
- 6.4.4.1.2. Circular in shape, with reverse bevel edge
- 6.4.4.1.3. Must have clean lines and be contemporary in design
- 6.4.4.1.4. Cast aluminum legs – leg design must be consistent with the look and feel of S20a sofa leg design
- 6.4.4.1.5. Glides

6.4.4.2. Finishes:

- 6.4.4.2.1. Plastic Laminate top with vinyl edge or painted MDF top and edge
- 6.4.4.2.2. Cast aluminum may be painted or polished

6.4.4.3. Dimensions:

- 6.4.4.3.1. Overall diameter must be between 610 mm O.D. (24") and 762 mm O.D. (30")
- 6.4.4.3.2. Overall height must be between 356 mm H (14") and 381 mm H (15")

6.5. CA7 - COLLABORATION AREA 7 – MEDIA AMPHITHEATRE

6.5.1. S22a – Lounge 2-Seater with Back (Centre)

6.5.1.1. Description:

- 6.5.1.1.1. 2 seat Lounge with back.
- 6.5.1.1.2. Trapezoidal shape, with the back of the lounge seat being wider than the front.
- 6.5.1.1.3. A segmented semi-circular shape is created when placed in combination with S22b and S22c.
- 6.5.1.1.4. Must have clean, contemporary lines
- 6.5.1.1.5. Seat extends to the floor with no legs being visible.
- 6.5.1.1.6. Fully upholstered, with back and seat being upholstered in two different fabrics.
- 6.5.1.1.7. Provide bar height shelf. Refer to T22 for details.
- 6.5.1.1.8. Provide levelling guides.

6.5.1.2. Finishes:

6.5.1.2.1. Seat and back to be upholstered in two different grade A fabrics.

6.5.1.3. Dimensions:

- 6.5.1.3.1. Overall width must be between 1861 mm W (73.25") and 2032 mm W (80")
- 6.5.1.3.2. Overall depth (not including shelf) must be between 610mm D (24") and 838 mm D (33")
- 6.5.1.3.3. Overall height must be between 737 mm H (29") and 762 mm W (30")
- 6.5.1.3.4. Seat height must be between 406 mm H (16") and 457 mm H (18")
- 6.5.1.3.5. Seat depth must be between 483 mm (19") and 533 mm (21")

6.5.2. S22b – Lounge 2-Seater with Back (Left)

6.5.2.1. Description:

- 6.5.2.1.1. 2 seat Lounge with back
- 6.5.2.1.2. Connects to S22a
- 6.5.2.1.3. Must have clean, contemporary lines
- 6.5.2.1.4. Seat extends to the floor with no legs being visible
- 6.5.2.1.5. Full upholstered, with back and seat being upholstered in two different fabrics
- 6.5.2.1.6. Provide bar height shelf. Refer to T22 for details.
- 6.5.2.1.7. Provide levelling guides.

6.5.2.2. Finishes:

- 6.5.2.2.1. Seat and back to be upholstered in two different Grade A fabrics.

6.5.2.3. Dimensions:

- 6.5.2.3.1. Overall width must be between 1861 mm W (73.25") and 2337 mm W (92")
- 6.5.2.3.2. Overall depth (not including shelf) must be between 610mm D (24") and 838 mm D (33")
- 6.5.2.3.3. Overall height must be between 737 mm H (29") and 762 mm W (30")
- 6.5.2.3.4. Seat height must be between 406 mm H (16") and 457 mm H (18")
- 6.5.2.3.5. Seat depth must be between 483 mm (19") and 533 mm (21")

6.5.3. S22c – Lounge 2-Seater with Back (Right)

6.5.3.1. Description:

- 6.5.3.1.1. 2 seat Lounge with back
- 6.5.3.1.2. Connects to S22a
- 6.5.3.1.3. Must have clean, contemporary lines
- 6.5.3.1.4. Seat extends to the floor with no legs being visible
- 6.5.3.1.5. Full upholstered, with back and seat being upholstered in two different fabrics
- 6.5.3.1.6. Provide bar height shelf. Refer to T22 for details.
- 6.5.3.1.7. Provide levelling guides.

6.5.3.2. Finishes:

- 6.5.3.2.1. Seat and back to be upholstered in two different Grade A fabrics.

6.5.3.3. Dimensions:

- 6.5.3.3.1. Overall width must be between 1861 mm W (73.25") and 2337 mm W (92")
- 6.5.3.3.2. Overall depth (not including shelf) must be between 610mm D (24") and 838 mm D (33")
- 6.5.3.3.3. Overall height must be between 737 mm H (29") and 762 mm W (30")
- 6.5.3.3.4. Seat height must be between 406 mm H (16") and 457 mm H (18")
- 6.5.3.3.5. Seat depth must be between 483 mm (19") and 533 mm (21")

6.5.4. S23 – Bar Height Stool

6.5.4.1. Description:

- 6.5.4.1.1. Bar Stool
- 6.5.4.1.2. Bar Height or Height Adjustable to bar height
- 6.5.4.1.3. Armless
- 6.5.4.1.4. Backless or Low Back
- 6.5.4.1.5. Flat steel disk base
- 6.5.4.1.6. Single steel central column structure
- 6.5.4.1.7. Seat to be oval or square in shape

6.5.4.2. Finishes:

- 6.5.4.2.1. Seat to be molded polypropylene or welded metal skeleton covered with integral polyurethane

6.5.4.3. Dimensions:

- 6.5.4.3.1. Overall width must be between 432 mm W (17") and 470 mm W (18.5"). Tolerance of +/- 13mm (1/2").
- 6.5.4.3.2. Overall depth must be between 368 mm D (14.5") and 470 mm D (18.5"). Tolerance of +/- 13mm (1/2").
- 6.5.4.3.3. Overall seat height must reach a minimum of 752.5 mm H (29.625").

6.5.5. T22 – Bar Height Table Ledge

6.5.5.1. Description:

- 6.5.5.1.1. Provide bar height shelf, either mounted to the back of the Lounge seat, or free standing.

6.5.5.2. Finishes:

- 6.5.5.2.1. Shelf to be plastic laminate, including edge.

6.5.5.3. Dimensions:

- 6.5.5.3.1. Shelf depth must be between 241 mm D (9.5") and 305 mm D (12")
- 6.5.5.3.2. Shelf width must be between 1524 mm W (60") and 1549 mm W (61")
- 6.5.5.3.3. Shelf height must be between 1003 mm H (39.5") and 1016 mm W (40") above the finished floor level.

6.5.6. T23 – Round Lounge Table- Same specification as T18. Refer to 6.3.4 for specifications.

6.6. CA8 - COLLABORATION AREA 8

6.6.1. S17a – Modular Bench with Left Backrest

6.6.1.1. Refer to Section 6.2.1 for specifications.

6.6.2. S17b – Modular Bench with Right Backrest

6.6.2.1. Refer to Section 6.2.2 for specifications.

6.6.3. T17a – Modular Rectangular Table

6.6.3.1. Refer to Section 6.2.3 for specifications.

6.6.4. T17b – Modular Square Table

6.6.4.1. Description:

- 6.6.4.1.1.** Must be modular and reconfigurable design.
- 6.6.4.1.2.** Data/electrical module with power cord and flip-up door. Base must provide access for routing wires from unit to unit.
- 6.6.4.1.3.** Include linking and floor mounting brackets.
- 6.6.4.1.4.** Multi-surface glides.
- 6.6.4.1.5.** Layout configuration as shown on floor plans.

6.6.4.2. Finishes:

- 6.6.4.2.1.** Compact laminate surface.
- 6.6.4.2.2.** Upholstery base, mid-grade fabric.
- 6.6.4.2.3.** Exposed metal to receive factory applied paint finish.
- 6.6.4.2.4.** Anodized Aluminum data/electrical module finish.

6.6.4.3. Dimensions:

- 6.6.4.3.1.** Overall width must be 660mm W (26"W). Tolerance of +/- 13mm (1/2").
- 6.6.4.3.2.** Overall depth must be 660mm D (26"D). Tolerance of +/- 13mm (1/2").
- 6.6.4.3.3.** Overall height must be 419mm H (16.5"H) from finished floor. Tolerance of +/- 13mm (1/2").

6.6.5. T28 – Freestanding Laptop Table – Same specification as T19. Refer to 6.3.6. for specifications.

6.7. CA8A - COLLABORATION AREA 8A

6.7.1. T24 – Round Lounge Table

6.7.1.1. Description:

- 6.7.1.1.1.** Round Lounge Table
- 6.7.1.1.2.** Centre post and circular pedestal base to be metal.
- 6.7.1.1.3.** Table top to be laser-cut metal or laminate faced MDF with reverse bevel edge.
- 6.7.1.1.4.** Provide plastic glides.

6.7.1.2. Finishes:

- 6.7.1.2.1. Table top (metal) to receive factory applied paint finish. MDF table top to receive plastic laminate finish and clear finish for reverse bevel.
- 6.7.1.2.2. Table pedestal base to receive factory applied paint finish or polished chrome finish.

6.7.1.3. Dimensions:

- 6.7.1.3.1. Outside diameter to be between 500 mm O.D. (19.75") and 610mm O.D. (24") Tolerance of +/- 13mm (1/2").
- 6.7.1.3.2. Overall height to be between 420 mm H (16.5") and 432 mm H (17"). Tolerance of +/- 13mm (1/2").
- 6.7.1.3.3. Post for Table pedestal not to exceed 75mm O.D. (3").

6.8. CA9 - COLLABORATION AREA 9

6.8.1. S9 – Height Adjustable Stool

- 6.8.1.1. Refer to section 6.4.1 for specifications.

6.8.2. T9 – Bar Height Table

- 6.8.2.1. Refer to section 6.4.2. for specifications.

6.9. CA10 - COLLABORATION AREA 10

6.9.1. S18a – Lounge Chair

- 6.9.1.1.1. Refer to Section 6.3.1 for specifications.

6.9.2. S18b – High Back 2-Seat Bench / Sofa

- 6.9.2.1.1. Refer to Section 6.3.2 for specifications.

6.9.3. T18 – Round Lounge Table

- 6.9.3.1.1. Refer to Section 6.3.4 for specifications.

6.10. CA11 - COLLABORATION AREA 11

6.10.1. S19e – Stool / Ottoman

6.10.1.1. Description:

- 6.10.1.1.1. Stool / Ottoman
- 6.10.1.1.2. Must have clean lines and be contemporary / modern in design
- 6.10.1.1.3. Design of stool / Ottoman to be a solid shape extending to the floor with no legs or frame visible.
- 6.10.1.1.4. Construction to consist of a plywood frame with fasteners and upholstered fabric over polyurethane foam.
- 6.10.1.1.5. Provide glides

6.10.1.2. Finishes:

- 6.10.1.2.1. Faux leather upholstery.

6.10.1.3. Dimensions:

- 6.10.1.3.1.** Overall width must be between 457 mm W (18") and 502mm W (19.75"W). Tolerance of +/- 13 mm (1/2").
- 6.10.1.3.2.** Overall depth must be between 457 mm D (18") and 489mm D (19.25"D). Tolerance of +/- 13 mm (1/2").
- 6.10.1.3.3.** Overall height must be 457mm H (18"H) from finished floor. Tolerance of +/- 13 mm (1/2").

6.10.2. T19 – Freestanding Laptop Table

- 6.10.2.1.1.** Refer to Section 6.3.6 for specifications.

6.11. CA12 - COLLABORATION AREA 12

6.11.1. T12 – Bar Height Work Table

6.11.1.1. Description:

- 6.11.1.1.1.** Bar Height Table
- 6.11.1.1.2.** Table to have clean lines and be contemporary / modern in design
- 6.11.1.1.3.** Table profile to be (i.e. elevation along width of table) to be an inverted "U" shape (i.e solid end gables)
- 6.11.1.1.4.** Provide full height modesty panel extending from underside of table to floor.
- 6.11.1.1.5.** Vinyl or laminate edges.
- 6.11.1.1.6.** Provide recessed power module at table surface, minimum 4 power outlets. Provide cord.
- 6.11.1.1.7.** Provide glides.

6.11.1.2. Finishes:

- 6.11.1.2.1.** Plastic laminate on particle board substrate for all surfaces
- 6.11.1.2.2.** Power modules to have clear anodized or powder coat paint finish

6.11.1.3. Dimensions:

- 6.11.1.3.1.** Overall width must be between 2438 mm W (96"). Tolerance of +/- 13mm (1/2").
- 6.11.1.3.2.** Overall depth must be 1219 mm D (48"). Tolerance of +/- 13mm (1/2").
- 6.11.1.3.3.** Overall height must be 1067 mm H (42"). Tolerance of +/- 13mm (1/2").
- 6.11.1.3.4.** Thickness for table or end gable depth cannot exceed 51mm (2"). Tolerance of +/- 13mm (1/2").

6.12. CA13 - COLLABORATION AREA 13

- 6.12.1. T25 – Round Lounge Table - Same specification as T24. Refer to 6.7.1 for specifications.**

- 6.12.2. T27 – Lounge Table – Same specification as T24. Refer to Refer to 6.7.1 for specifications.**

6.13. COLLABORATION TABLES

6.13.1. T2 – D Shaped Multi-media Table

6.13.1.1. Description:

- 6.13.1.1.1. D-Shaped Table
- 6.13.1.1.2. Table to be supported by a column base with base plate at one end and support brackets or legs at the wall (plywood backing in wall by others)
- 6.13.1.1.3. Laminate or vinyl edge.
- 6.13.1.1.4. Provide recessed power module. Include a minimum of 3 power outlets, 6' power cord and wire management.

6.13.1.2. Finishes:

- 6.13.1.2.1. High pressure laminate
- 6.13.1.2.2. Powder coat or chrome finish for metal legs and trim.
- 6.13.1.2.3. Edges to be laminate or vinyl.

6.13.1.3. Dimensions:

- 6.13.1.3.1. Overall width must be 1524 mm W (60"). Tolerance of +/- 13 mm (1/2").
- 6.13.1.3.2. Overall depth must be between 1219 mm D (48") and 1372 mm D (54"). Tolerance of +/- 13 mm (1/2").
- 6.13.1.3.3. Overall height must be 737 mm H (29"). Tolerance of +/- 13 mm (1/2").

6.13.2. T3 – D Shaped Multi-media Table

6.13.2.1. Description:

- 6.13.2.1.1. D-Shaped Bar Height Table
- 6.13.2.1.2. Table to be supported by a column base with base plate at one end and support brackets or legs at the wall (plywood backing in wall by others)
- 6.13.2.1.3. Laminate or vinyl edge.
- 6.13.2.1.4. Provide recessed power module. Include a minimum of 3 power outlets, 6' power cord and wire management.

6.13.2.2. Finishes:

- 6.13.2.2.1. High pressure laminate
- 6.13.2.2.2. Powder coat or chrome finish for metal legs and trim.
- 6.13.2.2.3. Edges to be laminate or vinyl.

6.13.2.3. Dimensions:

- 6.13.2.3.1. Overall width must be 1829 mm W (72"). Tolerance of +/- 13 mm (1/2").
- 6.13.2.3.2. Overall depth must be between 1219 mm D (48") and 1372 mm D (54"). Tolerance of +/- 13 mm (1/2").
- 6.13.2.3.3. Overall height must be 1067 mm H (42"). Tolerance of +/- 13 mm (1/2").

6.13.3. T16– Small Meeting Table

6.13.3.1. Description:

- 6.13.3.1.1. Small Meeting Table
- 6.13.3.1.2. Table shape to have curved corners and be triangular or elliptical in shape
- 6.13.3.1.3. Must have clean lines and be contemporary / modern in design

- 6.13.3.1.4. 3 or 4 legs.
- 6.13.3.1.5. Legs may be metal or wood, with glides.

6.13.3.2. Finishes:

- 6.13.3.2.1. High pressure laminate on surface with balancing sheet on the underside.
- 6.13.3.2.2. Powder coat or chrome finish for metal legs and trim.
- 6.13.3.2.3. Wood finishes, if applicable, to come with manufacturer's standard range of offering.
- 6.13.3.2.4. Edges to be vinyl.

6.13.3.3. Dimensions:

- 6.13.3.3.1. Overall Width must be 1524 mm W (60"). Tolerance of +/- 13 mm (1/2").
- 6.13.3.3.2. Overall Depth must be between 749 mm D (29.5") and 752 mm D (30"). Tolerance of +/- 13 mm (1/2").
- 6.13.3.3.3. Overall Height must be 737 mm H (29"). Tolerance of +/- 13 mm (1/2").

6.14. WHITE BOARDS

6.14.1. WB1 – Glass Marker Board

6.14.1.1. Description:

- 6.14.1.1.1. Wall mounted glass marker boards.
- 6.14.1.1.2. 6mm tempered glass with polished edges.
- 6.14.1.1.3. Unframed c/w clear anodized stand-off mounts.
- 6.14.1.1.4. Include adhesive installed marker tray with minimum 2 dry erase markers and eraser or cloth
- 6.14.1.1.5. Refer to drawings for location.

6.14.1.2. Finishes:

- 6.14.1.2.1. Solid white back-painted glass.
- 6.14.1.2.2. Clear anodized aluminum mounts.

6.14.1.3. Dimensions:

- 6.14.1.3.1. 60"W x 48"H

6.14.2. WB2 – Glass Marker Board

6.14.2.1. Description:

- 6.14.2.1.1. Wall mounted glass marker boards.
- 6.14.2.1.2. 6mm tempered glass with polished edges.
- 6.14.2.1.3. Unframed c/w clear anodized stand-off mounts.
- 6.14.2.1.4. Include adhesive installed marker tray with minimum 2 dry erase markers and eraser or cloth
- 6.14.2.1.5. Refer to drawings for location.

6.14.2.2. Finishes:

- 6.14.2.2.1. Solid white back-painted glass.

6.14.2.2.2. Clear anodized aluminum mounts.

6.14.2.3. Dimensions:

6.14.2.3.1. 72"W x 48"H

6.14.3. WB3 – Glass Marker Board

6.14.3.1. Description:

- 6.14.3.1.1.** Wall mounted glass marker boards.
- 6.14.3.1.2.** 6mm tempered glass with polished edges.
- 6.14.3.1.3.** Unframed c/w clear anodized stand-off mounts.
- 6.14.3.1.4.** Include adhesive installed marker tray with minimum 2 dry erase markers and eraser or cloth
- 6.14.3.1.5.** Refer to drawings for location.

6.14.3.2. Finishes:

- 6.14.3.2.1.** Solid white back-painted glass.
- 6.14.3.2.2.** Clear anodized aluminum mounts.

6.14.3.3. Dimensions:

6.14.3.3.1. 96"W x 48"H

6.14.4. WB4 – Glass Marker Board

6.14.4.1. Description:

- 6.14.4.1.1.** Wall mounted glass marker boards.
- 6.14.4.1.2.** 6mm tempered glass with polished edges.
- 6.14.4.1.3.** Unframed c/w clear anodized stand-off mounts.
- 6.14.4.1.4.** Include 2 adhesive installed marker trays with minimum 4 dry erase markers and 2 erasers or cloths.
- 6.14.4.1.5.** Refer to drawings for location.

6.14.4.2. Finishes:

- 6.14.4.2.1.** Solid white back-painted glass.
- 6.14.4.2.2.** Clear anodized aluminum mounts.

6.14.4.3. Dimensions:

6.14.4.3.1. (2) x 96"W x 48"H

6.14.5. WB6 – Mobile Glass Marker Board on Casters

6.14.5.1. Description:

- 6.14.5.1.1.** Mobile back painted tempered glass white board.
- 6.14.5.1.2.** Glass thickness to be minimum 4mm (tempered).
- 6.14.5.1.3.** Low iron glass.
- 6.14.5.1.4.** Magnetic.
- 6.14.5.1.5.** Aluminum or steel frame
- 6.14.5.1.6.** Steel base and lockable casters.
- 6.14.5.1.7.** Include magnetic marker tray, 4 markers, eraser and 1 set of rare earth magnets.

6.14.5.2. Finishes

6.14.5.2.1. Back painted glass: white

6.14.5.2.2. Clear anodized finish for aluminum, powder coat for steel

6.14.5.3. Dimensions




6.14.5.3.1. Overall width must be between 914 mm W (36") and 1020 mm W (40")






6.14.5.3.2. Overall height must be between 1372 mm H (54") and 1524 mm H (60')





Annex A-2 Images (line drawings)





Annexe A-2 Images (dessins linéaires)

Collaborative Furniture / Meubles collaboratifs

New Item no./ Nouvel article, portant le numéro	Quantities/ Quantités	Image (line drawing) Note that line drawing is generic and represents design intent only./ Image (dessin linéaire) À noter que le dessin linéaire est générique et qu'il représente l'intention du concept seulement.
<u>S17a</u> <u>Modular Bench with Left Backrest/</u> <u>Fauteuil modulaire, avec appui-dos à gauche</u>	9	
<u>S17b</u> <u>Modular Bench with Right Backrest /</u> <u>Fauteuil modulaire, avec appui-dos à droite</u>	4	
<u>T17a</u> <u>Modular Rectangular Side Table /</u> <u>Table latérale modulaire et de forme rectangulaire</u>	3	




<u>T17b</u> <u>Modular Square Table /</u> <u>Table modulaire carrée</u>	3	
<u>S18a</u> <u>Lounge Chair /</u> <u>Fauteuil de salon</u>	4	
<u>S18b</u> <u>High Back 2-Seat Bench / Sofa /</u> <u>Sofa-fauteuil à deux places et à dossier élevé</u>	4	
<u>S18c</u> <u>Stool on Casters /</u> <u>Banc sur roulettes</u>	2	
<u>S19e</u> <u>Stool / Ottoman /</u> <u>Banc / Ottomane</u>	2	





<p><u>S20a</u></p> <p><u>Lounge 2-Seater</u> <u>Sofa with Tablet /</u></p> <p><u>Sofa-fauteuil à</u> <u>deux places, avec</u> <u>tablette</u></p>	1	
<p><u>S22a</u></p> <p><u>Lounge 2-Seater</u> <u>with Back</u></p> <p><u>Fauteuil de salon</u> <u>à deux places,</u> <u>avec dossier</u></p>	1	
<p><u>S22b</u></p> <p><u>Lounge 2-Seater</u> <u>with Back /</u></p> <p><u>Fauteuil de salon</u> <u>à 2 places, avec</u> <u>dossier</u></p>	1	
<p><u>S22c</u></p> <p><u>Lounge 2-Seater</u> <u>with Back</u></p> <p><u>Fauteuil de salon</u> <u>à deux places,</u> <u>avec dossier</u></p>	1	





<p><u>T22</u></p> <p><u>Bar Height Table</u> <u>Ledge /</u></p> <p><u>Rebord de table à</u> <u>la hauteur d'un</u> <u>bar</u></p>	3	
<p><u>S23</u></p> <p><u>Bar Height Stool /</u></p> <p><u>Banc haut de bar</u></p>	6	
<p><u>T9</u></p> <p><u>Bar Height Table /</u></p> <p><u>Table à la hauteur</u> <u>d'un bar</u></p>	3	
<p><u>S9</u></p> <p><u>Bar Height Stool /</u></p> <p><u>Banc haut de bar</u></p>	8	

<u>WB1</u> <u>Glass Marker Board /</u> <u>Tableau marqueur vitrifié</u>	17	<p>See specifications for sizes./</p> <p>Voir le devis afin de retrouver les grandeurs.</p>
<u>WB2</u> <u>Glass Marker Board /</u> <u>Tableau marqueur vitrifié</u>	1	<p>See specifications for sizes. ./</p> <p>Voir le devis afin de retrouver les grandeurs.</p>
<u>WB3</u> <u>Glass Marker Board /</u> <u>Tableau marqueur vitrifié</u>	3	<p>See specifications for sizes. ./</p> <p>Voir le devis afin de retrouver les grandeurs.</p>
<u>WB4</u> <u>Glass Marker Board /</u> <u>Tableau marqueur vitrifié</u>	1	<p>See specifications for sizes. ./</p> <p>Voir le devis afin de retrouver les grandeurs.</p>
<u>WB6</u> <u>Mobile Glass Marker Board on Casters /</u> <u>Tableau marqueur amovible et vitrifié et sur roulettes</u>	3	<p>See specifications for sizes. ./</p> <p>Voir le devis afin de retrouver les grandeurs.</p>

Tables

New Item no.	Quantities	Image (line drawing) Note that line drawing is generic and represents design intent only.
<p><u>T28</u></p> <p><u>Freestanding Laptop Table</u> (Same as T19) /</p> <p><u>Table autonome et à coussin-écritoir</u> (Même chose que dans le cas de l'article T19)</p>	3	
<p><u>T18</u></p> <p><u>Round Lounge Table /</u></p> <p><u>Table de salon de forme ronde</u></p>	2	
<p><u>T19</u></p> <p><u>Freestanding Laptop Table /</u></p> <p><u>Table autonome et à coussin-écriteau</u></p>	6	


<p><u>T12</u></p> <p><u>Bar Height Work Table /</u></p> <p><u>Table de travail à la hauteur d'un bar</u></p>	<p>1</p>	
<p><u>T20</u></p> <p><u>Coffee Table /</u></p> <p><u>Table basse</u></p>	<p>1</p>	
<p><u>T23</u></p> <p><u>Round Lounge Table</u> <u>(Same as T18) /</u></p> <p><u>Table de salon de forme ronde</u> <u>(Même chose que dans le cas de l'article T18)</u></p>	<p>1</p>	
<p><u>T24</u></p> <p><u>Round Lounge Table /</u></p> <p><u>Table de salon de forme ronde</u></p>	<p>1</p>	

<p><u>T25</u></p> <p><u>Round Lounge Table</u> (Same as T24) /</p> <p><u>Table de salon de forme ronde</u> (Même chose que dans le cas de l'article T24)</p>	1	
<p><u>T27</u></p> <p><u>Round Lounge Table</u> (Same as T24) /</p> <p><u>Table de salon de forme ronde</u> (Même chose que dans le cas de l'article T24)</p>	1	
<p><u>T16</u></p> <p><u>Small Meeting Table /</u></p> <p><u>Petite table de réunions</u></p>	1	
<p><u>T2</u></p> <p><u>D Shaped Multi-media Table/</u></p> <p><u>Table multi-médiatique et en forme de « D »</u></p>	3	

Solicitation No. - N° de l'invitation
EP731-181613/A
Client Ref. No. - N° de réf. du client
20181613

Amd. No. - N° de la modif.
002
File No. - N° du dossier
EP731-181613

Buyer ID - Id de l'acheteur
PQ985
CCC No./N° CCC - FMS No./N° VME

<p><u>T3</u></p> <p><u>D Shaped</u></p> <p><u>Multi-media Table/</u></p> <p><u>Table multi-</u></p> <p><u>médiatique et en</u></p> <p><u>forme de « D »</u></p>	<p>2</p>	
---	----------	--

Solicitation No. - N° de l'invitation
EP731-181613/A
Client Ref. No. - N° de réf. du client
20181613

Amd. No. - N° de la modif.
002
File No. - N° du dossier
EP731-181613

Buyer ID - Id de l'acheteur
PQ985
CCC No./N° CCC - FMS No./N° VME

ANNEX “A-3” PLAN DRAWINGS

See attached pdfs:

- **A400 Terrace Level Collaborative Furniture Plan**
- **A402 Second Level Collaborative Furniture Plan**

