



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Travaux publics et Services gouvernementaux
Canada

Place Bonaventure,
800 rue de la Gauchetière Ouest

Voir aux présentes - See herein

Montréal

Québec

H5A 1L6

FAX pour soumissions: (514) 496-3822

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du

fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Travaux publics et Services gouvernementaux Canada
Place Bonaventure,

800 rue de la Gauchetière Ouest

Voir aux présentes - See herein

Montréal

Québec

H5A 1L6

Title - Sujet Weapons storage cabinets	
Solicitation No. - N° de l'invitation W0106-17R301/A	Date 2018-01-30
Client Reference No. - N° de référence du client W0106-17-R301	
GETS Reference No. - N° de référence de SEAG PW-\$MTA-425-14729	
File No. - N° de dossier MTA-7-40213 (425)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-03-13	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Leporé, Denis	Buyer Id - Id de l'acheteur mta425
Telephone No. - N° de téléphone (514) 701-6852 ()	FAX No. - N° de FAX (514) 496-3822
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See herein (2 destinations)	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée .	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	Armoires de Rangement pour Armes	W0106	W0106	1	LOT	\$	XXXXXXXXXXXX	.	

TABLE OF CONTENTS

TABLE OF CONTENTS	1
1.1 SECURITY REQUIREMENTS	2
1.2 REQUIREMENT	2
1.3 DEBRIEFINGS	2
1.4 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS	2
2.3 ENQUIRIES - BID SOLICITATION	3
2.4 APPLICABLE LAWS	3
PART 3 - BID PREPARATION INSTRUCTIONS	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES	4
4.2 BASIS OF SELECTION	5
PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION	5
5.1 CERTIFICATIONS REQUIRED WITH THE BID	5
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	6
PART 6 - RESULTING CONTRACT CLAUSES	6
6.1 SECURITY REQUIREMENTS	6
6.2 REQUIREMENT	6
6.3 STANDARD CLAUSES AND CONDITIONS	7
6.4 TERM OF CONTRACT	7
6.5 AUTHORITIES	7
6.6 PAYMENT	8
6.7 INVOICING INSTRUCTIONS	9
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION	9
6.9 APPLICABLE LAWS	10
6.10 PRIORITY OF DOCUMENTS	10
6.11 SACC MANUAL CLAUSES	10
ANNEX "A"	11
REQUIREMENT	11
ANNEX "B"	13
EQUIPMENT LIST	13
ANNEX "C"	21
BASIS OF PAYMENT	21
ANNEX "D"	23
MANDATORY TECHNICAL SPECIFICATIONS TO BE DEMONSTRATED	23
ANNEX "E"	24
ELECTRONIC PAYMENT INSTRUMENTS	24

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

There is no security requirement applicable to the Contract.

1.2 Requirement

The Work to be performed is detailed under Article 6.2 - Requirement of the resulting contract clauses.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), the Canadian Free Trade Agreement (CFTA), the Canada-Columbia Free Trade Agreement and the Canada-Chili Free Trade Agreement, Canada-Panama Free Trade Agreement and Canada-Honduras Free Trade Agreement.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2017-04-27) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.1.1 SACC Manual Clauses

[B1000T](#) (2014-06-26) Condition of Material - Bid

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated as follows:

Solicitation No. - N° de l'invitation
31026-186068/A
Client Ref. No. - N° de réf. du client
31026-18-6068

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-7-40235

Buyer ID - Id de l'acheteur
mta425
CCC No./N° CCC - FMS No./N° VME

***** **CHANGE OF ADDRESS – BIDS DELIVERY** *****

In person or by mail:
PWGSC
Place Bonaventure, 7th Floor, South-West Portal
800 de la Gauchetière Street West, Suite 7300
Montreal (QC), H5A 1L6
By facsimile: (514) 496-3822

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Québec.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (3 hard copies)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

(a) use 8.5 x 11 inch (216 mm x 279 mm) paper;

- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “X” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “D” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

3.1.3 SACC Manual Clauses

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

It is mandatory to provide the technical / descriptive documents of the product that you are offering (eg. drawing, data sheet, sketch, etc.) or a description to allow its technical evaluation. Failure to comply will render your bid non responsive.

You must demonstrate in your technical submission that your product is compliant with the **Mandatory technical specifications to be demonstrated** of Annex "D".

Note: Mandatory technical specifications 5.3, 5.5, 5.7, 5.8 and 5.10 of Annex "A" are not to be demonstrated but remain mandatory technical specifications to be met.

4.1.1.1 Mandatory Technical Criteria

See Annex D - Mandatory technical specifications to be demonstrated.

4.1.2 Financial Evaluation

Total financial evaluation: Sum of total prices of items 1+2+3+4+5+6+7+8+9+10+11+12+13 of the Annex "C", Basis of Payment.

4.1.2.1 SACC Manual Clauses

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price

4.2 Basis of Selection

4.2.1 Basis of Selection - Mandatory Technical Criteria

SACC Manual Clause [A0031T](#) (2010-08-16), Basis of Selection - Mandatory Technical Criteria

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must perform the Work in accordance with the Statement of Work at Annex "A" and "B" and the Contractor's technical bid entitled _____, dated _____. *(will be filled at the time of contract award)*

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from _____ (*fill in start date of the period*) to _____ inclusive (*fill in end date of the period*).

6.4.2 Delivery Date

While delivery is requested by March 31st, 2018, the best delivery that could be offered is _____. (*to be completed by the tenderer*)

6.4.5 Delivery Points

Delivery of the requirement will be made to delivery point specified below:

Department of National Defense
2nd Canadian Division Support Base, Valcartier
2 R22R
Building 313
Courcelette (Québec) G0A 4Z0

Notes:

- a. The buildings can accommodate a 53-foot trailer truck.
- b. Delivery is limited to unload on receiving dock.

AND for the items included in the Table 11 only

Department of National Defense
2630 Hochelaga Blvd
Québec (Québec) G1V 2J6

Notes:

- a. The buildings can accommodate a 53-foot trailer truck.
- b. Delivery is limited to unload on receiving dock.

6.5 Authorities

6.5.1 Contracting Authority

Solicitation No. - N° de l'invitation
31026-186068/A
Client Ref. No. - N° de réf. du client
31026-18-6068

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-7-40235

Buyer ID - Id de l'acheteur
mta425
CCC No./N° CCC - FMS No./N° VME

The Contracting Authority for the Contract is:

Name: Denis Leporé
Title: Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
Telephone: 514-701-6852
Facsimile: 514-496-3822
E-mail address: denis.lepore@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative *(to be completed by the tenderer)*

Name: _____
Telephone: _____
Facsimile: _____
E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B for a cost of \$ _____. Customs duties are included and Applicable Taxes are extra.

The contract will be awarded in Canadian currency. The rate given by the Bank of Canada in effect on the bid solicitation closing date will be applied as a conversion factor.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause [C6000C](#) (2017-08-17) Limitation of Price

6.6.3 Single Payment

SACC Manual clause [H1000C](#) (2008-05-12) Single Payment

6.6.4 SACC Manual Clauses

[A2000C](#) (2006-06-16) Foreign Nationals (Canadian Contractor)

[A2001C](#) (2006-06-16) Foreign Nationals (Foreign Contractor)

[C2000C](#) (2007-11-30), Taxes - Foreign-based Contractor

6.6.5 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____ (*insert the name of the province or territory as specified by the Bidder in its bid, if applicable*).

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions A2010A General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Equipment List;
- (e) Annex C, Basis of payment;
- (f) the Contractor's bid dated _____ (*insert date of bid*) (*If the bid was clarified or amended, insert at the time of contract award: “, as clarified on _____” or “, as amended on _____” and insert date(s) of clarification(s) or amendment(s)*)

6.11 SACC Manual Clauses

A9062C (2011-05-16) Canadian Forces Site Regulations
G1005C (2016-01-28) Insurance - No Specific Requirement
B7500C (2006-06-16) Excess Goods

ANNEX "A"

REQUIREMENT

1. TITLE

Weapons storage cabinets

2. BACKGROUND

As part of a project of modification related to the existing weapons vaults within 2nd Royal 22 Regiment, this unit must comply with directives relating to weapons storage.

3. PURPOSE

- 3.1 This document sets out the general and specific requirements for the full and satisfactory execution of the requirement related to the acquisition of secure weapons storage cabinets that are modular, interchangeable, stackable and safe to use.
- 3.2 This is a performance specification for the supply of weapons cabinets for the vaults in the facilities at 2nd Canadian Division Support Base, Valcartier. Each vault is required to accommodate all weapons and parts thereof, for vehicles and their crews.

4. DESCRIPTION OF REQUIREMENT

- 4.1 The required storage system must be very flexible and be capable of storing and stacking, as a maximum, the equipment list in Annex B.
- 4.2 The system must also be easy to configure to facilitate the storage of C7/C8, C6/C9 Carl Gustav and 9 mm rifles, including accessories (Bolt assy, mag, bayonet).
- 4.3 The bidder must supply and deliver all of the requested cabinets.

5. MANDATORY TECHNICAL SPECIFICATIONS

The cabinets must have, but not be limited to, the following characteristics:

- 5.1 Sheet metal of no less than 14 GA will be considered where the construction method is sufficient to ensure rigidity and where the cabinet has additional reinforcement to prevent distortion.
- 5.2 Welded joints instead of riveted.
- 5.3 At least one welded security hasp sized to accept a keyed padlock with an 8 mm shackle diameter and a 25 mm shackle clearance.
- 5.4 Tamper-proof rivets or bolts may be used for attaching handles or locking bars provided if they are not accessible when the cabinet is closed and locked.
- 5.5 Rolled or folded edges of sheet metal for added strength.

-
- 5.6 Three-point locking system: door locking pins extend 25 mm into frame of cabinet (top and bottom) to prevent prying.
- 5.7 If the cabinet is equipped with bi-fold doors, they must be secure with door locking pins extending 25 mm into frame of cabinet (top and bottom) to prevent prying. A small strong metal plate welded to the frame to prevent the door from folding inward and where the pins extend behind the plate is acceptable.
- 5.8 Cabinets must be pre-drilled (1 cm) for attachment
a) to each other,
b) to the floor, and
c) to the wall.
- 5.9 The unit must be equipped with non-marring moulded barrel/butt rests with molded foam or PVC/rubber coating measuring no less than 3 mm on contact surfaces.
- 5.10 The cabinet doors must be perforated (mesh of +/- 19 mm x 38 mm) for ease of taking inventory.
- 5.11 Cabinets must be modular. The interior must allow different storage configurations for C7 / C8 and C6 / C9, C16, Carl Gustav and 9mm weapons including surplus guns as needed, as well as accessories (cylinder heads, chargers, bayonets).
- 5.12 The cabinets must have a powder coating finish (acceptable thickness from 2.0 to 3.5 mm). Color must be lite gray.

ANNEX "B"
EQUIPMENT LIST

Table 1 – CIE A		
Art.	Quantity	Description
1.1	11	Cabinet with folding doors to store 150 x C 7 et 12.12 caliber Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN :20-0091102
1.2	11	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
1.3	11	Stock Support (capacity of 12)
1.4	132	Barrel Support (capacity of 1)
1.5	11	Horizontal Support (capacity of 3)

Table 2 – CIE A		
Art.	Quantity	Description
2.1	4	Cabinet with folding doors to store 41 x C9, et C6 Flex with 2 cannons of surplus per weapond Dimensions : 84 in H x 42 in L x 15 in D (more or less1 inch) (2133mm x 1066mm x 381mm) NSN : 20-0091103
2.2	4	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
2.3	48	Stock Support (capacity of 1)
2.4	48	Barrel Support (capacity of 1)
2.5	48	Cradle for surplus cannon (capacity of 2)
2.6	24	Top shelf

Table 3 – CIE A		
Art.	Quantity	Description
3.1	2	Cabinet with folding doors to store 4 x C16, and 4 Carl Gustav Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
3.2	2	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
3.3	4	Base for C16
3.4	4	Dividers for C16
3.5	4	Dividers for C16
3.6	2	Support for Carl Gustav for the top cap2.
3.7	2	Base for Carl Gustav cap 2.
3.8	1	Top shelf C16

Table 4 – CIE A

Art.	Quantity	Description
4.1	2	Cabinet with folding doors to store 16 x C6 Coax et 40 9 mm Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091103
4.2	2	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
4.3	16	Stock Support (capacity of 1)
4.4	16	Barrel Support (capacity of 1)) coax c6
4.5	8	Shelf for stock
4.6	16	Cradle for surplus cannon (cap 2)
4.7	7	Support at 9 mm cap 6

Table 5 – QMR TRANSMISSION

Art.	Quantity	Description
5.1	7	Cabinet with folding doors to store 87 X C7, 10C8, 44 9MM Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
5.2	7	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
5.3	79	Stock Support (capacity of 1)
5.4	79	Barrel Support (capacity of 1)
5.5	6	Horizontal support cap of 3
5.6	2	Support 9 mm cap 8
5.7	5	Support for 9MM cap 6

Table 6 – QMR TRANSMISSION

Art.	Quantity	Description
6.1	1	Cabinet with folding doors to store Bolt Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
6.2	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
6.3	4	Shelf for cylinder head (culasse)
6.4	4	Insert for cylinder head (culasse) (bolt) cap 27 pour C7 ou C8
6.5	12	Shelf for ammo
6.6	60	Shelf Divider for ammo

Solicitation No. - N° de l'invitation
31026-186068/A
Client Ref. No. - N° de réf. du client
31026-18-6068

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-7-40235

Buyer ID - Id de l'acheteur
mta425
CCC No./N° CCC - FMS No./N° VME

Table 7 – RECONNAISSANCE

Art.	Quantity	Description
7.1	4	Cabinet with folding doors to store 60 X C7 Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
7.2	4	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
7.3	4	Stock Support (capacity of 12)
7.4	48	Barrel Support (capacity of 1)
7.5	4	Horizontal support cap of 3
7.6	1	Cabinet with folding doors to store bolt and 9 mm Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x381mm) NSN : 20-0091102
7.7	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
7.8	3	Shelf for cylinder head (culasse)
7.9	3	Insert for cylinder head (bolt) cap 27 for C7
7.10	2	Single shelf for other accessories
7.11	6	Support for 9 mm cap 8
7.12	1	Cabinet with folding doors to store 4 C16 Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
7.13	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
7.14	4	Base pour C16
7.15	4	Dividers C16
7.16	4	Dividers C16

Solicitation No. - N° de l'invitation
31026-186068/A
Client Ref. No. - N° de réf. du client
31026-18-6068

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-7-40235

Buyer ID - Id de l'acheteur
mta425
CCC No./N° CCC - FMS No./N° VME

Table 8 – VOUTE CUISINIER

Art.	Quantity	Description
8.1	2	Cabinet with folding doors to store 30 C7 Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
8.2	2	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
8.3	2	Stock Support (capacity of 12)
8.4	24	Barrel Support (capacity of 1)
8.5	2	Horizontal support cap of 3
8.6	1	Cabinet with folding doors to store 3 C6 and 3 C9 cannons of surplus (2 per weapon) Dimensions : 72 in H x 42 in L x 15 in D (more or less1 inch) (1829mm x 1066mm x 381mm) NSN : 20-0091102
8.7	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
8.8	6	Stock Support (capacity of 1)
8.9	6	Barrel Support (capacity of 1)
8.10	6	Cradle for surplus cannon (2 cap)
8.11	1	Single shelf

Table 9 – CIE C		
Art.	Quantity	Description
9.1	11	Cabinet with folding doors to store 150 C7 et 15 .12 caliber Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
9.2	11	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
9.3	11	Stock Support (capacity of 12)
9.4	162	Barrel Support (capacity of 1)
9.5	11	Horizontal support cap of 3
9.6	3	Cabinet with folding doors to store 35 C9 with cannons of surplus (2 per weapon) Dimensions : 84 in H x 42 in L x 15 in D (more or less1 inch) (2133mm x 1066mm x 381mm) NSN : 20-0091103
9.7	3	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
9.8	35	Barrel Support (capacity of 1)
9.9	35	Cradle for surplus cannon (capacity of 2)
9.10	35	Stock Support (capacity of 1)
9.11	18	Shelf for stock
9.12	2	Cabinet with folding doors to store 4 C16 and Carl Gustav Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
9.13	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
9.14	4	Base for C16
9.15	4	Dividers for C16
9.16	4	Dividers for C16
9.17	2	Support for Carl Gustav for the top cap 2
9.18	2	Base for Carl Gustav cap 2
9.19	1	Top shelf for C16
9.20	2	Cabinet with folding doors to store 16 C6 Coax, 6 C6 Flex and 30 9 mm Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091103
9.21	2	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
9.22	22	Stock Support (capacity of 1)
9.23	16	Barrel Support (capacity of 1) coax C6
9.24	12	Shelf for stock
9.25	6	Barrel Support (capacity of 1) for C6 flex
9.26	24	Cradle for surplus cannon cap 2
9.27	5	Support 9 mm cap 6

Table 10 – QM SERVICES

Art.	Quantity	Description
10.1	16	Cabinet with folding doors to store 240 C7 Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
10.2	16	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
10.3	16	Stock Support (capacity of 12)
10.4	19 2	Barrel Support (capacity of 1)
10.5	16	Horizontal support cap of 3
10.6	1	Cabinet with folding doors to store 12 C6 with 2 cannons of surplus per weapon Dimensions : 84 in H x 42 in L x 15 in D (more or less1 inch) (2133mm x 1066mm x 381mm) NSN : 20-0091103
10.7	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
10.8	12	Barrel Support (capacity of 1)
10.9	12	Cradle for surplus cannon (capacity of 2)
10.10	12	Stock Support (capacity of 1)
10.11	6	Shelf for stock
10.12	1	Cabinet with folding doors to store 4 Carl Gustav Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
10.13	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
10.14	2	Base for Carl Gustav
10.15	2	Support for Carl Gustav
10.16	1	Cabinet with folding doors to store 5 shot gun and 48, 9 mm Dimensions : 48 in H x 42 in L x 15 in D (more or less1 inch) (1219mm x 1066mm x 381mm) NSN : 20-0091102
10.17	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
10.18	5	Stock Support (capacity of 1)
10.19	14	Barrel Support (capacity of 1)
10.20	8	Support for 9 mm cap 8

Tableau 11 – 35 ^e RGC - Manège		
Art.	Quantité	Description
11.1	9	Cabinet for 200, C7A2 et 12 Shot gun and 16, 9mm Dimensions : 84 in H x 42 in L x 15 in D with folding door (more or less1 inch) (2133mm x 1066mm x 381mm)
11.2	9	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
11.3	212	Cradle for stock 12 cap
11.4	212	Cradle for canon 1 cap
11.5	2	Support for 9mm, 8 cap
11.6	2	Cabinet for 15, C9A2 et 4 C6 with cannons of surplus Dimensions : 84 in H x 42 in L x 15 in D with folding door (more or less1 inch) (2133mm x 1066mm x 381mm)
11.7	2	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
11.8	19	Cradle for canon 1 cap
11.10	19	Cradle for stock 1cap
11.11	10	Shelf for stock top part 1 cap
11.12	8	Cradle for surplus cannon C6/C9 cap 2
11.13	1	Cabinet to store 4 Carl Gustav Dimensions : 48 in H x 42 in L x 15 in D without door (more or less1 inch) (1219mm x 1066mm x 381mm)
11.13	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
11.14	1	Standard grilled doors
11.15	2	Support for Carl Gustav 2 cap top part
11.16	2	Support for Carl Gustav 2 cap bottom part
11.17	1	Cabinet to store 12, C7A2 with M203 Dimensions : 48 in H x 42 in L x 15 in D with folding door (more or less1 inch) (1219mm x 1066mm x 381mm)
11.18	1	GRADE 1 Commercial Grade Deadbolt Safety Lock (US ANSI Standard) with 2 identical keys per lock and location for padlocks
11.19	12	Cradle for stock 1 cap
11.20	12	Cradle for canon 1 cap
11.21	6	Shelf for stock 1 cap

DIMENSIONS OF WEAPONS AND ACCESSORIES:

- a. C7/C8: length 1 m, weight 3.99 kg
- b. C9: length 1.04 m, weight 7.12 kg
- c. C6: length 1.255 m, weight 11 kg
- d. C6 Coax: length 1.1 m
- e. C6 Flex: length 1.1 m
- f. 25 mm barrel guideway: dimension 6 inches x 6 inches
- g.** The size of the cabinets is 42 in. wide. 36 in. is not acceptable;
- h.** C7 are stored vertically in the drawers. Dimensions: a cylinder head measures 7 ½ " x 1" x 1 " so the drawer must be at least 9 " high.
- i.** Bracket or dividers that are installed inside the drawers which allows to store the bayonets on the vertical. A bayonet measures 13 " x 1 ½ x ¾ " so the drawer must be at least 14 " high.

ANNEX "C"

BASIS OF PAYMENT

Firm prices required for all items in the table below.
The lot price must include all the items listed in each tables in Appendix B.

1. DESCRIPTION OF LOTS AND DELIVERY SITES

Firm price, including all the equipment

# Lot	Description	DELIVERY SITES	Qty	Total Firm Price Per lot
1	2R22R - Table 1 – Cie A Item 1 to 5 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
2	2R22R - Table 2 – Cie A Item 1 to 6 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
3	2R22R - Table 3 – Cie A Item 1 to 8 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
4	2R22R - Table 4 – Cie A Item 1 to 7 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
5	2R22R - Table 5 – QMR Trans Item 1 to 7 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
6	2R22R - Table 6 – QMR Trans Item 1 to 6 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
7	2R22R - Table 7 – Recco Item 1 to 16 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
8	2R22R - Table – Cook Item 1 to 11 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
9	2R22R - Table 9 – Cie C Articles 1 to à 27 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
10	2R22R - Table 10 – QM SVC Articles 1 to 20 (As described in Annex B - Equipment List	313	1	\$ ____/Lot
11	35 RGC - Table 11 Manège 35 RGC Articles 1 to 21 (As described in Annex B - Equipment List	2630 Blvd Hochelaga, Québec, Qc, G1V 2J6	1	\$ ____/Lot

Solicitation No. - N° de l'invitation
31026-186068/A
Client Ref. No. - N° de réf. du client
31026-18-6068

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-7-40235

Buyer ID - Id de l'acheteur
mta425
CCC No./N° CCC - FMS No./N° VME

12	Shipping costs (FAB Destination)	313	1	\$ ____/Lot
13	Shipping coasts (FAB Destination)	2630 Blvd Hochelaga, Québec, Qc, G1V 2J6	1	\$ ____/Lot
	TOTAL (1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10 + 11 + 12 + 13)			\$ _____

ANNEX "D"

MANDATORY TECHNICAL SPECIFICATIONS TO BE DEMONSTRATED

The required equipment must have the descriptions and specifications mentioned at Annex «A» - Requirement - Section 2 - Technical Specifications. These descriptions and specifications are indicated hereafter by numbers ranging 5.1, 5.2, 5.4, 5.6, 5.9, 5.11 and 5.12.

It is mandatory to provide the technical / descriptive documents of the product that you are offering (eg. drawing, data sheet, sketch, etc.) or a description to allow it's technical evaluation. Failure to comply will render your bid non responsive.

No.	Mandatory technical Specifications	compliant	Non-compliant	Reference : Please specify where can be found these items within your technical/descriptive documents and/or technical literature/notes
5.1	Sheet metal of no less than 14 GA will be considered where the construction method is sufficient to ensure rigidity and where the cabinet has additional reinforcement to prevent distortion.			
5.2	Welded joints instead of riveted.			
5.4	Tamper-proof rivets or bolts may be used for attaching handles or locking bars provided if they are not accessible when the cabinet is closed and locked.			
5.6	Three-point locking system: door locking pins extend 25 mm into frame of cabinet (top and bottom) to prevent prying.			
5.9	The unit must be equipped with non-marring moulded barrel/butt rests with molded foam or PVC/rubber coating measuring no less than 3 mm on contact surfaces.			
5.11	Cabinets must be modular. The interior must allow different storage configurations for C7 / C8 and C6 / C9, C16, Carl Gustav and 9mm weapons including surplus guns as needed, as well as accessories (cylinder heads, chargers, bayonets).			
5.12	The cabinets must have a powder coating finish (acceptable thickness from 2.0 to 3.5 mm). Color must be lite gray.			

Solicitation No. - N° de l'invitation
31026-186068/A
Client Ref. No. - N° de réf. du client
31026-18-6068

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-7-40235

Buyer ID - Id de l'acheteur
mta425
CCC No./N° CCC - FMS No./N° VME

ANNEX "E"

ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- ☐ () VISA Acquisition Card;
- ☐ () MasterCard Acquisition Card;
- ☐ () Direct Deposit (Domestic and International);
- ☐ () Electronic Data Interchange (EDI);
- ☐ () Wire Transfer (International Only);
- ☐ () Large Value Transfer System (LVTS) (Over \$25M)