


ka designs
(902) 454-9889 kadesigns@eastlink.ca
3873 Memorial Drive, Halifax, N.S. B3K 5A4



DUMAC ENERGY LTD.
CONSULTING ENGINEERS
752 BEDFORD HIGHWAY
HALIFAX, N.S.
Tel: (902) 457-1300
Fax: (902) 457-1777
Email: DUMAC@DUMACNS.CA



| | | |
|-----------|-------------------|------------|
| 1. | ISSUED FOR TENDER | 01.26.2018 |
| revisions | | date |
| project | | projet |


CCG WP2.0 FIT-UP
MARITIME HEADQUARTERS
BEDFORD INSTITUTE OF OCEANOGRAPHY
DARTMOUTH
NOVA SCOTIA

drawing dessin

CCG FIT-UP
LEVELS 200 & 300
FLOOR PLANS -
SYSTEMS

| | | |
|-----------------------|---------------------------------|---------------|
| designed | KADesigns | conçu |
| date | | |
| drawn | KAD | dessiné |
| date | OCT.02.2017 | |
| approved | | approuvé |
| date | | |
| Tender | IAN SCELES | Soumission |
| PWGSC Project Manager | Administrateur de projets TPSGC | |
| project number | | no. du projet |
| | R.082156.001 | |
| drawing no. | | no. du dessin |


E.10



1
E.10
LEVEL 200 FLOOR PLAN - SYSTEMS
SCALE : 1:100
0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

ELECTRICAL NOTES:

- DISCONNECT EXISTING VOICE/DATA CABLING FROM EXISTING SYSTEMS FURNITURE AND RE-USE WHERE POSSIBLE TO CONNECT TO NEW SYSTEMS FURNITURE IF CABLE IS NOT SUFFICIENTLY LONG THEN INSTALL NEW. USE OF SERVICE LOOP IN COMMUNICATIONS ROOM IS ALLOWED. (GENERAL NOTE FOR ALL SYSTEMS FURNITURE)
- INSTALL 1 NEW CAT 6 VOICE CABLE AND 1 NEW CAT 6 DATA CABLE FROM EXISTING COMMUNICATIONS RACK TO SYSTEMS FURNITURE OR WALL MOUNTED VOICE/DATA OUTLET. TEST CABLE AND PROVIDE VERIFICATION REPORT ON ALL NEW CAT 6 CABLING.
- INSTALL ONE NEW VOICE AND ONE DATA PATCH PANELS IN EXISTING COMMUNICATIONS RACK TO MATCH EXISTING.
- LABELING OF ALL NEW VOICE/DATA OUTLETS TO MATCH EXISTING, COORDINATE WITH TENANTS IT PERSONNEL.
- GENERAL NOTE SYSTEMS FURNITURE. ELECTRICAL CONTRACTOR TO ROUTE VOICE/DATA CABLING THROUGH SYSTEMS FURNITURE RACEWAY TO VOICE/DATA OUTLET.
- REMOVE EXISTING UN-USED SYSTEMS FURNITURE FEEDS. RELOCATE EXISTING VOICE/DATA CABLING TO NEW FURNITURE OR WALL OUTLETS AND ANY CABLE NOT USED SHALL BE COILED UP IN CEILING SPACE AND LABELED AT BOTH ENDS AS SPARE.
- RE-ROUTE EXISTING DATA CABLING DOWN ADJACENT FURNITURE FEED LOCATION AND RE-USE FOR NEW FURNITURE OUTLETS.
- EXISTING SYSTEMS FURNITURE VOICE AND DATA CABLING RE-ROUTED TO NEW WALL MOUNTED VOICE/DATA OUTLET.
- INSTALL TWO NEW 27mm CONDUITS DOWN WALL FOR VOICE/DATA CABLING TO NEW SYSTEMS FURNITURE. INSTALL BOX AND COVERPLATE TO MATCH EXISTING.



2
E.10
LEVEL 300 FLOOR PLAN - SYSTEMS
SCALE : 1:100
0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m