

PART 1 - GENERAL

1.1 SCOPE

- .1 Contractor to provide all items, articles, materials operations or methods listed, mentioned or scheduled on drawings and herein, including labour, materials, equipment and incidentals necessary and required for their supply, installation and completion.

1.2 WORK INCLUDED

- .1 Miscellaneous items of a special nature not normally specified elsewhere.

1.3 OPERATING & MAINTENANCE DATA

- .1 Provide operation and maintenance data for all items for incorporation into manual specified in Section 01 78 00 - Closeout Submittals.

1.4 DELIVERY AND STORAGE

- .1 Deliver all components in original packing material clearly marked as to contents. Store in heated area designated by Departmental Representative.

1.5 SUBMITTALS

- .1 Shop drawings and samples: submit in accordance with Section 01 33 00 - Submittal Procedures.
 - .2 Manufacturer's catalogue references establish design features and minimum acceptable standards for work of this section. Products of other manufacturers meeting this quality standard will be acceptable when reviewed by the Departmental Representative.
 - .3 Supply and install all required reinforcing and anchorage for built-in products
-

PART 2 - PRODUCTS

2.1 GENERAL

- .1 Materials: new, free from defects impairing strength, durability or appearance of best commercial quality for purpose specified.
- .2 Materials of sufficient thickness and strength to produce finished work free of warping, buckling, open seams, weld marks, base fitting and other defects.
- .3 Electrical connections in accordance with Canadian Electrical Code.

2.2 FINISHING

- .1 Insulate between dissimilar metal and masonry to prevent electrolysis.

2.3 UNDERCOUNTER REFRIGERATOR

- .1 Under Counter Refrigerator 4.4 cu. Ft. with semi-automatic defrost, reversible door, 3 slide out glass shelves, full width freezer compartment, door shelves, stainless steel finish and molded work top. Size approximately 525x530x830 mm high.

PART 3 - EXECUTION

3.1 WORKMANSHIP AND INSTALLATION

- .1 Unless otherwise noted, work under this Section shall include complete installation of items specified herein. Installation shall be in strict accordance with manufacturer's printed instructions.
 - .2 Fit and assemble work in shop where possible. Execute according to details and reviewed shop drawings. Where shop fabrication is not possible, make trial assembly in shop.
 - .3 Workmanship shall be best grade of modern shop and field practice known to recognized manufacturers specializing in this work. Joints and members shall be accurately fitted, made in true planes with adequate fastening. Wherever possible fastenings shall be concealed.
-

- .4 Fabricate and erect work square, plumb, straight, true and accurately fitted. Provide adequate reinforcing and anchorage.

3.2 SCHEDULE

- .1 As indicated on drawings.